

Office: Executive Engineer, Construction Division B & M Branch, Rupnagar Email: - pwdropar@yahoo.co.in
Phone No: 01881-222934

Jio Digital Fibre Private Limited,
C-135 Phase-VII, Industrial Area,
S.A.S. Nagar, Mohali,

Letter No. 5414

Date: 09-6-21

Sub: Proposal for Grant of Permission to Jio Digital Fibre Private Limited for laying Optical Fiber Cable by HDD from Nurpur Bedi Balachour Ch 350 to Punjab Himachal Border from Nurpur Bedi 31200 via Santokhgarh, Jaitpur, Kartarpur, Hyatpur, Sukhemajra, Manak Majra, Barrian, Dumewal-Algran bridge-Bhallari - Nangran-Bhattian-Sehawal to Himachal Border (Santokhgarh).

Letter number JDFFL ROW / 20 dated 28-05-2021

In connection with the reference on the above subject, it is written to you that the amount required for the road cut to be made for laying OFC cable on the said road, with the letter under reference from you. Demand Draft No. 758630 dated 17-05-2021 amounting to Rs. 4,13,750/- and Bank Guarantee No. 401012102477 dated 15-05-2021 amounting to Rs.15,77,000/- has been deposited in the office.

NOC from Zilla Parishad / Forest Department before installing OFC Cable be taken

The OFC cable should be placed within the PWD's right of way.

In the approach to the bridges, the cable should be placed in the toe at the place with high embankment.

Pit and mainhall should be constructed in accordance with IRC requirements and its slab level should not be placed higher than Road Level.

If there is a structure or multiple obstruction in the path of the cable, You will be bound to change the route of the cable at your level.

The installation of the OFC cable should be done immediately after installation, so that no accident can happen.

You will be responsible if there is any loss of life or property while working.

If there is damage to the road or any structure of the road while working, you will be bound to repair it.

In future if the road is widened then you will remove the laid cable at your own level and you will not be entitled to any compensation.

The concerned Sub Divisional Engineer should be informed before starting of work

This cable should be laid at the end of Land Boundary of Public Works Department.

Executive engineer
Construction Department,
Rupnagar.

A copy of the above has been sent to Sub Divisional Engineer, Provincial Sub Division and Construction Sub Division D & M Branch, Sri Anandpur Sahib in connection with the back number of this office No. 4068-69 dated 03-05-2021 and 5192-93 dated 1-06-2021 sent for information.



Executive engineer
Construction Department,
Rupnagar

Divisional Forest Officer,
Rupnagar

ਦਫਤਰ: ਕਾਰਜਕਾਰੀ ਇੰਜੀਨੀਅਰ, ਉਸਾਰੀ ਮੰਡਲ ਭ ਤੇ ਮ ਸਾਖਾ, ਰੂਪਨਗਰ
ਈ-ਮੇਲ:- pwdropar@yahoo.co.in ਫੋਨ ਨੰ: 01881-222934

ਸੇਵਾ ਵਿਖੇ

Jio Digital fibre Private Limited,
C-135 Phase-VII, Industrial Area,
S.A.S. Nagar, Mohali.

ਪੱਤਰ ਨੰਬਰ:- 54/14

ਮਿਤੀ:- 09-6-21

ਵਿਸ਼ਾ:-

Proposal for Grant of Permission to JIO Digital Fiber Private Limited for laying Optical Fiber Cable by HDD from Nurpur Bedi Belachour Ch 380 to Punjab Himchal Border From Nurpur bedi Ch- 31200 via Santokhgarh, Jattpur, Kartarpur, Hyalpur, Bukhamajra, Manak Majra, Barrian, Dumawal - Algran bridge - Bhallan - Nangran-Bhattoon - Sohjowal to Himchal Border (Santokhgarh).

ਹਵਾਲਾ:-

ਆਪ ਜੀ ਦਾ ਪੱਤਰ ਨੰਬਰ JDFPL/ROW/20 ਮਿਤੀ 28-05-2021

ਉਪਰੋਕਤ ਵਿਸ਼ੇ ਤੇ ਹਵਾਲੇ ਦੇ ਸਬੰਧ ਵਿੱਚ ਆਪ ਨੂੰ ਲਿਖਿਆ ਜਾਂਦਾ ਹੈ ਕਿ ਆਪ ਵੱਲੋਂ ਉਪਰ ਸ਼ਬਦਕ ਹੇ OFC Cable ਪਾਉਣ ਲਈ ਜੋ ਰੋਡ ਕੱਟ ਲਗਾਇਆ ਜਾਣਾ ਹੈ, , ਉਸ ਲਈ ਲੋੜੀਂਦੀ ਹੇਠ ਹਾਸੀ ਆਪ ਵੱਲੋਂ ਹਵਾਲੇ ਅਧੀਨ ਪੱਤਰ ਨਾਲ Demand Draft No. 758630 dated 17-05-2021 ਨਾਲ ਰਕਮ 4,13,750/- ਰੁਪਏ ਅਤੇ ਇਕ ਗਾਰੰਟੀ BG No. 401012102477 dated 15-05-2021 ਰਕਮ 15,77,000/- ਰੁਪਏ ਇਸ ਦਫਤਰ ਵਿੱਚ ਜਮਾ ਕਰਵਾਈ ਗਈ ਹੈ, ਉਸ ਅਨੁਸਾਰ ਹੇਠ ਕੱਟ ਲਗਾਉਣ ਦੀ ਲੋੜੀਂਦੀ ਐਨ.ਓ.ਸੀ. ਹੇਠ ਦਿੱਤੀਆਂ ਸਰਤਾਂ ਅਨੁਸਾਰ ਜਾਰੀ ਕੀਤੀ ਜਾਂਦੀ ਹੈ:-

- 1) OFC Cable ਪਾਉਣ ਤੋਂ ਪਹਿਲਾਂ ਜਿਲ੍ਹਾ ਪ੍ਰੀਸ਼ਦ/ਵਟ ਵਿਭਾਗ ਤੋਂ ਐਨ.ਓ.ਸੀ. ਲੈ ਲਈ ਜਾਵੇ।
- 2) OFC Cable ਪੀ.ਫ਼ਬਲਯੂ.ਡੀ ਦੀ ਰਾਇਟ ਆਫ ਵੇਅ ਦੇ ਆਖਰੀ ਹੱਦ ਵਿੱਚ ਪਾਈ ਜਾਵੇ।
- 3) ਪੁੱਲਾਂ ਦੀਆਂ ਅਪਰੋਚਾਂ ਵਿੱਚ ਕੋਬਲ ਹਾਈ ਇੰਮਬੇਕਮੈਂਟ ਵਾਲੀ ਥਾਂ ਤੇ ਟੋਅ ਵਿੱਚ ਪਾਈ ਜਾਵੇ।
- 4) ਪਿੱਟ ਅਤੇ ਮੇਨ ਹੋਲ ਆਈ.ਆਰ.ਸੀ ਦੀਆਂ ਸਰਤਾਂ ਅਨੁਸਾਰ ਬਣਾਏ ਜਾਣ ਅਤੇ ਇਸ ਦੀ ਸਲੇਬ ਦਾ ਲੇਵਲ ਰੋਡ ਲੇਵਲ ਤੋਂ ਉਚਾ ਨਾ ਰੱਖਿਆ ਜਾਵੇ।
- 5) ਜੇਕਰ ਆਪ ਵੱਲੋਂ ਪਾਈ ਜਾਂਦੀ ਕੋਬਲ ਦੇ ਰਸਤੇ ਵਿੱਚ ਕੋਈ ਸਟਰੱਕਚਰ ਜਾਂ ਕੋਈ ਆਬਸਟਰੈਕਸ਼ਨ ਆਉਂਦੀ ਹੈ ਤਾਂ ਆਪ ਆਪਣੇ ਪੱਧਰ ਤੇ ਕੋਬਲ ਦਾ ਰੂਟ ਬਦਲਣ ਲਈ ਪਾਬੰਦ ਹੋਵੇਗੇ।
- 6) OFC Cable ਪਾਉਣ ਦਾ ਕੰਮ ਪੂਰਾ ਹੋਣ ਉਪਰੰਤ ਨਾਲ ਦੀ ਨਾਲ ਦੀ ਰੀਸਟੋਰ ਕੀਤਾ ਜਾਵੇ, ਤਾਂ ਜੋ ਕਿਸੇ ਕਿਸਮ ਦੀ ਦੁਰਘਟਨਾ ਨਾ ਵਾਪਰ ਸਕੇ।
- 7) ਕੰਮ ਕਰਨ ਦੌਰਾਨ ਜੇਕਰ ਕੋਈ ਜ਼ਾਨੀ ਜਾਂ ਮਾਲੀ ਨੁਕਸਾਨ ਹੁੰਦਾ ਹੈ ਤਾਂ ਆਪ ਪੂਰੇ ਜ਼ਿੰਮੇਵਾਰ ਹੋਵੇਗੇ।
- 8) ਕੰਮ ਕਰਨ ਦੌਰਾਨ ਜੇਕਰ ਸੜਕ ਜਾਂ ਸੜਕ ਦੇ ਕਿਸੇ ਸਟਰੱਕਚਰ ਦਾ ਨੁਕਸਾਨ ਹੁੰਦਾ ਹੈ ਤਾਂ ਆਪ ਇਸ ਦੀ ਪੂਰਤੀ ਦੇ ਪਾਬੰਦ ਹੋਵੇਗੇ।
- 9) ਭਵਿੱਖ ਵਿੱਚ ਜੇਕਰ ਸੜਕ ਨੂੰ ਚੌੜਾ ਕੀਤਾ ਜਾਂਦਾ ਹੈ ਤਾਂ ਪਾਈ ਗਈ ਕੋਬਲ ਨੂੰ ਆਪ ਆਪਣੇ ਪੱਧਰ ਤੇ ਪਿਛੇ ਹਟਾਵੇਗੇ ਅਤੇ ਆਪ ਕਿਸੇ ਵੀ ਮੁਆਵਜੇ ਦੇ ਹੱਕਦਾਰ ਨਹੀਂ ਹੋਵੇਗੇ।
- 10) ਆਪ ਵੱਲੋਂ ਕੰਮ ਸ਼ੁਰੂ ਕਰਨ ਤੋਂ ਪਹਿਲਾਂ ਸਬੰਧਤ ਉਪ ਮੰਡਲ ਇੰਜੀਨੀਅਰ ਨੂੰ ਸੂਚਿਤ ਕੀਤਾ ਜਾਵੇ।
- 11) ਇਹ ਕੋਬਲ ਮਹਿਕਮਾ ਲੋਕ ਨਿਰਮਾਣ ਵਿਭਾਗ ਦੀ ਲੈਂਡ ਬਾਊਂਡਰੀ ਦੇ ਅਖੀਰ ਵਿੱਚ ਪਾਈ ਜਾਵੇ।

ਨੱਥੀ/×

ਕਾਰਜਕਾਰੀ ਇੰਜੀਨੀਅਰ
ਉਸਾਰੀ ਮੰਡਲ ਭ ਤੇ ਮ ਸਾਖਾ,
ਰੂਪਨਗਰ।

ਮਿਤੀ:-

ਪਿੱਠ ਅੰਕਣ ਨੰਬਰ:-

ਉਪਰੋਕਤ ਦਾ ਉਤਰਾ ਉਪ ਮੰਡਲ ਇੰਜੀਨੀਅਰ, ਪ੍ਰਾਤਕ ਉਪ ਮੰਡਲ ਅਤੇ ਉਸਾਰੀ ਉਪ ਮੰਡਲ ਭ ਤੇ ਮ ਸਾਖਾ, ਸ੍ਰੀ ਅਨੰਦਪੁਰ ਸਾਹਿਬ ਨੂੰ ਇਸ ਦਫਤਰ ਦੇ ਪਿੱਠ ਅੰਕਣ ਨੰਬਰ 4068-69 ਮਿਤੀ 03-05-2021 ਅਤੇ 5192-93 ਮਿਤੀ 1-06-2021 ਦੇ ਸਬੰਧ ਵਿੱਚ ਸੂਚਨਾ ਹਿੱਤ ਭੇਜਿਆ ਜਾਂਦਾ ਹੈ।

ਨੱਥੀ/×

ਕਾਰਜਕਾਰੀ ਇੰਜੀਨੀਅਰ
ਉਸਾਰੀ ਮੰਡਲ ਭ ਤੇ ਮ ਸਾਖਾ,
ਰੂਪਨਗਰ।

Divisional Forest Officer,
Roonagar