

**GOVERNMENT OF TELANGANA
FOREST DEPARTMENT**

From:
Sri. K.Srinivas, I.F.S.,
District Forest Officer,
Siddipet.

To:
The Prl. Chief Conservator of Forests,
(HoFF) Telangana,
Hyderabad.

Rc.No. 4185/S6/2021, Dt. 23.01.2023



1865243/2023

Sir,

Sub:- TSFD – F(C) Act, 1980 – Diversion of 2.1815(2.1819) Ha of forest land for laying of water pipeline and structures in Reserve Forest for "Construction of Intake Structure, WTP and Pipelines for Four HMWS Segments (Jangaon, Gajwel, Aliar-Bhongir and Medchal), Sri Komaravelli Mallanna Sager as a source" Providing and Laying of Pipe Line and Construction of other Structures for safe Drinking Water in Siddipet & Medchal Forest Division, Siddipet & Medchal District, Telangana State – Forwarding of proposals for processing – Reg.

- Ref:-
1. PCCF(HoFF),TS,Hyd.Ref.No.13361/2020-FCA-I, Dt. 27.01.2021.
 2. PCCF(HoFF),TS,Hyd.Ref.No. 13361/2020-FCA-I, Dt. 22.11.2021.
 3. PCCF(HoFF),TS,Hyd.Ref.No. 13361/2020-FCA-I, Dt. 16.03.2022
 4. FRO, Husnabad, Rc.No.18/HSBD/2021-22,Dt. 18.02.2022.
 5. RO, MoRTH, Hyd Lr.No.RW/HYD/JB-3/NH(O)/Cor/55,Dt:19.04.2022.
 6. DFO Siddipet Rc.No. 4185/S6/2021, Dt. 04.07.2022.
 - 7.CCF Medak Rc.No.4746/2020/C3 Dt.07.07.2022.
 8. DFO Siddipet Rc.No. 4185/S6/2021, Dt. 04.11.2022.
 9. CF FCA Rajanna Sdpt. Rc.No.4746/2020/M2 Dt.08.11.2022.
 - 10.PCCF TS Hyd Rc.No.FS1/FC01/47/2022(13361/2020/FCA-1) Dt.24.11.2022.

In compliance to the above 10th reference cited, it is to submit that the Prl. Chief Conservator of Forests TS Hyd has identified some short comings in the proposal and returned the same with instructions to attend the short comings noticed by Prl. Chief Conservator of Forests TS Hyd accordingly the short comings are attended as stated below.

Sl. No.	Short Comings Noticed by PCCF	Reply of DFO Siddipet
1	In this particular case the proposal is already uploaded on Parivesh 1.0 hence the details are to be filled in by the DFO Siddipet and Medchal Districts online. Which is not done in this case as per the clarification issued by the MoEF&CC GoI New Delhi vide Lr.No.11/118/2021-FC Dt.14.11.2022.	As per the instructions the details to be filled by the DFO Siddipet are uploaded in the Parivesh 1.0 Portal.
2.	CA scheme is prepared with 10 years maintenance, as per the new FC rules, under Schedule -1, Para-4, the User agency has to bear the additional cost of protection of CA so raised for a period of 20 years from the date of planting. Hence CA scheme needs to be revised as per the above provisions, as the identified CA land is an isolated patch which is located away from nearest RF boundary.	The scheme proposal is revised and CA NFL is prepared for a period of 20 years from the date of planting.

3.	Degraded Forest land for planting 10 times the number of trees to be felled is prepared by the District Forest Officer Siddipet which is not correct in accordance with the Rules, as already CA land is identified, the District Forest Officer Should prepare CA scheme for planting 1111 trees per Ha in the said land. If it is not possible, then the balance plants to be planted in any of the degraded Forest Land.	As the GAP plantation is proposed in the CA land under CA NFL for 20 years maintenance with 400 plants per Ha. Therefore the remaining plants are proposed in DFL land. Copy of the scheme proposal is enclosed herewith for perusal.
----	---	---

In view of the above it is submitted that duly attending all the shortcomings noticed by the Prl.Chief Conservator of Forests TS Hyd. the proposal is resubmitted herewith to take up further process of the proposal for accordance of Stage – I approval and for further action.

Yours Faithfully

**District Forest Officer
Siddipet**

Copy submitted to the Conservator of Forests Rajanna Circle Siddipet for perusal and necessary action.

Copy to the Chief Engineer – III Mission Bhagiratha Hyderabad for information and necessary action.