


Punjab
Seal
Govt.

Executive Engineer, Construction Division No.3
Public Construction Department(L & M)
Branch, Ludhiana
Ph. No. & Fax : 0161-2449071, e-mail
eeed31dnpwdph@gmail.com



Memo No: 1504

Dated 25/2/2020

From

District Controller,
Food Civil Supply and Consumer Affairs,
Ludhiana (East)



Subject :- Issuance of No-Objection Certificate for setting
up Retail Outlet (Kissan Sewa Kendra)
at Khasra No.231, Doraha, WWL, Distt. Ludhiana.

In Re :- Your Memo No.F.P.(East)-2019/10434 Dated 09.12.2019.

Above cited subject related Sub-Divisional Engineer
Construction Sub-Division Doraha as there letter No.400
Dated 10.02.2020 as per reported that above Fuel Pump may
installed at Doraha to Payal via Kaddon Road (O.R.D.04) of
R.D. distance 0.90 K.M.(Left side) Doraha. As per you demand
N.O.C. on the following terms and conditions has been issued
Temprrory No Objection Certificate:-

1. Applicant will be abide by construction on the spot as per
Drawing/rules and time of construction if any changed then
N.O.C. cancealation related necessary action may be taken.
2. This Department(Public Construction Department L & M branch)
by time to time abide by conditions Agency/Applicant may be
necessary to abide on these terms


मुकेश गुप्ता / MUKESH GUPTA
वरिष्ठ पबंधक (रिटेल सेला) / Senior Manager (Retail Sales)
इंडियन ऑयल कॉर्पोरेशन लिमिटेड (विपणन विभाग)
Indian Oil Corporation Limited (M.D.)
चण्डीगढ़ महानगर कार्यालय / CHANDIGARH DIVISIONAL OFFICE
एन. सी.ओ. 35-36, सेक्टर-7 - सी, माय मार्ग, चण्डीगढ़-160019
S.C.O. 35-36, Sector-7C, Madhya Marg, Sector-7C, Chandigarh-160019

7
 रविवार
 ७/५

-2-

NOTARY PUBLIC
 GOVT. OF INDIA
 TAKE EFFECT
 VALID
 OUT SIDE INDIA/
 VALID FOR EMBASSY
 BHUPINDER KUMAR, LDH

3. Buffer Stripp infront of Open Drain will be covered by Iron Grill.
4. At the spot if any unnessary construction then department applicant expenses and related construction will be demolish.
5. Agency/applicant from prohabled any legal liability Rules of State Govt./Central Govt.
6. Applicant both sides of approach road IRC SP 13 as per box Colvert (with Iron grating of adequate strength) construct and these convert not closed any time. So this convert on time be clean/repair will be responsible by applicant.
7. No any construction on Govt. Land, no parking and not dig or throw wastage on any road side.
8. Applicant will remain Fuel Station level low from the road and no any condition of slop road side approached.
9. Applicant shall arrange storm water drains on his behalf and no any Water will on the road, then will harmful to road.
10. Applicant from at a seprate "License Deed for the use of ROW land for roads in State of Punjab(Fuel Stations)" agreement will be signed.
11. Sanctioned Sign Board may be necessary be installed by the applicant, no any Signe board/Holding be installed who damage the traffic and will be prohabled by Hon'ble Supreme Court and High Court instructions.
12. In future if road shall be braod by Department or strong then on applicant approach road re-construction claim not to the Department.



p-3

(Signature)

मुकेश गुप्ता / MUKESH GUPTA


वरिष्ठ प्रबंधक (रिटेल सेल्स) / Senior Manager (Retail Sales)
 इंडियन ऑयल कॉर्पोरेशन लिमिटेड (विपणन विभाग)
 Indian Oil Corporation Limited (M.O.)
 एच.एम.एस. बिल्डिंग, चण्डीगढ़ डिवीजन ऑफ़ ओ
 एच.एम.एस. बिल्डिंग, चण्डीगढ़ - 160002

ਬਾ ਅਤੇ
ਭੋਂ ਦੀ
ਕਿਸ

-3-

NOTARY PUBLIC
GOVT. OF INDIA
TAKE EFFECT
★ VALID ★
OUT SIDE INDIA/
VALID FOR EMBASSY
BHUPINDER KUMAR, LDH

13. Applicant on every time Govt./IRC from issued instructions may be abide by and if applicant prohibited any time Govt./I.R.C. rules then issued N.O.C. cancellation fully right to Department.
14. This N.O.C. only for road sides, others departments as Forest, Canal Department, Fire Safety etc. may be abide by receive the N.O.C. on his behalf as Applicant.
15. Applicant from submit Map Plot Size (22x 33.80) Mts. as shown so applicant shall be responsible to fulfil the said site plan, Except this bathrooms and drinking water etc. will be arrange as per instruction of Govt./IRC guidelines.
16. Applicant shall submit the affidavit to complete the terms and conditions of Sub-Divisional Office.
17. Infuture if Agency/ Applicant from above as per statement/Declaration proved wrong statement or rules be prohibited then retail outlet installation NO Objection Certificate return related action may be taken.
18. There your are satisfied that this No Objection Certificate is temporary and related to this following authority / will settle with Lease Deed after N.O.C. issued.



Sd/-
Executive Engineer
Construction Division No. 3 P.C.D.
(L & M) Branch, Ludhiana

Enclose/
Endorsement No. Dt:
Above copy Sub-Div. Engineer, Construction Sub-Div.
Doraha as letter No. 400 Dt; 10.02.2020 sent for information.

Sd/-
Executive Engineer
Construction Div. No. 3 P.C.D.
(L & M) Branch, Ludhiana.

TRUE TRANSLATION FROM
PUNJABI, HINDI, URDU INTO ENGLISH

NOTARY PUBLIC LUDHIANA (PB.) INDIA

27 FEB 2020

ਮੁਕੇਸ਼ ਗੁਪਤਾ / MUKESH GUPTA
ਬਰਿਥ ਪਰਬਤ (ਰਿਟੇਲ ਸੇਲ) / Senior Manager (Retail Sales)
ਇੰਡਿਅਨ ਔਇਲ ਕੋਰਪੋਰੇਸ਼ਨ ਲਿਮਿਟੇਡ (ਵਿਸ਼ੇਸ਼ ਵਿਸ਼ੇਸ਼)
Indian Oil Corporation Limited (I.O.C.)
ਚਾਨਡੀਗੜ੍ਹ ਸਾਈਡਲ ਕਾਰਜਕਾਰੀ / CHANDIGARH DIVISIONAL OFFICE
ਫਲੂ. ਸੀ.ਐ. 35-36, ਸੇਕਟਰ-7-ਸੀ, ਮਾਧਵ ਮਾਰਗ, ਚਾਨਡੀਗੜ੍ਹ-160019
ਚਾਨਡੀਗੜ੍ਹ, 70, ਮਾਧਵ ਮਾਰਗ, ਸੈਕਟਰ-7C, ਚਾਨਡੀਗੜ੍ਹ-160019



ਕਾਰਜਕਾਰੀ ਇੰਜੀਨੀਅਰ, ਉਸਾਰੀ ਮੰਡਲ ਨੰ:3


ਲੋਕ ਨਿਰਮਾਣ ਵਿਭਾਗ (ਭ ਤੇ ਮ) ਸ਼ਾਖਾ, ਲੁਧਿਆਣਾ।

Ph. No & Fax: 0161-2449071, e-mail: cecd3ldnpwdpb@gmail.com

ਮੀਮੋ ਨੰ: 1504

ਵਲ

ਜਿਲ੍ਹਾ ਕੰਟਰੋਲਰ,
ਖੁਰਾਕ ਸਿਵਲ ਸਪਲਾਈ ਅਤੇ ਖਪਤਕਾਰ ਮਾਮਲੇ,
ਲੁਧਿਆਣਾ (ਈਸਟ)।



ਵਿਸ਼ਾ: Issuance of No-objection Certificate for setting up Retail Outlet (Kissan Sewa Kendra) at Khasra No. 231, Doraha, WML, Distt. Ludhiana.

ਹਵਾਲਾ:- ਆਪਜੀ ਦਾ ਮੀਮੋ ਨੰ.ਪੀ.ਪੀ (ਈਸਟ)-2019/10434 ਮਿਤੀ 09.12.2019

ਉਪਰੋਕਤ ਵਿਸ਼ੇ ਸਬੰਧੀ ਉਪ ਮੰਡਲ ਇੰਜੀਨੀਅਰ, ਉਸਾਰੀ ਉਪ ਮੰਡਲ ਦੋਰਾਹਾ ਵੱਲੋਂ ਆਪਣੇ ਪੱਤਰ ਨੰ. 400 ਮਿਤੀ 10.02.2020 ਅਨੁਸਾਰ ਰਿਪੋਰਟ ਕੀਤੀ ਹੈ ਕਿ ਉਕਤ ਫਿਊਲ ਪੰਪ ਦੋਰਾਹਾ ਤੋਂ ਪਾਇਲ ਵਾਇਆ ਕਰਦੇ ਰੋਡ (ਓ.ਡੀ.ਆਰ.04) ਦੇ ਆਰ.ਡੀ 0.90ਕਿ:ਮੀ: (ਖੱਬੇ ਪਾਸੇ) ਦੋਰਾਹਾ ਵਿਖੇ ਲਗਾਇਆ ਜਾਣਾ ਹੈ। ਮੰਗਿਆ ਗਿਆ ਐਨ.ਓ.ਸੀ. ਹੇਠ ਲਿਖੀਆਂ ਸਰਤਾਂ ਤਹਿਤ ਆਰਜੀ ਇਤਰਾਜ਼ਹੀਣਤਾ ਸਰਟੀਫਿਕੇਟ ਜਾਰੀ ਕੀਤਾ ਜਾਂਦਾ ਹੈ:-

1. ਪ੍ਰਾਰਥੀ ਡਰਾਇੰਗਜ਼/ ਨਿਯਮਾਂ ਅਨੁਸਾਰ ਮੌਕੇ ਤੇ ਉਸਾਰੀ ਕਰਨ ਲਈ ਪਾਬੰਦ ਹੋਵੇਗਾ ਅਤੇ ਉਸਾਰੀ ਕਰਦੇ ਸਮੇਂ ਜੇ ਕੋਈ ਤਬਦੀਲੀ ਕੀਤੀ ਜਾਂਦੀ ਹੈ ਤਾਂ ਐਨ.ਓ.ਸੀ. ਰੱਦ ਕਰਨ ਸਬੰਧੀ ਲੋੜੀਂਦੀ ਕਾਰਵਾਈ ਕੀਤੀ ਜਾਵੇਗੀ।
2. ਇਸ ਵਿਭਾਗ (ਲੋਕ ਨਿਰਮਾਣ ਵਿਭਾਗ ਭ ਤੇ ਮ ਸ਼ਾਖਾ) ਵੱਲੋਂ ਸਮੇਂ-2 ਤੇ ਦਿੱਤੀਆਂ ਹਦਾਇਤਾਂ ਦੀ ਏਜੰਸੀ/ ਬਿਨੈਕਾਰ ਵੱਲੋਂ ਪਾਲਣਾ ਕਰਨੀ ਯਕੀਨੀ ਬਣਾਉਣੀ ਪਵੇਗੀ।
3. ਬੰਦਰ ਸਟਰਿੱਪ ਦੇ ਸਾਹਮਣੇ ਓਪਨ ਡਰੇਨ ਨੂੰ ਆਇਰਨ ਗਰਿਲ ਨਾਲ ਢਕਿਆ ਜਾਵੇਗਾ।
4. ਮੌਕੇ ਤੇ ਜੇਕਰ ਕੋਈ ਅਣਅਧਿਕਾਰਤ ਉਸਾਰੀ ਪਾਈ ਜਾਂਦੀ ਹੈ ਤਾਂ ਵਿਭਾਗ ਪ੍ਰਾਰਥੀ ਦੇ ਖਰਚੇ ਤੇ ਸੁਧਾਰ ਉਸਾਰੀ ਗਿਰਾ ਦੇਵੇਗਾ।
5. ਏਜੰਸੀ/ ਪ੍ਰਾਰਥੀ ਵੱਲੋਂ ਰਾਜ ਸਰਕਾਰ/ ਕੇਂਦਰ ਸਰਕਾਰ ਦੇ ਬਣਾਏ ਗਏ ਕਿਸੇ ਕਾਨੂੰਨ ਜਾਂ ਨਿਯਮਾਂ ਦੀ ਉਲੰਘਣਾ ਨਹੀਂ ਕੀਤੀ ਜਾਵੇਗੀ।
6. ਪ੍ਰਾਰਥੀ ਅਪਰੋਚ ਸੜਕ ਦੇ ਦੋਵੇਂ ਪਾਸੇ IRC SP 13 ਮਤਾਬਿਕ ਬਾਕਸ ਕਲਵਰਟ (With Iron grating of adequate strength) ਬਣਾਏਗਾ ਅਤੇ ਇਹ ਕਲਵਰਟ ਕਿਸੇ ਵੀ ਸਮੇਂ ਬੰਦ ਨਹੀਂ ਹੋਣੀ ਚਾਹੀਦੀ। ਸੇ- ਇਸ ਕਲਵਰਟ ਦੀ ਸਮੇਂ ਸਿਰ ਸਫਾਈ/ ਮੁਰੰਮਤ ਕਰਨਾ ਪ੍ਰਾਰਥੀ ਦੀ ਜ਼ਿੰਮੇਵਾਰੀ ਰਹੇਗੀ।
7. ਸਰਕਾਰੀ ਜਮੀਨ ਵਿੱਚ ਕੋਈ ਉਸਾਰੀ ਨਹੀਂ ਕੀਤੀ ਜਾਵੇਗੀ, ਪਾਰਕਿੰਗ ਨਹੀਂ ਕੀਤੀ ਜਾਵੇਗੀ ਅਤੇ ਸੜਕ ਦੀ ਜਗਾ ਵਿੱਚ ਕੋਈ ਕੂੜਾ ਕਰਕਟ ਨਹੀਂ ਸੁੱਟਿਆ ਜਾਵੇਗਾ।
8. ਪ੍ਰਾਰਥੀ ਫਿਊਲ ਸਟੇਸ਼ਨ ਦਾ ਲੈਵਲ ਸੜਕ ਤੋਂ ਨੀਵਾਂ ਰੱਖੇਗਾ ਅਤੇ ਕਿਸੇ ਵੀ ਹਾਲਤ ਵਿੱਚ ਅਪਰੋਚ ਦੀ ਸਲੋਪ ਸੜਕ ਵੱਲ ਨਹੀਂ ਹੋਣੀ ਚਾਹੀਦੀ।
9. ਪ੍ਰਾਰਥੀ ਸਟਾਰਮ ਵਾਟਰ ਦੀ ਡਰੇਨੇਜ ਦਾ ਪ੍ਰਬੰਧ ਆਪਣੇ ਪੱਧਰ ਤੇ ਕਰੇਗਾ ਅਤੇ ਕੋਈ ਵੀ ਵਾਧੂ ਪਾਣੀ ਸੜਕ ਉਪਰ ਨਹੀਂ ਆਵੇਗਾ, ਤਾਂ ਜੋ ਕੋਈ ਸੜਕ ਦਾ ਨੁਕਸਾਨ ਨਾ ਹੋਵੇ।
10. ਪ੍ਰਾਰਥੀ ਵੱਲੋਂ ਵੱਖਰੇ ਤੌਰ ਤੇ "License Deed for the use of ROW Land for roads in State of Punjab (Fuel Stations)" ਐਗ੍ਰੀਮੈਂਟ ਸਾਈਨ ਕੀਤਾ ਜਾਵੇਗਾ।



Notary Public, Ludhiana.

Scanned with CamScanner

11. ਪ੍ਰਾਰਥੀ ਵੱਲੋਂ ਮੰਨਚੁਰ ਸੁਦਾ ਲੋੜੀਂਦੇ ਸਾਈਨ ਬੋਰਡ ਲਗਾਉਣ ਯਕੀਨੀ ਬਣਾਏ ਜਾਣ, ਅਜਿਹਾ ਕੋਈ ਸਾਈਨ ਬੋਰਡ/ ਹੋਰਡਿੰਗ ਨਹੀਂ ਲਗਾਇਆ ਜਾਵੇਗਾ ਜੋ ਆਵਾਜਾਈ ਲਈ ਘਾਤਕ ਹੋਵੇ ਅਤੇ ਮਾਨਯੋਗ ਸੁਪਰੀਮ ਕੋਰਟ ਅਤੇ ਹਾਈਕੋਰਟ ਦੀਆਂ ਹਦਾਇਤਾਂ ਦੀ ਉਲੰਘਣਾ ਕਰਦਾ ਹੋਵੇ।
12. ਭਵਿੱਖ ਵਿੱਚ ਅਗਰ ਵਿਭਾਗ ਵੱਲੋਂ ਸੜਕ ਨੂੰ ਚੌੜਾ ਜਾਂ ਮਜ਼ਬੂਤ ਕੀਤਾ ਜਾਂਦਾ ਹੈ ਤਾਂ ਪ੍ਰਾਰਥੀ ਅਪਰੋਚ ਸੜਕ ਦੀ ਦੁਬਾਰਾ ਉਸਾਰੀ ਦਾ ਕਲੇਮ ਵਿਭਾਗ ਤੋਂ ਨਹੀਂ ਕਰੇਗਾ।
13. ਪ੍ਰਾਰਥੀ ਹਰ ਸਮੇਂ ਸਰਕਾਰ/ IRC ਵੱਲੋਂ ਜਾਰੀ ਕੀਤੀਆਂ ਹਦਾਇਤਾਂ ਦਾ ਪਾਬੰਦ ਰਹੇਗਾ ਅਤੇ ਜੇਕਰ ਪ੍ਰਾਰਥੀ ਵੱਲੋਂ ਕਿਸੇ ਵੀ ਸਮੇਂ ਸਰਕਾਰ/ਆਈ.ਆਰ.ਸੀ.ਦੀਆਂ ਹਦਾਇਤਾਂ ਦੀ ਉਲੰਘਣਾ ਕੀਤੀ ਗਈ ਤਾਂ ਜਾਰੀ ਕੀਤਾ ਐਨ.ਓ.ਸੀ. ਰੱਦ ਕਰਨ ਦਾ ਪੂਰਾ ਅਧਿਕਾਰ ਵਿਭਾਗ ਪਾਸ ਰਹੇਗਾ।
14. ਇਹ ਐਨ.ਓ.ਸੀ. ਸਿਰਫ ਸੜਕ ਪੱਖੋਂ ਹੋਵੇਗਾ, ਬਾਕੀ ਵਿਭਾਗਾਂ ਜਿਵੇਂ ਕਿ ਜੰਗਲਾਤ, ਨਹਿਰੀ ਵਿਭਾਗ, ਫਾਇਰ ਸੇਫਟੀ ਆਦਿ ਨਾਲ ਪ੍ਰਾਰਥੀ ਆਪਣੇ ਪੱਧਰ ਤੇ ਐਨ.ਓ.ਸੀ. ਲੈਣ ਦਾ ਪਾਬੰਦ ਹੋਵੇਗਾ।
15. ਪ੍ਰਾਰਥੀ ਵੱਲੋਂ ਸਥਾਪਿਤ ਨਕਸ਼ੇ ਵਿੱਚ ਪਲਾਟ ਸਾਈਜ਼ (22x33.80 ਮੀਟਰ) ਦਿਖਾਇਆ ਗਿਆ ਹੈ ਜੋ ਜਗਾ ਦੇ ਪੂਰਾ ਹੋਣ ਸਬੰਧੀ ਪ੍ਰਾਰਥੀ ਖੁਦ ਜ਼ਿੰਮੇਵਾਰ ਹੋਵੇਗਾ, ਇਸ ਤੋਂ ਇਲਾਵਾ ਬਾਥਰੂਮਾਂ ਅਤੇ ਪੀਣ ਵਾਲੇ ਪਾਣੀ ਆਦਿ ਦਾ ਪ੍ਰਬੰਧ ਵੀ ਸਰਕਾਰ/IRC ਗਾਈਡਲਾਈਨਜ਼ ਮੁਤਾਬਿਕ ਹੋਣੇ ਚਾਹੀਦੇ ਹਨ।
16. ਪ੍ਰਾਰਥੀ ਉਕਤ ਸ਼ਰਤਾਂ ਨੂੰ ਮੰਨਣ/ ਪੂਰੀਆਂ ਕਰਨ ਹਿੱਤ ਮੰਡਲ ਦਫਤਰ ਵਿੱਚ ਹਲਫੀਆ ਬਿਆਨ ਜਮ੍ਹਾਂ ਕਰਵਾਏਗਾ।
17. ਭਵਿੱਖ ਵਿੱਚ ਜੇਕਰ ਏਜੰਸੀ/ ਪ੍ਰਾਰਥੀ ਵੱਲੋਂ ਉਕਤ ਅਨੁਸਾਰ ਦਿੱਤੀ ਕੋਈ Statement/ Declaration ਗਲਤ ਸਾਬਤ ਹੁੰਦੀ ਹੈ ਜਾਂ ਇਸ ਨਾਲ ਕਿਸੇ ਕਿਸਮ ਦੇ ਸਬੰਧਤ ਕਾਨੂੰਨ ਜਾਂ ਨਿਯਮਾਂ ਦੀ ਉਲੰਘਣਾ ਹੁੰਦੀ ਹੈ ਤਾਂ ਰੀਟੇਲ ਆਊਟਲੈਟ ਲਾਉਣ ਬਾਰੇ ਇਤਰਾਜ਼ਹੀਣਤਾ ਸਰਟੀਫਿਕੇਟ ਵਾਪਿਸ ਲੈਣ ਸਬੰਧੀ ਲੋੜੀਂਦੀ ਕਾਰਵਾਈ ਕੀਤੀ ਜਾਵੇਗੀ।
18. ਇਥੇ ਆਪ ਨੂੰ ਇਹ ਸਪਸ਼ਟ ਕੀਤਾ ਜਾਂਦਾ ਹੈ ਕਿ ਇਹ ਇਤਰਾਜ਼ਹੀਣਤਾ ਸਰਟੀਫਿਕੇਟ ਆਰਜੀ ਹੈ ਅਤੇ ਇਸ ਸਬੰਧੀ ਨਿਮਨ ਹਸਤਾਖਰ ਨਾਲ ਲੀਜ਼ ਡੀਡ ਹੋਣ ਉਪਰੰਤ ਹੀ ਐਨ.ਓ.ਸੀ. ਜਾਰੀ ਕੀਤਾ ਜਾਵੇਗਾ।

ਨਬੀ/ਅਸਲੀ

ਸਾਨਸ਼ੇਖ
 ਕਾਰਜਕਾਰੀ ਇੰਜੀਨੀਅਰ,
 ਉਸਾਰੀ ਮੰਡਲ ਨੰ.3, ਲੋ.ਨਿ.ਵਿ.
 (ਭ ਤੇ ਮ) ਸ਼ਾਖਾ, ਲੁਧਿਆਣਾ



ਪਿੱਠ ਅਕਣ ਨੰ.

ਮਿਤੀ:

ਉਪਰੋਕਤ ਦਾ ਉਤਾਰਾ ਉਪ ਮੰਡਲ ਇੰਜੀਨੀਅਰ, ਉਸਾਰੀ ਉਪ ਮੰਡਲ, ਦੋਰਾਹਾ ਨੂੰ ਉਹਨਾਂ ਦੇ ਪੱਤਰ ਨੰ.400 ਮਿਤੀ 10.02.2020 ਦੇ ਹਵਾਲੇ ਵਿੱਚ ਸੂਚਨਾਂ ਹਿੱਤ ਭੇਜਿਆ ਜਾਂਦਾ ਹੈ।

ਸੁਕੇਸ਼ ਗੁਪਤਾ, SUKESH GUPTA,
 ਚੀਫ਼ ਆਫਿਸਰ (ਟੈਕਨੀਕਲ) / Senior Manager (Technical)
 ਭਾਰਤੀ ਔਲੀਅਮ ਕਾਰਪੋਰੇਸ਼ਨ ਲਿਮਿਟੇਡ (Bharatiya Udyam Corporation Limited)
 Indian Oil Corporation Limited (India)
 ਚਾਰੰਗ ਸਟੇਸ਼ਨ ਚਾਰੰਗ / Chandigarh Station, Chandigarh
 ਫਾਈਲ ਨੰ. 35-36, ਫੇਜ਼-2 - ਓ, ਫਾਈਲ ਨੰ. 35-36, ਫੇਜ਼-2 - ਓ, ਚਾਰੰਗ
 S CO 35-36, Sector-35, Chandigarh

Verified to be true Photo Copy

Notary Public, Ludhiana.

27 FEB 2020



Punjab Pollution Control Board

Regional Office-II

E-648-B, 3rd Floor, Phase-5, Focal Point, Ludhiana

www.ppcb.org

Tel. 0161 26 2055

No. 53

Date 17.01.2020

To

The District Controller,
Food Civil Supply & Consumer Affairs,
Ludhiana (East)

Sub :- Issuance of No-objection Certificate for setting up Retail Outlet at Khasra No. 231, Doraha WML, District Ludhiana.

Ref :- Your office letter Memo No. PP (East)-2019/10434 dated 09.12.2019.

It is intimated that the Board has "No Objection" from Pollution Angle for installation of Retail Outlet at Khasra No. 231, Doraha WML, Distt. Ludhiana subject to the following conditions:-

1. The applicant shall obtain NOC from District Administration before commissioning of the storage tank.
2. The applicant shall obtain NOC from Explosive Department/Other relevant departments before commissioning of the storage tank
3. The applicant will make arrangement to prevent any seepage of oil into earth from any accident or spill over.
4. The applicant shall discharge its domestic effluent into sewer/onto land for plantation through septic tank.
5. The applicant shall not install any D.G set in its premises without canopy/acoustic enclosures.
6. The applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Act, 1974, Air (Prevention & Control of Pollution) Act, 1981 & Hazardous & Other Waste (Management & Trans-boundary) Rules, 2016.

Environmental Engineer

Endst No

Dated

A copy of the above is forwarded to the Senior Environmental Engineer, Punjab Pollution Control Board, Zonal office-I, Ludhiana for information please.

मुकेश गुप्ता / MUKESH GUPTA

जूनियर मैनेजर (रिटेल सेल) / Junior Manager (Retail Sales)

इंडियन ऑयल कॉर्पोरेशन लिमिटेड (ग्रामा विभाग)

Indian Oil Corporation Limited (I.O.C.)

चण्डीगढ़ नगरपालिका / CHANDIGARH DIVISIONAL OFFICE

एन. सी.ओ. 35-36, सेक्टर-7, मध्य मार्ग, चण्डीगढ़ - 160019

S.C.O. 35-36, Sector-7C, Madhya Marg, Sector-7C, Chandigarh-160019

Environmental Engineer