

OFFICE OF THE COMMISSIONER

DHARAMSHALA MUNICIPAL CORPORATION DISTRICT KANGRA (H.P.)

Phone No. 01892-222115 E-mail: - mc_dharamshala@rediffmail.com

No.DMC(Sant)(F)-(12)-3/2019/-

Dated:

To,

Divisional Forest Officer (DFO),
Dharamshala, Distt. Kangra. H.P.

Reference- No. D-XIII-3(A)/S 3939 Dated 15-9-2023

Subject – Diversion of 2.9696 hectares of forest land in favor of Municipal Corporation Dharamshala for the construction of Solid Waste Management Plant in Up Mohal Dharamshala within the jurisdiction of Dharamshala Forest Division in Distt. Kangra HP (online proposal No. FP/HP/Others/4843/2020).

Dear Sir,

Kindly find enclosed here the reply to the observations raised by Nodal office Shimla as follows in favor of Solid Waste Management Plant in Dharamshala Distt. Kangra HP.

Sr. No.	OBSERVATIONS	REPLY
1	<p>From the perusal of the reply submitted by you, it reveals that you have not attended the observations properly as raised by Nodal Officer-cum APCCF (FCA) vide his office memo no. Ft 48-5102/2020(FGA) dated 2106-2023 read with this office Endst. No. D-IV-I(S)/2024 dated 23-6-2023.</p> <p>It appears from your above quoted letter that violation has been carried out by municipal Corporation before the submission of proposal for diversion of forest land under FCA, 1980. In this regard, you are directed to refer to handbook of FCA guidelines (MoEFCC, 2019), para 1.21 Ex post facto approval and penal provisions and submit your response as per the guidelines.</p>	<p>The matter pertains to your good office Please.</p>

So therefore you are requested to kindly consider the proposal for further process and approval in favor of Solid waste management Plant Dharamshala.

Thanks & Regards

Endst. No. 1566...

Copy Forwarded to the following for information and N/A Pls.

✓ 1. The DFO Forest Division Dharamshala Distt. Kangra HP.

2. The CCF Forest Circle Dharamshala Distt. Kangra HP.

Dated. 9.7.05.2025

Commissioner
Dharamshala Municipal Corporation



Commissioner
Dharamshala Municipal Corporation
PL