

72

CHECK LIST NO. - 5

**SITE INSPECTION REPORT NOT BELOW THE RANK OF DCF
(For the Forest land to be diverted under FCA)**

A proposal has been received by this office from Sr Executive Engineer, Projects Construction Division No. 1, HPSEB Ltd Tissa, Chamba for diversion (under FCA-1980) of 9.739 hectare of forest land for non forestry purpose. The subject envisages the use of forest land for Construction of Devi-Kothi-HEP (16.00MW). The site inspection of the land involved in the proposal has been done by me on dated 26-4-2018

On inspection of the site, it is found that the land required by the user agency is a forest measuring 9.739 Ha

The requirement of forest land as proposed by the user agency in Col. 2 of part-I, is unavoidable and barest minimum required for the project.

Whether any rare/ endangered/ unique species of flora and fauna found in the area. If so, the details thereof. NO

Whether any protected archaeological/ heritage site/ defence establishment or any other important monument is located in the area. If so, the details thereof with NOC from competent authority, if required. NO

☒ (a) The user agency has not violated the provisions of Forest (Conservation) Act, 1980 and no work has been started without proper sanction. ✓

☒ (b) It has been found that the user agency has violated the Forest (Conservation) Act, 1980 provisions. A detailed report as per para 1.9 of Chapter 1, Part C of Hand book of Forest (Conservation) Act, 1980 is attached). X

Place: Salooni

Date: 20-06-2018

*Recommended as per site inspection/
as per recommendation in part -II*

Kamal Bharti
KAMAL BHARTI (HPFS)
Divisional Forest Officer,
Churah Forest Division,
Salooni, Chamba (H.P.)

Basu
Divisional Forest Officer
Churah Forest Division
Salooni, Chamba (H.P.)