



**UTTAR PRADESH POLLUTION CONTROL BOARD**  
**Building, No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010**  
**Phone:0522-2720828,2720831, Fax:0522-2720764, Email: info@uppcb.com, Website: www.uppcb.com**

**Validity Period :12/10/2020 To 31/12/2022**

**Ref No. - 106510/UPPCB/Aligarh(UPPCBRO)/CTE/ETAH/2020**

**Dated:- 12/10/2020**

**To ,**

**Shri SANJEEV KUMAR**  
**M/s BHARAT PETROLEUM CORPORATION LTD**  
**KHASRA NO 1378 SA, VILLAGE JALESAR BAHAR CHUNGI, PARGANA JALESAR,**  
**TEHSIL JALESAR DISTRICT ETAH**  
**ETAH**

**Sub : Consent to Establish for New Unit/Expansion/Diversification under the provisions of Water (Prevention and control of pollution) Act, 1974 as amended and Air (Prevention and control of Pollution) Act, 1981 as amended.**

Please refer to your Application Form No.- 9750128 dated - 07/10/2020. After examining the application with respect to pollution angle, Consent to Establish (CTE) is granted subject to the compliance of following conditions :

1. Consent to Establish is being issued for following specific details :

A- Site along with geo-coordinates : -

B- Main Raw Material :

Main Raw Material Details		
Name of Raw Material	Raw Material Unit Name	Raw Material Quantity
STORAGE HSD AND M.S. (PETROL AND DIESEL)	Kilo Liters/Day	35

C- Product with capacity :

Product Detail	
Name of Product	Product Quantity
MS TANK 01 NOS.	15
HSD TANK 01 NOS.	20

D- By-Product if any with capacity :

By Product Detail			
Name of By Product	Unit Name	Licence Product Capacity	Install Product Capacity
.	Kilo Liters/Day	0	0

2. Water Requirement (in KLD) and its Source :

Source of Water Details		
Source Type	Name of Source	Quantity (KL/D)
Ground Water (within premises)	SUBMERSIBLE	2.0

3. Quantity of effluent (In KLD) :

*(Signature)*  
**संजिव शर्मा**  
**राष्ट्रियक प्रबन्धक (रिटल)**  
**भारत पेट्रोलिएम कॉर्पोरेशन लिमिटेड**  
**फ्लॉट-डी-1, रोड नं० 2, इंडस्ट्रियल एरिया, माइटे-वी,**  
**पोस्ट ऑफिस-मथुरा रिफाइनरी, मथुरा-281005**  
**०९/०५/२०२१**

Effluent Details	
Source Consumption	Quantity (KL/D)
Domestic	2.0

4. Fuel used in the equipment/machinery Name and Quantity (per day) :

Fuel Consumption Details		
Fuel	Consumption(tpd/kld)	Use
Furnace oil	0.5	FOR GENSET


5. For any change in above mentioned parameters, it will be mandatory to obtain Consent to Establish again. No further expansion or modification in the plant shall be carried out without prior approval of U.P. Pollution Control Board.

For any change in above mentioned parameters, it will be mandatory to obtain Consent to Establish again. No further expansion or modification in the plant shall be carried out without prior approval of U.P. Pollution Control Board.

- You are directed to furnish the progress of Establishment of plant and machinery, green belt, Effluent Treatment Plant and Air pollution control devices, by 10th day of completion of subsequent quarter in the Board.
- Copy of the work order/purchase order, regarding instruction and supply of proposed Effluent Treatment Plant/Sewerage Treatment Plant /Air Pollution control System shall be submitted by the industry till 31/12/2022 to the Board.
- Industry will not start its operation, unless CTO is obtained under water (Prevention and control of Pollution) Act, 1974 and Air (Prevention and control of Pollution) Act, 1981 from the Board.
- It is mandatory to submit Air and Water consent Application, complete in all respect, four months before start of operation, to the U.P. Pollution Control Board.
- Legal action under water (Prevention and control of Pollution) Act, 1974 and Air (Prevention and Control of Pollution) Act, 1981 may be initiated against the industry With out any prior information, in case of non compliance of above conditions.

#### Specific Conditions:

- This Consent to Establish is granted for M/S Bharat Petroleum Corporation Ltd, Khasra No. 1378Sa, Jalesar Bahar Chungi, Tehsil-Jalesar, District-Etah.
- This Noc is valid for Production of Retail-Outlet Storage Capacity-M.S.-15KL, & HSD-20 KL.
- The proposed retail outlets should be installed in such a way that the surrounding ambient air quality is not affected.
- Septic tanks should be set up to treat domestic effluents generated from the proposed retail outlets.
- Plantation of maximum number of trees should be done in the premises of the proposed retail outlet.
- The proposed retail outlet should ensure compliance with the conditions stated in the No Objection Certificate received from the fire department and an on-side emergency plan should be prepared to prevent any accident.
- Compliance with Hazard's West Rules should be ensured by the proposed retail outlets.
- A system of rain water harvesting should be established through the proposed retail outlets.
- Water / air consent should be obtained by the proposed retail outlet before operation.
- Vapor recovery systems should be installed by the proposed retail outlets for recovery of Vapor generated from the storage of MS and HSD.
- In any case, proper arrangements should be made to prevent MS and HSD from spreading in the open by the proposed retail outlets.
- Verification of the provisions of Plastic Waste Management Rules, 2016 should be ensured in letter and spirit.
- Verification of provisions of Solid Waste Management Rules, 2016 should be ensured in letter and spirit.
- Land use certificate issued from the competent authority level by the retail outlet should be sent to the office within three.
- Diesel powered DG sets should not be set up if power supply is interrupted by retail outlets. Arrangement of DG sets operated by inverter, solar panel or LPG should be established only..

  
 सुप्रतिम भट्टाचार्य  
 प्रादेशिक प्रबन्धक (स्टिल)  
 भारत पेट्रोलियम कॉर्पोरेशन लिमिटेड  
 प्लॉट-डी-1, रोड नं.2C, इंडस्ट्रियल एरिया, माइट-बी,  
 पोस्ट ऑफिस-मथुरा रिकार्डनरी, मथुरा-281005  
 09/04/2021

Please note that consent to Establish will be revoked, in case of, non compliance of any of the above mentioned conditions. Board reserves its right for amendment or cancellation of any of the conditions specified above. Industry is directed to submit its first compliance report regarding above mentioned specific and general conditions till 12/11/2020 in this office. Ensure to submit the regular compliance report otherwise this Consent to Establish will be revoked.

**REGIONAL OFFICER**

**RAM GOPAL** Digitally signed by RAM GOPAL  
Date: 2020.10.12 13:57:39 +05'30'


Dated:- 12/10/2020

**Copy To -**

**CEO-4, UPPCB LUCKNOW**

**RAM GOPAL** Digitally signed by RAM  
GOPAL  
Date: 2020.10.12 13:57:53  
+05'30'

**REGIONAL OFFICER**

  
सुप्रतिम भट्टाचार्य  
प्रादेशिक प्रबन्धक (रिटेल)  
भारत पेट्रोलियम कॉर्पोरेशन लिमिटेड  
लॉट-डी-1, रोड नं.2C, इंडस्ट्रियल एरिया, माइट-वी,  
पोस्ट ऑफिस-मथुरा रिफाइनरी, मथुरा-281005  
०९/०५/२०२१