

# PUNJAB POLLUTION CONTROL BOARD

Website:- www.ppcb.gov.in

46

Date: 14-03-2021

Industry Registration ID: G21TRT811045

Registration No.: 15377292

To,

Gulwinder Singh  
Kissan Sewa Kendra (petrol Pump)  
VPO Kairon,  
TarnTaran, TarnTaran-143415

Subject: Auto granted Consent to Establish(NOC) for setting up an industrial unit u/s 25 of Water (Prevention & Control of Pollution) Act, 1974 and u/s 21 of Air (Prevention & Control of Pollution) Act, 1981.

With reference to your application for obtaining 'Consent to Establish'(NOC) for setting up of an industrial plant u/s 25 of Water (Prevention & Control of Pollution) Act, 1974 and u/s 21 of Air (Prevention & Control of Pollution) Act, 1981, you are, hereby, permitted to set up the industrial unit to discharge the effluent(s) & emission(s) arising out of your premises subject to the Terms and Conditions as specified in this Certificate.

## 1. Particulars of Consent to Establish (NOC) granted to the Industry

Certificate No	CTE/Fresh/TRT/2021/15377292
Date of issue	16-04-2021
Date of expiry	17-04-2022
Certificate Type	Fresh
Previous CTE/CTO No. & Validity	----

## 2. Particulars Provided by the Industry

Name & Designation of the Occupier	Gulwinder Singh Proprietor				
Address of Industrial premises	Vpo Kairon,				
Capital investment of the industry	60.0				
Category of Industry	GREEN				
Type of Industry	3999- Miscellaneous (Green)				
Scale of the Industry	Small				
Office District	Tarantaran				
CTE/CTO-Applied for	CTE-Fresh				
Consent Fee Details	Payment Mode	Amount	Transaction ID	Date of transaction	Date of verification
	Credit	3400.0	369542461	2021-03-12 15:07:09.168	-
Raw Materials	Raw material(s)	Quantity	Units		
	Consumer Pump	3000	Litre/day		

विकास शाखा/विभाग  
प्रबंधक (रिसेल सेल) अमृतसर IV सेल एरिया  
Manager (RS), Amritsar IV Sales Area  
अमृतसर मंडल कार्यालय/Amritsar L/O  
अमृतसर औद्योगिक कॉर्पोरेशन लिमिटेड  
Amritsar Industrial Corporation Ltd.

"This is computer generated document from OCMMS by PPCB"

Kissan Sewa Kendra (petrol Pump), Vpo Kairon, 15377292, 16-04-2021, 17-04-2022.

Surjit Singh Sahota

I.F.S.

Divisional Forest Officer  
Amritsar Forest Division



47

	Product(s)(Name)		Installed Capacity		Units	
	Consumer Pump		3000		Liter/day	

and Disposal Details	Usage	Water consumption kl/day	Waste water generation	Treatment Details	Disposal	Area of Disposal
	Domestic	0.5	0.3	NR	Onto Land	Plantation
	Trade Effluent			NR	NR	
	Cooling			NR	NR	

Emission Control Details	Source of emission	Fuel			Stack Height (In meters)		Control Equipment	Emission Sampling facility provided
	Boiler/Furnace	Type	Qty	Unit	Above Ground Level	Above Roof Level	Y/NR	Y/NR

DG Sets (Details)	Capacity of D.G. set(in KVA)	Quantity of Fuel used/to be used (in Lts./day)	Stack Height above ground level(meters))	Canopy/Acoustic Enclosure Provided Y/N(check)
-------------------	------------------------------	--	--	---

#### A. SPECIAL CONDITIONS

- 1 This auto generated consent is based on the information / data submitted by the Industry. In case of any change of data or in case of any information submitted is found incorrect, this consent shall stand cancelled.
- 2 The inspection of industry shall be governed by the inspection policy framed by CPCB/PPCB/Govt. from time to time. In case of complaint, the industry can be visited by the Regional Office or any other officer authorized by the Competent Authority.
- 3 In case of industry is found to create conditions that generate any type of pollution and / or if there is any objection from the surrounding community and if on verification, it is found that such objection has some substance, the Board shall be at the liberty to take action against the Industry under the provisions of the Water (Prevention & Control of Pollution) Act, 1974 and Air (Prevention & Control of Pollution) Act, 1981 and / or Environment (Protection) Act, 1986 as deemed fit.
- 4 This consent is issued on the basis of self calculation of consent fee made by the industry. In case, any difference in the consent fee deposited by the industry is found, the industry shall have to deposit the balance consent fee.
- 5 In case of change of data provided in this simplified form, the Industry shall inform the Board and shall get revised Consent. The Industry shall apply for obtaining Consent to Establish / Operate from the PPCB, in event of its graduation from Green to Orange/Red category Industry.

#### B. GENERAL CONDITIONS

- 1 The industry shall apply for consent of the Board as required under the provision of Water (Prevention & Control of Pollution) Act, 1974, Air (Prevention & Control of Pollution) Act, 1981 & Authorization under Hazardous and other Wastes (Management and Transboundary Movement) Rules, 2016, two months before the commissioning of the industry.
- 2 The industry shall provide adequate arrangements for fighting the accidental leakages/ discharge of any air pollutant/gas/liquids from the vessels, mechanical equipments etc. which are likely to cause environmental pollution.
- 3 The Industry shall apply for further extension in the validity of the CTE atleast two months before the expiry of this CTE, if applicable.

Manoj Kumar (RS), Amritsar IV Sales Area  
अनुमति नंबर 7038 कायाला/Amritsar DO  
अधिकारी ऑफिस 71 डिप्टी  
अधिकारी ऑफिस 71 डिप्टी

Surjit Singh Sahota  
I.F.S.  
Divisional Forest Officer  
Amritsar Forest Division  
Amritsar



The project has been approved by the Board from pollution angle and the industry shall obtain the approval of site from other concerned departments, if needbe.

The industry shall put up display board indicating the Environment data in the prescribed format at the main entrance gate.

- 6 The industry shall provide port-holes, platforms and/or other necessary facilities as may be required for collecting samples of emissions from any chimney, flue or duct or any other outlets.

Specifications of the port-holes shall be as under:-

- i) The sampling ports shall be provided atleast 8 times chimney diameter downstream and 2 times upstream from the flow disturbance. For a rectangular cross section the equivalent diameter (De) shall be calculated from the following equation to determine upstream, downstream distance:-  
$$De = 2 LW / (L+W)$$
  
Where L= length in mts. W= Width in mts.
- ii) The sampling port shall be 7 to 10 cm in diameter
- 7 The industry shall provide a minimum stack height of 9.0 meter above ground level in all cases where boiler /furnace are provided and solid/liquid/gaseous fuel is used. In other cases, where stacks are provided for process emissions, the minimum stack of 3 meters above roof level shall be provided.
- 8 The industry shall put up canopy on its DG sets and also provide stack of adequate height as per norms prescribed by the Board and shall ensure the compliance of instructions issued by the Board vide office order no. Admin./SA-2/F.No.783/2011/448 dated 8/6/2010.

Stack height for diesel generating sets:

S.NO.	Capacity of diesel generating set	Height of the Stack
1.	0-50 KVA	Height of the building + 1.5 mt
2.	50-100 KVA	Height of the building + 2.0 mt.
3.	100-150 KVA	Height of the building + 2.5 mt.
4.	150-200 KVA	Height of the building + 3.0 mt.
5.	200-250 KVA	Height of the building + 3.5 mt.
6.	250-300 KVA	Height of the building + 3.5 mt.

For higher KVA rating stack height H (in meter) shall be worked out according to the formula:

$$H = h + 0.2 (KVA)^{0.5}$$

where h = height of the building in meters where the generator set is installed.

- 9 The industry shall provide flow meters at the source of water supply, at the outlet of effluent treatment plant and shall maintain the record of the daily reading and submit the same to the concerned Regional Office by the 5th day of the following month.
- 10 The industry shall plant minimum of three suitable varieties of trees at the density of not less than 1000 trees per acre along the boundary of the industrial premises.
- 11 The issuance of this consent does not convey any property right in either real or personal property, or any exclusive privileges, nor does it authorize any injury to private property or any invasion of personal rights, nor any infringement of Central, State or Local Laws or Regulations.
- 12 The consent does not authorize or approve the construction of any physical structures or facilities for undertaking of any work in any natural water course.
- 13 Nothing in this NOC shall be deemed to neither preclude the institution of any legal action nor relieve the applicant from any responsibilities, liabilities or penalties to which the applicant is or may be subjected under this or any other Act.
- 14 The industry shall ensure that no water pollution problem is created in the area due to discharge of effluents from its industrial premises.
- 15 The industry shall earmark a land within their premises for disposal of boiler ash in an environmentally sound manner, and / or the industry shall make necessary arrangements for proper disposal of fuel ash in a scientific manner and shall maintain proper record for the same, if applicable.

Surjit Singh Sahota  
I.F.S.

Divisional Forest Officer  
Amritsar Forest Division  
Amritsar

विकास झाड़िया/Vikash Jhadia  
प्रबंधक (रिटेल सेल्स) अमृतसर IV सेल्स एरिया  
Manager (RS), Amritsar IV Sales Area  
अमृतसर मंडल न्यायालय/Amritsar DO  
इंडियन ऑयल कॉर्पोरेशन लिमिटेड  
Indian Oil Corporation Ltd.

"This is computer generated document from OCMMS by PPCB"

Kissan Sawa Kendra (petrol Pump) Vno Kairon 15377292 16-04-2021 17-04-2022



Industry shall provide proper and adequate air pollution control arrangements for control emission from its fuel handling area, if applicable.

The industry shall not irrigate the vegetable crops with the treated effluents which are used/ consumed as raw.

The industry shall ensure that its production capacity & quantity of trade effluent do not exceed the quantity mentioned in the NOC and shall not carry out any expansion without the prior permission/NOC of the Board.

- 19 All amendments/revisions made by the Board in the emission/stack height standards shall be applicable to the industry from the date of such amendments/revisions.
- 20 The Board reserves the right to revoke this "consent to establish" (NOC) at any time, in case the industry is found violating any of the conditions of this "consent to establish" and/or the provisions of Water (Prevention & Control of Pollution) Act, 1974 and Air (Prevention & Control of Pollution) Act, 1981 as amended from time to time


### C. OTHER CONDITIONS

1. The retail outlet shall maintain a radial distance of minimum 50 meters from fill point/ dispensing units / vent pipe whichever is nearest from the boundary of the school and of minimum 30 meters from fill point/ dispensing units / vent pipe whichever is nearest from the boundary of the one no. residential house for implementation of additional safety measures prescribed by PESO and as per siting guidelines framed by Central Pollution Control Board vide letter no. B-31011/1/2019-20/AQM/10822 dated 07-01-2020, failing which this NOC shall be considered cancelled automatically.
- 2 The retail outlet shall implement additional safety measures prescribed by PESO as the site of the retail outlet is situated near the school at distance of 58.8 meters.
- 3 The site of retail outlet shall comply with the sitting guidelines framed by Central Pollution Control Board vide letter no. B-31011/1/2019-20/AQM/10822 dated 07-01-2020.
- 4 Applicant shall get insurance under Public Liability Insurance Act, 1991.
- 5 In case of any complaint/ accident, the owner shall be held responsible.
- 6 The petrol pump owner shall comply with the provisions of Hazardous Wastes (Management and Sludge shall be collected, stored and disposed as per Rule 8 of Hazardous Waste (Management and Transboundary) Rules, 2016 and amendments thereof and records shall be maintained and Tranboundary Movement) Rules, 2016 before commissioning.
- 7 The applicant shall comply with the provisions of manufacture, storage & import of Hazardous Chemicals Rules, 1989 as applicable to them.
- 8 Any major leakage/ spillage of Petrol, Diesel, Lube Oil (more than 1 barrel-165 litres) occurs at fueling station, concerned OMC shall report to Punjab Pollution Control Board, Regional Office, Amritsar PESO and District Administration under intimation to CPCB within 24 hours of occurrence.
- 9 OMCs will be held liable for Environmental Compensation (imposed by SPCBs/PCCs) and assessment of environmental damage (depending on extent of contamination in soil and groundwater) and site remediation Consultant/Expert agency appointed by OMCs for damage assessment and site remediation shall have minimum national/international experience of 5 years in this field. Various approved methods shall be considered for cleaning underground containments.
- 10 Operation of Underground tank and its ancillary components shall not be resumed till corrective measures to contain and stop leakages are implemented to the satisfaction of PESO and concerned SPCB.
- 11 The applicant shall comply with additional safety measures as prescribed by PESO.
- 12 The Board reserves the right to revoke this NOC at any time in case the applicant is found violating any of the above mentioned conditions.

Date: 16-04-2021

  
विकास झाझड़िया/VIKASH JHAJHARIA  
प्रबन्धक (रिटेल सेल) अमृतसर IV सेल एरिया  
Manager (RS), Amritsar IV Sales Area  
अमृतसर मंडल कार्यालय/Amritsar DO  
इंडियन ऑयल कॉर्पोरेशन लिमिटेड  
Indian Oil Corporation Ltd.  
रंजीत एवेन्यू, अमृतसर-143001  
Ranjit Avenue, Amritsar-143001

Environmental Engineer  
For & on behalf of  
(Punjab Pollution Control Board)

  
Surjit Singh Sahota  
I.F.S.  
Divisional Forest Officer  
Amritsar Forest Division  
Amritsar