

CHECK LIST SERIAL NUMBER – 25

SITE INSPECTION REPORT NOT BELOW THE RANK OF DCF
(For The Forest Land To Be Diverted Under FCA)

A proposal has been received by EXECUTIVE ENGINEER/NODAL OFFICER, STATE WATER & SANITATION MISSION, ABHAW KHAD, JAL NIGAM, MIRZAPUR for diversion under (FCA – 1980) of 0.7694 ha. forest land for Danti Gram Samuh in construction of drinking water pipeline. The site inspection of the land involved in the proposal has done by me on dated : 30-05-2022

On inspection of the site. it is found that the land required by the user agency is a reserved forest measuring 0.5897 ha. Protected forest measuring: 0.1797 ha. Total 0.7694 ha.

The requirement of forest land as proposed by the user agency in Col-2 Part –I is unavoidable and is barest minimum required for the project.

Whether any rare/endangered/unique species of flora and fauna found in the area. if so the details there of : No.

Whether any protected archeological/heritage site/ defence establishment or any other important monuments is located in the area, if so the details thereof with NOC from competent authority, if required : No.

(a) The user agency has not violated the provisions of forest (Conservation). Act 1980 and no work has been started without proper sanction ()



(b) It has been found that the user agency has violated the forest (Conservation) Act 1980 provisions. A details report as per Para 1.9 of Chapter 1. Para C of Handbook of forest (Conservation) Act. 1980 is attached ()

Specific recommendation for acceptance or otherwise of the proposal.

The proposal is recommended for sanction.

Place – Mirzapur

Date : 30-05-2022

Divisional Forest officer 
Mirzapur Forest Division, Mirzapur 
प्रभागीय वनाधिकारी
मीरजापुर-वन प्रभाग
मीरजापुर

N.B. State the purpose for which the forest land is proposed to be diverted. The forest land required to be diverted is 0.7694 ha. for construction of Danti Gram Samuh in construction drinking water pipeline XX. Out of (a) and (b) tick the option which is applicable and cross the option which is not applicable. As per letter number 2-2/2000 F.C. 16-10-200 form Ministry of environment land Forest, Government of India for proposed involving less that 40 hectares of forst land, the site inspection form DCF is required and for proposal involving more than 40 hectares of forest land site inspection report land from the conservator of forests is required.