

(Government of Karnataka)

No EE/PWD-IWTD/TS-1/2018-19/

To,  
The Shri V.V. Babu,  
Reliance Jio,  
Infocomm Limited  
RMZ Icon No.: 51, Palace Road Cross,  
Vasantha Nagar, Bangalore-560052.

Dated : 28-5-18

Sir,

Subject: Permission for laying OFC (optical fibre cable) along PWD  
Roads of Sedam Division.

- Ref: 1) Assistant Executive Engineer PWD Sub-Division *Chinnur* Ltr.  
No. 453 Dtd: 27-02-2018.  
2) This office Letter No 3736 Dtd: 27-02-2018.  
3) Your Office Letter No. 302 Dtd. 12-03-2018.


\*\*\*\*\*

With reference to your letter cited under reference (3) Your DD For Rs. 2,40,000/- bearing 929094 Dtd : 6-03-2018. Has been received towards road cutting charges in Connection and accordingly the permission to lay OFC granted to Below said road

Sl. No.	Name of the Work	Estimate cost in Lakhs
1.	Humanabad Taluka Border to Kollur Cross Km. 123.310 to 129.600 SH-15..	2,40,000.00
TOTAL AMOUNT		2,40,000.00

With The Following Condition


- 1) The OFC is to be Laid Sufficiently between 15.00 to 22.00 and 10.00 to 12.5M away from the Central line of road & 1.65 Mtr. Below the existing ground level (i.e Beyond the side drain from center road) for SH and MDR Respectively
- 2) Necessary sign boards and caution boards are to be erected on the site of work No in convenience is to be caused either for public or for free movement of vehicle.
- 3) Refilling of the trench should be done properly as per the direction of Engineer in charge of the Department.
- 4) Intimation is to be Given to the Asst. Executive Engineer Concerned before commencement of OFC laying work.
- 5) If any improvements and widening of road work is taken up on these roads, the OFC Should be Shifted to a safe place totally at the cost of M/s Reliance JIO infocom Ltd. Bangalore.



- 6) For Excavation machineries should not be used while trenching near to road formation.
- 7) For road crossing the necessary permission to be taken.
- 8) In case any damages occurred to OFC due to Improvement to road the PWD & IWTD Dept will not held responsible.
- 9) No Damages Should be caused to any of the existing under ground utilities such as water supply pipe lines, UGD pipes line, telecom service limited electrical cables.
- 10) Proper restoration should be done after laying the OFC work Reliance Infoeom Ltd Bangalore is fully responsible for restoration work done by the company for any defects and is any defects are found the same should be rectified by the company immediately at their cost.
- 11) The undersigned has got every right to cancel the permission without giving any prior information if deemed necessary.
- 12) During the Execution of work the necessary safety precaution to be taken to avoid the any untoward incidents or casualties.
- 13) If any Land Problem arises during Execution, Dept is not Responsible

(Note : Permission from the railway department should be taken for the crossing railway line (Railway track).)

Your's faithfully,

  
Executive Engineer  
PWD&IWTD Division  
ಕಾರ್ಯ ನಿರ್ವಹಣಾ ಅಧಿಕಾರಿಗಳು  
ಪುನರ್ವಿನ್ಯಾಸ ವಿಭಾಗ, ಬೆಂಗಳೂರು  
ಆರಾಧ್ಯಾ, ವಿಭಾಗ ಸೇವಾ

**Government of Karnataka**  
(Public Works, Ports & IWT Department)

No.PWP/IWTD/DN/BDR/JE-1/2018-19/

Office of the  
Executive Engineer,  
PWP & IWTD Division, Bidar

To,

Date; 11 APR 2019

✓ M/s. Reliance Jio INFOCOMM LIMITED,  
No. 51, Rmz Icon, Palace road cross,  
Vasanthanagar, Bengaluru – 560052.

Sir,

Sub: Permission for laying (OFC) Optical Fibre cable along the road of  
PWD Humnabad Tq.(Total length 3800) mtrs – regarding

Ref: 1) Your DD dated: 14.01.2019

---

With reference to above cited subject, On furnishing of D.D. vide your letter under reference (1) above, DD bearing No.573205 dated: 14.01.2019 for Rs.257400.00 towards road cutting charges received and accordingly the permission for road cutting for laying of Optical Fibre cable along following MDR/SH in Humnabad Taluka for the stretches given below:

1. From Karaknalli village to Humnabad Sub-Divn. Border Ch: 119.50 to 123.30 (SH-122) .(3800 Mtrs) .

Permission has been granted subject to the following conditions:-

**TERMS AND CONDITIONS:**

1. The proposed OFC cable. is to be laid sufficiently away from the ROW i.e., as per MDR/SH .norms and 1.65 mtrs below the existing Ground level.
2. No damages should be caused to the road while laying the Cable.
3. At Railway crossings, provide suitable size pipe and proper restoration to be done.
4. Safety precautionary measures should be taken while laying the cable.
5. If any damages or accidents takes places, owner will be held responsible.
6. No inconvenience to be caused either for public or for free movement of the vehicles.
7. No damages should be caused to any of the existing under ground utilities, such as water supply pipe line, UGD Line, Telecom service line and electric cables.

permission of laying cable (1)

8. In case of any expansion of the road, upon notice to the party OFC cable should be shifted to a safer place totally at the cost of the owner.
9. Proper restoration should be done after laying the OFC cable.
10. For the road crossings, HDD method should be adopted compulsory.
11. It is permitted to carry out the work by only H.D.D.method to excavate the pits allowed upto 200 meters centre to centre 1.5 mtr to 1.50 mtrx1.65 mtr depth. It should be restored as it is in previous condition. The said work should be executed as per IS standard.
12. The undersigned has got every right to cancel the permission without giving any prior information if deemed necessary.
13. Intimation is to be given to Asst. Executive Engineer concerned before one week from the commencement of work.
14. Necessary action will be taken by undersign for failing to adhere the above terms and conditions.
15. This permission is valid for 06 months from issue the date of permission.

Yours faithfully,

Executive Engineer,

PWP & IWTD Divn, Bidar &

Inland Water Transport Devt

- 1) Copy forwarded to the Assistant Executive Engineer, PWP & IWTD Sub-Division, Humnabad for information.



**OFFICE OF THE EXECUTIVE ENGINEER, PANCHAYAT RAJ ENGINEER BIDAR**

No.REPR/EE/BDR/PB-1/2018-19/ 901

Date: 7 2018

To,  
Reliance Jio infocomm Limited,  
RMZ Icon, No.51, Place Road Cross,  
Vasanthanagar, Bangalore-560 052.

Sir,

Sub-Permission for lahying of OFC in Bidar PRED Limits.


Ref:-Your letter No.RJIL/OFC/ROW/Chincholli- Chimanchod/  
PRED/0010/DD/Datd:21-07-2018.

-0-


Your Demand Draft bearing No.100202 dated:20-07-2018 of HDFC Bank for Rs.3,42,000/- has been received towards road cutting charges. Accordcngly the permission for laying of OFC Bidar PRED Limit for a total length of 5100 Mtr from changlera cross to karknalli village road up to Ambedkar circle at karknalli village in Humnabad Taluka was sanctioned with following conditions.

1. The OFC is to be laid at 15.00 Mtr. Away from the center line of the road.
2. Necessary sign boards and caution board Are to be erected on the work side.
3. No in convince to be caused either for public or for free movement of the vehicles.
4. Refilling of the trench should be done properly as per the direction of engineer in charges of the department, if any defects found the same should be refilled by the company immediately at their own cost.
5. No damages should be caused to any of the existing underground utilities, such as water pipeline, UGD pipeline, Telecom service lines, electrical cable and existing bridges/culverts.
6. In case of any expansion of the road, upon notices to the company the O.F.C. should be shifted to a safe place totally at the cost of the Reliance Jio infocomm Limited., Bangalore.

Yours faithfully,

  
Executive Engineer  
P.R.E.Divn.Bidar.

Copy to Asst.Executive Engineer, P.R.E.Sub-Division Humnabad for information.



# KARNATAKA ROAD DEVELOPMENT CORPORATION LTD.

No. KRDC/road cutting/2018-19/WCP2/ 209

Date: 25.04.2018

To,

M/s. Reliance Jio Infocomm Limited,  
RMZ Icon, No.51, Palace Road Cross,  
Vasanth Nagar,  
Bangalore - 560 052.

Sir,

Sub: Request for permission to lay Optic Fibre Cable from Tumkunta Village to Changlera / Kanakalli Cross for a length of 7300m and from Kollur Cross to Chincholi Ambedkar Circle for a length of 9200m, Total -16500 mtrs (16.50 kms) on Bidar - Chincholi road - reg. Way leave permission for laying OFC cable for a total length of 16.50 km

Ref: 1. Letter from M/s JIO vide ltr no. RJIL/OFC/ROW/Growth-1/

Chimmanchodi to Chincholi / KRDC/001 dated: 21.02.2018

2. Ltr from EE, KRDC, Gulbarga vide ltr. No. KRDC/ EEG/ Bidar-Chincholi (SH-15) /2017-18/ 663 Dt. 01.03.2018

With reference to the captioned subject, Right of Way Permission for laying of Optical Fibre Cable (OFC) in Bidar - Chincholi Road for a total length of 16.50 km (from Tumkunta village to Changler/ Kanakalli Cross for a length of 7300m and from Kollur Cross to Chincholi Ambedkar Circle for a length of 9200m) is hereby approved, subject to the following conditions:

1. *Trenching and HDD pits for laying UG cable shall be done on Extreme edge of ROW along the project road.*
2. *In village/town locations, the cable should be laid at the outer edge of the concrete drain and in rural locations, the cable should be laid beyond the earthen drain.*
3. *During laying of cables, the shoulder and the Asphalt surface should not be cut or damaged and pavement structure should not be disturbed.*
4. *The pits dug for drilling, shall be refilled in layers & compacted properly.*
5. *The trench excavated for laying cables shall be refilled in layer duly compacted.*
6. *After completion of laying OFC, the debris, waste materials etc., shall be removed from the road boundary.*
7. *All precautionary measures shall be taken before excavation so as not to affect the movement of traffic and safety of Road Users.*
8. *In high embankment portions the OF cable should be laid at the toe line i.e., bottom edge of embankment slope.*

Regd. Office : 1st Floor 16/J, Miller Tank Bed Area, Thimmaiah Road, Bangalore - 560 052.

Telephone : : +91-80-2238 2360, 2238 2362, 2238 0142, 49071400 Fax : 2238 0143

email : mdkrdcl@co.in, cekrdcl@co.in website : www.krdcl.co.in

9. Neither KRDCL nor PWD will be responsible for shifting of cables under any circumstances and the cables shall be shifted at your cost only.
10. KRDCL will not be responsible for any shifting or damages caused during widening of road, repairs and other road improvement and maintenance works.
11. For any damages to the adjacent drains, shoulder, carriageway or structures, during laying of cable the applicant will be held responsible and same will be rectified at his cost.
12. The work should be carried out under the supervision of the KRDCL Engineers in-charge of the work.
13. The date and time of commencing the work should be informed to the **Executive Engineer, KRDCL, Project office, Kalburgi** well in advance. The work should be completed within 3 months from the date of this order.
14. In the event of any deviation, the work shall be stopped and the agency will be liable for penalty and forfeiting of the security deposit and charges will be levied. For any diverted length, laying operations should be allowed only after prior approval from KRDCL & depositing the restoration charges.
15. The work should be carried out in consultation with the engineers of M/s D.P.J Bidar Ekheilli Chincholli Road Project Pvt. Ltd., the concessionaire who are executing the road works on Bidar - Chincholli Road.

Yours faithfully,

  
Chief Engineer,  
KRDCL

Copy to:

1. **The Executive Engineer, KRDCL Project Office, Kalburgi** Email : eekrdclglb@gmail.com – for information & necessary action & In the event of improper restoration by the agency, it is instructed to get the same done by utilizing the deposited fees with prior approval from this office.
2. **The Manager (Finance & Accounts), KRDCL, Bangalore** – for information.
3. **D.P.J Bidar Ekheilli Chincholi (Annuity) Road Project Pvt. Ltd.,**  
Village – Kamthana P.O. – Kamthana Tehsil – Bidar, Dist. – Bidar, Karnataka – 585226  
Email – bidar.qs@dpjaingroup.com for information & to take necessary action while laying of cables along the stretch.
4. **The Team Leader, M/s Lea Associates South Asia Pvt. Ltd** Plot no. 70, Chidri Ring Road, Near Saheen Girls Campus, Mailoor, Bidar – 585401  
Email: lasabidar.73600@gmail.com-for inform action & necessary action.




(Government of Karnataka)

Office of the Executive Engineer  
PWD Division Sedam  
eepwdsedam@rediffmail

No EE/PWD-IWTD/TS-1/2020-21/

1025

To,  
M/s Jio, Digital Fibre Pvt. Ltd.  
CIN: U64200GJ2018PTC105652.  
No.51, RMZ , Palace Road Cross,  
Vasantha Nagar, Bangalore-560052.



Dated :

16/02/2021

Sir,

**Subject:** Permission for laying of optical fiber cable of M/s Jio, Digital Fibre Pvt. Ltd, Infocomm along the road from Shahapur Shivarampur SH-149 and Miriyan-Kunchavaram (25.km) in chincholi Taluk Reg.

**Ref:** 1) Assistant Executive Engineer PWD Sub-Division Chincholi  
Ltr. No: 509 Dtd: 25-01-2021.  
2) This Office Ltr No 3913 Dtd. 05-02-2021  
3) Your Office Ltr Dtd. 31-03-2021( Received in this office on Dtd: 12-04-2021.

\*\*\*\*\*

With reference to your letter cited under reference (3) your DD for 760236 bearing- Dtd: 23-03-2021 has been received towards laying of optical fiber cable of M/s Jio, Digital Fibre Pvt. Ltd Charges and accordingly the permission to lay OFC Granted Subjected to condition as mentioned below..

Sl. No.	Name of the Work	Estimate cost in Lakhs
1.	Shahapur Shivarampur SH-149 and Miriyan-Kunchavaram (25.km) in chincholi Taluk	71.84
	<b>TOTAL AMOUNT</b>	<b>71.84</b>


- 1) The laying of optical fiber cable is to be Laid Sufficiently away from Center line of the road i.e. 22.50 and 1.65 Mtr below the existing ground level (i.e Beyond the side drain from center road) for SH
- 2) Necessary sign boards and caution boards are to be erected on the site of work No inconvenience is to be caused either for public or for free movement of vehicle.
- 3) Refilling of the trench should be done properly as per the direction of Engineer in charge of the Department.
- 4) Intimation is to be Given to the Asst. Executive Engineer Concerned before commencement of laying of optical fiber cable laying work.
- 5) If any improvements and widening of road work is taken up on these roads, the laying of optical fiber cable Should be Shifted to a safe place totally at the cost M/s Jio, Digital Fibre Pvt. Ltd.



- 6) For Excavation machineries should not be used while trenching near to road formation.
- 7) For road crossing the necessary permission to be taken.
- 8) In case any damages occurred to laying of optical fiber cable **M/s Jio, Digital Fibre Pvt. Ltd** due to Improvement to road the PWD & IWTDD Dept. will not held responsible.
- 9) No Damages Should be caused to any of the existing under ground utilities such as water supply pipe lines, UGD pipes line, telecom service limited electrical cables.
- 10) Proper restoration should be done after laying the optical fiber cable **M/s Jio, Digital Fibre Pvt. Ltd** is fully responsible for restoration work done by the company for any defects and is any defects are found the same should be rectified by the company immediately at their own Cost.
- 11) The undersigned has got every right to cancel the permission without giving any prior information if deemed necessary.
- 12) During the Execution of work the necessary safety precaution to be taken to avoid the any Unwanted incidents or casualties.
- 13) If any Land Problem arises during Execution, Dept is not Responsible.

**(Note : Permission from the railway department should be taken for the crossing railway line (Railway track).)**

Your's faithfully,

  
Executive Engineer  
PWP&IWTDD Division Sedam.