

कार्यालय अधिशासी अभियन्ता  
अस्थाई खण्ड, लोक निर्माण विभाग, भवाली (नैनीताल)



[eepwdbhowali@rediffmail.com](mailto:eepwdbhowali@rediffmail.com)



पत्रांक  
सेवा में,

1051

8250

दि० - 17/6/16

प्रभागीय वनाधिकारी  
नैनीताल वन प्रभाग  
नैनीताल।

विषय:-

जनपद नैनीताल में छीडाखान से हाईस्कूल तल्ली पोखरी मोटर मार्ग के निर्माण हेतु 1.26 है० वन भूमि का गैर वानिकी कार्यों हेतु लो०नि०वि० को प्रत्यावर्तन (प्रस्ताव सं० FP /U.K /ROAD /9514 /2014)

सन्दर्भ:-

आपका E.D.S. दिनांक 31.05.2016

महोदया,

उपरोक्त विषयक सन्दर्भित E.D.S के अनुपालन में भारत सरकार द्वारा चाही सूचना का उत्तरालेख बिन्दुवार निम्नवत् प्रेषित है।

क्र० सं०	प्रश्न	उत्तरालेख
1	In Reply to point No. 1 of EDS, it is mentioned that the copy of SOI Toposheet has been uploaded again. State Govt. was required to upload the soft copy of the geo-referenced digital map for the forest land proposed for diversion showing the geo-coordinates i.e. latitudes and longitudes at regular interval of 200 m to 300 m including all turning points (curves) along the alignment of the road in Shapefile (.shap file)	Geo-reference digital map में Coordinates अंकित कर पुनः मानचित्र अपलोड कर दिया गया है।
2	In reply to point No. 3 of EDS, a certificate regarding rejection of alternative alignment is submitted by the Executive Engineer. But the comparative chart showing various parameters taken into account for selection of alternative -1 and rejection of alternative-2 & 3 has not been submitted.	वैकल्पिक समरेखनों का तुलनात्मक विवरण संलग्न है।
3	In reply to point No. 5 of EDS, it is mentioned that the forest land proposed for diversion is situated inside the forest boundary but, the approximate distance of the proposed site of diversion inside from the boundary of forest has not been given.	प्रस्तावित समरेखन वन सीमा के अन्तर्गत है।
4	In reply to Point No. 6 of EDS, NPV calculation has been submitted for 1-26 ha area with 0-4 density in Eco class-V. The rate charged is Rs. 8.45 lakh per ha. Which is applicable for dense forest category. But, 69 trees per ha may not account for 0-4 density. State Govt. may review the density and the rate of NPV and submit revised calculation, if required.	कार्य योजना के अनुसार आख्या अपने स्तर से प्रेषित करने का कष्ट करें।

संलग्न :- यथोपरी।

भवदीय,

अधिशासी अभियन्ता  
अस्थाई खण्ड लो०नि०वि०,  
भवाली (नैनीताल)

दि० -

पत्रांक

प्रतिलिपि अपर प्रमुख वन संरक्षक एवं नोडल अधिकारी, भूमि सर्वेक्षण निदेशालय, इन्दिरा नगर फोरेस्ट कालोनी, उत्तराखण्ड देहरादून को सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित।

अधिशासी अभियन्ता  
अस्थाई खण्ड लो०नि०वि०,  
भवाली (नैनीताल)