

परियोजना का नाम:- फूलधार नहर निर्माण कार्य

**SITE INSPECTION REPORT NOT BELOW THE RANK OF DCF**

**(For the forest land to be diverted under FCA)**

A proposal has been received by this office from Ex. EN. Irrigation Constn.  
Div. Pwda. Uttar Kashi for diversion under FCA-1980) of 0.2695 ha. of  
forest land for forestry purpose. The Project envisages the use of forest land for  
construction of Minor Canal at Phuldhar the  
site inspection of the land involved in the proposal has done by me on dated  
21/8/2013

On inspection of the site, it is found that the land required by the user agency is a  
RF/PF/un-classed/Protect forest measuring 0.2695 ha.

The requirement of forest land as proposed by the user agency in Col.2 part-1 is  
unavoidable and is barest minimum required for the project.

Whether any rare/endangered/unique species of flora and fauna found in the  
area, if so the details there of. - NO -

Whether any protected archaeological/heritage site/defense establishment or any  
other important monuments is located in the area, if, so the details there of with  
NOC from competent authority, if required. - NO -

- a) The user agency has not violated the provisions of forest (Conservation), Act  
1980 and no work has been started without proper sanction. ✓
- b) It has been found that the user agency has violated the forest (Conservation)  
Act, 1980 provisions. A detail report as per para 1.9 of chapter 1, Para C of  
Hand book of forest (Conservation) Act, 1980 is attached. ✗

**Specific recommendation for acceptance or other wise of the proposal.**

Recommended for Sanction

(Signature) [Signature]

Place:-.....

Name:-.....

Date:-.....

Designation:-.....

Office Seal

**N.B** ✗ State the purpose for which the forest land is proposed to be diverted.  
XX Out of (a) and (b) tick the option which is applicable and cross the  
option which is not applicable.

As per letter number 2-2/2000 FC dated 16-10-2000 from Ministry of  
Environment & Forests, Government of India for proposal involving less than 40  
hectares of forest land, the site inspection report from DCF is required and for  
proposal involving more than 40 hectares of forest land site inspection report from  
the conservation of forests is required.