मक डिसपोजल सम्बन्धी प्रमाण पत्र

जनपद-मथुरा में मथुरा-वृन्दावन-मांट-नौहझील मार्ग (एम.डी.आर.-123) के (चैनेज 30.882 कि0मी0) कि0मी0-31 में स्थित सुरीरकलों बॉगर, तसीहल-मांट, जिला-मथुरा के खसरा संख्या-1025 खाता संख्या-627 में सड़क के दॉयी पटरी पर मैसर्स हिन्दुस्तान पैट्रोलियम कारपोरेशन लिमिटेड द्वारा प्रस्तावित रिटेल आउटलेट के सम्पर्क मार्ग के निर्माण कार्य में 0.049172 हैं0 संरक्षित वनभूमि प्रभावित होगी। उक्त संरक्षित वनभूमि में खुदान कार्य के पश्चात् उससे उत्पन्न अवयवों / कूड़ा-कर्कट हेतु मक डिस्पोजन प्लान का विवरण निम्न प्रकार है:-

Disposal/Management plant

While preparing FCA case, if there is any activity in the project which involves digging of land, much disposal/management plan has to be prepared.

Should include:-

511	ould include:-	
1.	Calculation of muck to be generated. Self factor has to be applied.	21.4
2.	Quantity of muck to be utilized in the project activities.	N.A.
3.	Balance assertions	- N.A.
	Balance quantity of muck, which requires disposal/management plan.	N.A.
4.	Carriage of muck from the much generation site in the dumping site.	N.A.
5.	Ownership of land and the consent of land owner, in case muck disposal on non forest	
	land.	N.A.
6.	Photograph & carrying capacity of proposed dumping site (muck disposal site)	
7.	Development of dumping site (muck disposal site)	N.A.
	Development of dumping site-construction of retaining walls and other structure as	N.A.
	per requirement of the site. The objective is to completely stop rolling down of the	
	muck.	
8	Rehabilitation of down to the state of the s	

 Rehabilitation of dumping site like leveling, planting of grass, shrubs and tree species-After construction work of Approach Road will be done.

Cost to be incurred on the above activities has to be given component wise. Detail of dumping site including length, width and height of structures to be exacted must be mentioned.

Undertaking by the user agency has to be given to the effect that

 Muck management plan will be implemented by the user agency and in case of non implementation of the plan; they will be liable to penalty/action at their cost.

2. The proposed dumping site is located away from river/stream/nala.

चीफ रिजनल मैनेजर एण्ड हिन्दुस्तान पैट्रलियम कारपोरेशन लिमिटेड, 85/4, इस्पात भवन, तृतीय मंजिल, संजय प्लेस, आगरा।

राकेश गुप्ता मुख्य क्षेत्रीय प्रवन्धक हिन्दुस्तान पेट्रोलियम कारपोरंशन लिमिटेड 85/4, इरपात भवन, तृतीय मंजिल संजय प्लेस, आगरा,–282002

> प्रयागीर्वे निवेशक सामक्रिक वानिकी प्रमाय। वधुरा