



## PUNJAB POLLUTION CONTROL BOARD

Regional Office, DISTRICT ADMINISTRATIVE COMPLEX, ROOM NO. 401 E - 403 E,  
406E & 418 E, 3<sup>RD</sup> FLOOR, BATHINDA

E-mail: eerobti@yahoo.in

Ph.0164-2212827

Ref No. 1428

Dated: 03/03/2020

To

The Deputy Commissioner,  
Sri Muktsar Sahib


**Subject :** Application for obtaining NOC for a new Retail outlet on khasra no. 451//2/1 (6-13), khewat no. 1644/1689, khatoni no. 02950, within Malout City, From Bathinda Chowk – Malout Sugar Mill, Distt. Sri Muktsar Sahib.

**Ref:** Your office letter no. 4545 dt. 13.12.2019

In response to your letter under reference, the Board has no objection for setting up of new retail outlet of M/s HSD Retail Outlet, within Malout City, From Bathinda Chowk – Malout Sugar Mill, Distt. Sri Muktsar Sahib in bearing khasra no. 451//2/1 (6-13), khewat no. 1644/1689, khatoni no. 02950 as per the provisional NOC granted by DTP, Bathinda vide memo no. 2027 dt. 26.11.2019 with subject to the following conditions: -

- 1) ਅਦਾਰਾ ਮੈਨਯੂਫੈਕਚਰਿੰਗ ਸਟੋਰੇਜ਼ ਐਂਡ ਇੰਪੋਰਟ ਆਫ ਹਜ਼ਾਰਡਸ ਕੇਮੀਕਲਜ਼ ਰੂਲਜ਼ 1989 ਦੀ ਪਾਲਣਾ ਕਰਦੇ ਹੋਏ ਬੋਰਡ ਨੂੰ ਆਨ ਸਾਈਟ ਐਮਰਜੈਂਸੀ ਪਲਾਨ ਭੇਜੇਗਾ ਅਤੇ ਅਦਾਰਾ ਆਫ ਸਪ੍ਰੈਂਟ ਐਮਰਜੈਂਸੀ ਪਲਾਨ ਵੀ ਤਿਆਰ ਕਰੇਗਾ।
- 2) ਅਦਾਰਾ ਰਿਟੇਲ ਆਊਟਲੈਟ (ਪੈਟਰੋਲ/ਡੀਜਲ ਪੰਪ) ਤੋਂ ਬਿਨਾਂ ਕੋਈ ਹੋਰ ਵਾਟਰ ਜਾਂ ਏਅਰ ਪ੍ਰਦੂਸ਼ਣ ਪੈਦਾ ਕਰਨ ਵਾਲੀ ਗਤੀਵਿਧੀ ਜਿਵੇਂ ਕਿ ਆਟੋ ਸਰਵਿਸ ਸੇਟਰ ਆਦਿ ਬੋਰਡ ਦੀ ਕੰਨਸੈਂਟ/ਐਨ ਓ ਸੀ ਤੋਂ ਬਿਨਾਂ ਸ਼ੁਰੂ ਨਹੀਂ ਕਰੇਗਾ।
- 3) ਅਦਾਰਾ ਪੰਜਾਬ ਰਿਜਨਲ ਟਾਊਨ ਪਲੇਨਿੰਗ ਅਤੇ ਡਿਵਲਪਮੈਂਟ ਐਕਟ, 1995 ਦੀ ਉਲੰਘਣਾ ਨਹੀਂ ਕਰੇਗਾ।
- 4) ਅਦਾਰਾ ਭਾਰਤ ਸਰਕਾਰ ਦੇ ਪੈਟਰੋਲੀਅਮ ਅਤੇ ਐਕਸਪਲੋਸਿਵ ਸੇਫਟੀ ਆਰਗੇਨਾਈਜ਼ੇਸ਼ਨ ਵੱਲੋਂ ਐਨ.ਓ.ਸੀ. ਪ੍ਰਾਪਤ ਕਰੇਗਾ ਅਤੇ ਉਸ ਵਿੱਚ ਦਰਸਾਈਆਂ ਸਾਰੀਆਂ ਸਰਤਾਂ ਦੀ ਇੰਨ-ਬਿੰਨ ਪਾਲਣਾ ਕਰੇਗਾ।
- 5) ਅਦਾਰਾ ਆਈ.ਆਰ.ਸੀ. 12-1983 ਵਿੱਚ ਦਰਸਾਈਆਂ ਗਾਈਡਲਾਈਨਜ਼ ਦੀ ਪਾਲਣਾ ਕਰੇਗਾ।
- 6) ਅਦਾਰਾ ਹੋਰ ਸਬੰਧਤ ਮਹਿਕਮਿਆਂ ਤੋਂ ਆਪਣੀ ਸਾਈਟ ਦੀ ਮੰਨਜ਼ੂਰੀ ਲਵੇਗਾ।
- 7) ਅਦਾਰਾ ਰਿਟੇਲ ਆਊਟਲੈਟ ਡੋਮੇਸਟਿਕ ਐਫਲੈਂਟ ਨੂੰ ਸੈਪਟਿਕ ਟੈਂਕ ਰਾਹੀਂ ਟਰੀਟ ਕਰੇਗਾ ਅਤੇ ਟਰੀਟ ਕੀਤਾ ਹੋਇਆ ਪਾਣੀ ਬੁਢਿਆਂ ਨੂੰ ਲਗਾਏਗਾ।
- 8) ਅਦਾਰਾ ਰਿਟੇਲ ਆਊਟਲੈਟ ਸਾਊਂਡ ਪਰਦੂਸ਼ਕ ਡੀ.ਜੀ. ਸੈੱਟ (ਜਨਰੇਟਰ) ਦੀ ਵਰਤੋਂ ਕਰੇਗਾ।
- 9) ਅਦਾਰਾ ਸੀ.ਪੀ.ਸੀ.ਬੀ. ਦੇ ਆਰਡਰ ਨੰ. ਬੀ-13011/1/2019-20/ਏ.ਕਿਊ.ਐਮ./10802-10847 ਮਿਤੀ 07 ਜਨਵਰੀ, 2020 ਦੁਆਰਾ ਨਿਰਧਾਰਤ ਹਦਾਇਤਾਂ ਦੀ ਇੰਨ-ਬਿੰਨ ਪਾਲਣਾ ਕਰੇਗਾ।
- 10) ਸ਼੍ਰੀ ਵਿਨੋਦ ਕੁਮਾਰ ਪੁੱਤਰ ਸ਼੍ਰੀ ਘਮੰਡੀ ਰਾਮ ਆਪਣੇ ਦਿੱਤੇ ਹੋਏ ਹਲਫੀਆ ਬਿਆਨ ਦੇ ਅਨੁਸਾਰ ਕੋਰਡ ਸਟੋਰ ਨੂੰ ਚਾਲੂ ਨਹੀਂ ਕਰੇਗਾ।

1

  
 BATHINDA DISTRICT ADMINISTRATION  
 Bathinda  
 151001  
 03/03/2020  
 Environmental Engineer



## PUNJAB POLLUTION CONTROL BOARD

Regional office, District Administrative Complex, Room No- 401 E - 403  
E, 406 E & 418 E , 3<sup>rd</sup> Floor, Bathinda

E- mail: eerobti@ yahoo.in

Ph. 0164-2212827

Ref No- 1428

Dated: 03/02/2020

To,

The Deputy Commissioner,

Sri Muktsar Sahib

Subject: Application for obtaining NOC for a new Retail outlet on  
Khasra no- 451//2/ 1 ( 6-13 ) , khewat No- 1644/1689,  
Khatoni No- 02950 , within Malout City, From Bathinda  
Chowk- Malout Sugar Mill, Distt. Sri Muktsar Sajib.

Ref : Your office letter No- 4545 Dated 13.12.2019

In response to your letter under reference , the Board has no objection for setting up of new retail outlet of M/s HSD Retail outlet , within Malout City, From Bathinda chowk- Malout Sugar Mill, Distt Sri MUKtsar Sahib in bearing Khasra No- Khasra no- 451//2/ 1 ( 6-13 ) , khewat No- 1644/1689, Khatoni No- 02950 as per the provisional NOC granted by DTP, Bathinda vide memo no- 2027 Dated 26.11.2019 with subject to the following conditions:-

1. That the organization while complying with the Manufacturing Storage And Import of Hazards Chemicals Rules 1989, shall sent

  
भारत पेट्रोलियम (रिटेल) बठिंडा  
VIKRANT HATE  
Territory Manager (Retail) Bathinda  
भारत पेट्रोलियम कॉर्पोरेशन लिमिटेड  
BHARAT PETROLEUM CORPORATION LIMITED  
फूल मण्डी, मानसा रोड, बठिंडा-151001 (पंजाब)  
Phoos Mandi, Mansa Road, Bathinda-151001 (Punjab)

on line plan to the Board and the organization shall also prepare of site plan.

2. That the organization shall not start any other water or air pollution activity like Auto service center except Retail outlet ( Petrol/ Diesel Pump) without the consent /NOC of the Board.
3. That the organization shall not violate the rules of the Punjab Regional Town Planning and Development Act, 1995.
4. That the organization shall obtained the NOC from Indian Government of oil and explosive safety organization and shall comply with the terms and conditions as mentioned in that.
5. That the organization shall comply with the guidelines as mentioned in I.R.C. 12-1983.
6. That the organization shall obtained approval from all other departments for his site.
7. That the organization shall treat the retail outlet domestic affluent through septic tank and that treated water shall be poured to the plants.
8. That the organization shall use the sound- proof D.G. Set ( Generator) at Retail outlet.
9. That the organization shall comply with the terms and conditions as mentioned by C.P.C.B vide Letter No- B- 13011/1/2019 – 20 /A.Q.M./10802-10847 Dated 07 January, 2020.
10. That Shri Vinod Kumar S/o Ghamandi Ram shall not start his cold store as mentioned in his Affidavit.

Executive Engineer

3/02/2020

