2.19 प्रपत्र— 49

परियोजना का नाम:— जनपद बागेश्वर के अन्तर्गत बैजनाथ—बेरीनाग मोटर मार्ग के किमी० 11 (रवाईखाल) से बुढ़गाड़—थकलाड़—विल्लेख मोटर मार्ग निर्माण कार्य।

भारत सरकार के पत्रांक 11/मिस0/618/2010/उ0प्र0,राज0, उत्तराखंड/11/58 दिनांक 16.04.14 साथ संलग्न प्ररूप के अनुसार मलवा निस्तारण योजना।

MUCK DISPOSAL PLAN

| 1. | generated. Swell factor has to be applied | 40702.50 cum. As per item no. 1 of enclosed muck disposal plan. | | |
|----|--|--|--|--|
| 2. | the project activities. | Approximate i.e. 25980.00 cum. As per item no. 2 of enclosed muck disposal plan, | | |
| 3. | requires disposal/ Management plan. | 26933.50 cum, As per item no. 3 of enclosed muck disposal plan. | | |
| 4. | generation site to the dumping site. | Provision for carriage of muck to muck disposal site is being made Rs, 18,61,105.00 As per item no. 4 of enclosed muck disposal plan. | | |
| 5. | of land owners, in case muck disposal is proposed on non forest land. Photo graph & carrying capacity of proposed dumping site (Muck disposal site) | Forest land (Private land not available) Muck dumping site proposed in khud side of the road in each km. for which extra area is being included in the land schedule. Muck disposal site shown in Google map. Carrying capacity of proposed dumping site is 26925.00 cum as per item no. 5(a) of enclosed muck disposal plan. | | |
| | Development of dumping site- construction of retaining walls and other structure as per requirement of the site. The objective is to completely stop rollig down of the muck. | Provision for development and construction of stone wire crate walls etc. in dumping site Rs. 60,88,952.00is being made as per item no. 5(b) of enclosed muck disposal Hence total provisions for muck disposal will be made Rs. 79,50,057.00 As per item no. 6 of enclosed muck disposal plan., | | |
| 7 | Rehabilitation of dumping site like leveling, planting of grass, shrubs and tree species | Dumping site selected in khud side of the proposed motor road. After construction of motor road plantation will be made by the Forest Department through the provisions of both site plantation fund to be deposited by this Department. | | |

Note- Cost to be incurred on the above activities has to be given component wise. Detail of dumping site including length, width and height of structures to be executed must be meintioned.

Enclosed - Muck disposal plan.

I undertaking that -

1. 2.

Undertaking

Muck management plan will be implemented by the user agency.
The proposed dumping site is located away from river/ Stream/ Nala.

Junior/ Engineer Provicial Division PWD

Maria and paiger



2.19

प्रपत्र- 49

परियोजना का नाम:— जनपद बागेश्वर के अन्तर्गत बैजनाथ—बेरीनाग मोटर मार्ग के किमी0 11 (रवाईखाल) से बुढ़गाड़-थकलाड़-विल्लेख मोटर मार्ग निर्माण कार्य।

MUCK DESPOSAL PLAN

1 Maerial received from hill side cutting

 $1/2 \times 6000 \times (0.9 \times 5.95) + (0.1 \times 6.75) \times \{(0+6)/2 + (0+3)/2\}/2 = 40702.50 \text{ Cum}.$

30 % for swell factor.

= 12211.00 Cum

Grand total :-

= 52913.50 Cum.

Total material (muck) used in motor road during construction - details as given below

| S No. | ITEM | QUANTITY (Cum) |
|-------|--|---------------------------|
| 1. | R.R. Stone Masonary laid in 1:6 | |
| 2. | R.R. Stone Masonary laid in dry | 2800.0 |
| 3. | Hand Packed Stone Filling | 2800.0 |
| 4. | Wire-crate Construction | 1250.0 |
| 5. | Parapet Construction | 600.0 |
| 6. | Granular Sub-base/Base/Surface | 160.0 |
| 7. | Muck utilized at site for road leveling undulation | 2467.5 |
| 8. | RR stone masonry for construction of Dumping yard | 11425.0 |
| | Total Muck | 4477.5 25980.00 |

3. Balance material (muck) to be deposited in

muck desposal site.

26933.50 Cum,

4. Cost of cartage of balance muck upto dumping site 26933.50 Cum @ Rs 69.10/Cm.

= Rs. 18,61,105.00

5. Location and capacity of muck dumping yard.

(a) Construction of stone wire crate wall including supply of all materials, labour and T&P etc. required for proper completion of the work as per PWD detailed specification.

| Location | Area of dumpi Yard | ng Qty. of muck disposed(in cum) | Qty. of stone wire crate | Type of land |
|----------|-----------------------|-------------------------------------|--------------------------|---------------|
| | | | For Const. of | |
| In VM 1 | | 75.1 | Dumping yard | d |
| In KM. 1 | 6x115x5x1.5 | 5175.00 | 1687.50 | Civil Land |
| In KM. 2 | 7x85x5x1.5 | 4462.50 | 1496.25 | Civil Land |
| In KM. 3 | 7x80x5x1.5 | 4200.00 | 1417.50 | Van Panchayat |
| In KM. 4 | 6x90x5x1.5 | 4050.00 | 1350.00 | R.F |
| In KM. 5 | 6x90x5x1.5 | 4050.00 | 1350.00 | R.F |
| In KM. 6 | 7x95x5x1.5 | 4987.50 | 1653.75 | R.F |
| | 7 | total = 26925.00 | 8955.00 | 13.1 |

Taking Qty 50% as their may be some flat places i.e 4477.50

(b) Total cost of construction of dumpig

yard 4477.50 cum @ 1359.90 per cum.

= Rs. 60,88,952.00

6. Total Cost of muck desposal plan(4+5(b)

= Rs 79,50,057.00



2.19 प्रपत्र— 49

परियोजना का नाम:— जनपद बागेश्वर के अन्तर्गत बैजनाथ—बेरीनाग मोटर मार्ग के किमी0 11 (रवाईखाल) से बुढ़गाड़—थकलाड़—विल्लेख मोटर मार्ग निर्माण कार्य।

स्वामित्व एवं अनापत्ति प्रमाण पत्र

अनुसूचित जाति उपयोजनान्तर्गत (S.C.S.P) के अन्तर्गत बैजनाथ—बेरीनाग मोटर मार्ग के किमी० 11 (रवाईखाल) से बुढ़गाड़—थकलाड़—विल्लेख मोटर मार्ग निर्माण में उत्पादित होने वाले मलवे के निस्तारण हेतु लोक निर्माण विभाग द्वारा उक्त मार्ग के कि0मी० 1 एवं 2 में राज्य सरकार की सिविल सोयम भूमि मलवा एकत्रीकरण हेतु प्रस्तावित की गयी है जिसका क्षेत्रफल लैन्ड शैडयूल में सम्मिलित है। अतः जनहित में सड़क के किनारे खड़ड साईड में रिक्त भूमि पर दीवाल लगा कर मलवा एकत्रित करने में राजस्व विभाग को कोई आपत्ति नहीं है।





उपजिलाधिकारी उपजिलाधिकारी समेश्वर।