T		(To be filled by th				or rolests)			
		(state serial No. of Pr	op	osal		•			
		Location of the B							
		Location of the Project / Scheme		Laying	of pipe line and	construction of of			
	i	State / Union territory		Laying of pipe line and construction of other structure for providing safe drinking water - Mavala Segment 21/1 Telangana					
	7								
1	ìi.	District	_	returige	ula				
-				Adilaba	d				
	iii.	Forest Division		Adilahad					
	iv.	Area of the Forest land proposed	-	Adilabad					
		for diversion (in Ha)		Area proposed in Mavala segment: 4.145 Ha Total Length: 20831.26 Mtrs Width: 0.70 to 8.00 mtrs Sigment 21/1 (Mavala): Laying pipe line passing through Adialabad, Indervelly and Echoda of this division and the details shown below:					
				Compt No	RF Block	Length (Mt)			
						-	Area (Ha)		
				254	Mavala	Range: Adilabad 380.229			
				255	Malkapur	785.949	0.027		
				255	Malkapur	839.509	0.055		
				255	Malkapur	409.548	0.059		
			1	243	Mavala	2233.209	0.029		
		*	1	244	Mavala	159.206	0.893		
				246	Mavala	2383,408	0.127		
				244	Mavala	OHBR	0.715		
				221	Ambadi	365.263	0.125		
				221	Ambadi	542.516	0.380		
		*		221	Ambadi	OHBR	0.07		
				222	Ambadi	963.400	0.096		
			*	*	245	Mavala		0.030	
-				225	Ambadi	499.028	0.035		
				237	Tamsi	277.746	0.019		
				236	Tamsi	3557.44	0.249		
	1			236	Tamsi	141.639	0.010		
				230	Arli	1543.136	0.108		
						15081.226	3.041		
				401		lange: Echoda			
			1	139	Harkai	3051.328	0.915		
			1	139	Harkai	1385.884	0.097		
			1	138	Dedra	721.919	0.051		
	1		1			5159.131	1.0629		
			11		D.,.	nge: Indervelly			
			11	363	Sathnala	ige. Indervelly			

V.	Legal status of the forest	The proposed area is falling in the following RF blocks the following RF blocks 1 Mavala RF- Notified under section 15, vide RR No FST/118/2/54, Dt. 8-2-55 2 Malkapur RF - Notified under Section 15, vide G.O.Ms.No. 998/For.III, dt. 13.09.1 3 Ambadi RF - Notified under Section 4, vide Gt.No. 48, dt. 19.12.1955 4 Tamsi RF - Notified under section 15, vide RR No FST/85/2/54/11193, Dt. 15.9.59 5 Arli RF - Notified under section 15, vide RR No FST/101/2/84, Dt. 1-10-5. 6 Harkai RF - notified under section 4, vide GO Ms No Dt. 9-5-50F 7 Dedra RF - Notified under section 15, vide Gt.No. 32, Dt. 21 Tin 1350 F 8 Sathnala RF - Notified under Section 4, vide GO.No. 5, dt. 9.5.50 F
vi.	Density of vegetation	0.4
vii	Species wise (Scientific names) and diameter class wise enumeration of trees (to be enclosed)	Statement enclosed
viii	Brief note on vulnerability of the forest area to erosion	The Proposed Laying of pipe line and construction of other structures passing through RF but, there is no erosion is noticed
ix.	Approximate distance of proposed site for diversion from boundary of the forest	The Proposed Laying of pipe line and construction of other structures passing through Reserve Forests
X	Whether form part of national park, Wild life sanctuary, bio sphere reserve, tiger reserve, elephant corridor, etc (if so, the details of the area and comments of the chief wild llife warden to be annexed)	No, the said proposed area for diversion does not form part of National Park, Wildlife Sanctuary, Biosphere Reserve, Tige Reserve and Elephant Corridor, etc.,
xi	whether any rare / endangered /unique species of flora and fauna found in the area if so, detaials there of	No rare/ endangered/ unique species of flora and fauna ar found in the forest area proposed for diversion.
xii	whether any protected archeological / heritage site / defence establishment or any other important monument is located in the area . If so the details thereof with NOC from competent authority , if required.	There are no protected Archaeological/ Heritage site/ Defend Establishment or any other important monument in the fore- area proposed for diversion.



8	as p of min reco	ether the requirement of forest land proposed by the user agency in Col 2 part-1 is unavoidable and bares simum for the project. If so mmended area item wise with ails of alternatives examined.		The requirement of forest land as proposed by the user agency is 4.145 ha and field conditions this is the barest minimum and unavoidable for project.	
9	Whether any work in violation of the act is carried out (yes/No). If yes details of the same including period of the work done, action taken on erring officials. Whether work in violation is still in progress.			No	
10	Details of the compensatory				
	affo	restation scheme			
		Details of non forest area/degraded forest area identified for compensatory afforestation, its distance from adjoining forest number of patches, size of each patch		The Forest proposed for diversion is less than 5.00 Ha in LWE District of Adilabad. The project involves felling of more than 50 trees per Ha.	
	ii	Map showing non forest/ degraded forest area identified from compensatory afforestation and adjoining forest boundaries			
	iii.	Detailed compensatory afforestation scheme including species to be planted implementing agency, time schedule, cost structure etc	9.		
	iv.	Total financial out lay for compensatory afforestation scheme			
	v	Certificates from competent authority regarding suitability of area identified for compensatory afforestation and from management point of view (to be signed by the Dy conservator of the forests)			
11	Site inspection of the Dy Conservator of Forests (to be enclosed) especially highlighting facts in Col 7 (xi, xii)) 8 and 9 above			Field inspection report is enclosed.	
12	Div	ision / District Profile			
	ì	Geographical area of the Division		390341 ha	

	ii.	Forest area of the Division	149500 ha
6 5	iii.	Total Forest area diverted since 1980 with number of cases	125.07 Ha/ 4Nos
	iv.	Total compensatory afforestation stipulated in the district / Division since 1980 on	217.38 Ha
		a) forest land including penal compensatory afforestation	164 Ha
		b) Non forest land	53.38 Ha
	v	Progress of the compensatory afforestation	
		a) Forest land	164 Ha
	1 11	b) Non forest land	53.38 Ha
13		Specific recommendation of the DFO for acceptance or other wise of the proposal with reasons	The laying of pipe line for drinking water will solve the acute drinking water problems in the interior tribal villages in tribal areas in Adilabad District.

Date: 05/05/2016

Place: Adilabad

2000000000

Signature & Sobolian

Name & Designation: K. Mohan

Office Seal DFO Adilabad
Divisional Forest Officer,
ADILABAD