

15
16

CHECK LIST SERIAL NUMBER - 25
SITE INSPECTION REPORT NOT BELOW THE RANK OF DCF
(For The Forest Land To Be Diverted Under FCA)

A proposal has been received by the office of Welspun energy up private limited, Welspun house, 7th floor, Kamala City SB Marg, Lower Parel (w), Mumbai-400013 for diversion under (FCA-1980) of 8.3581 ha. Forest land for construction of approach road and under ground water supply. The site inspection of the land involved in the proposal has done by me on dated

27/1/2016

On inspection of the site. it is found that the land required by the user agency is a reserved forest measuring 8.3581 ha. and Protected forest measuring 0.00 ha. Total forest land 8.3581 ha.

The requirement of forest land as proposed by the user agency in Col-2 Part -I is unavoidable and is barest minimum required for the project.

Whether any rare/endangered/unique species of flora and fauna found in the area. if so the details there of : No.

Whether any protected archeological/heritage site/ defence establishment or any other important monuments is located in the area, if so the details thereof with NOC from competent authority, if required: No.



- (a) The user agency has not violated the provisions of forest (Conservation). Act 1980 and no work has been started without proper sanction (☒)
- (b) It has been found that the user agency has violated the forest (Conservation) Act 1980 provisions. A details report as per Para 1.9 of chapter 1. Para C of Hand book of forest (Conservation) Act. 1980 is attached (X)

Specific recommendation for acceptance or otherwise of the proposal.

The proposal is recommended for sanction.

Place - Mirzapur

Date- 27/1/2016


Divisional Forest Officer
Mirzapur Forest Division, Mirzapur


N.B. X State the purpose for which the forest land is proposed to be diverted. The forest land required to be diverted for construction of above. Forest land for construction of approach road and under ground water supply.

XX. Out of (a) tick the option which is applicable and across the option which is not applicable.

As per letter number 2-2/2000 F.C. dated 16-10-2000 from Ministry of environment & Forest Government of India for proposed involving less than 40 hectares of forest land, the site inspection form DCF is required and for proposal involving more than 40 hectares of forest land site inspection report from the conservator of forests is required.