

**GOVERNMENT OF TELANGANA
RURAL WATER SUPPLY AND SANITATION DEPARTMENT**

APPENDIX

(See Rule 6)

FORM-'A'

Form for seeking prior approval under section 2 of the proposals by the state
Government and other authorities.

PART-1

(TO BE FILLED BY USER AGENCY)

1. Project Details : Laying of pipe lines and Construction of other structures for providing safe drinking water to Manthani & Bhupalpally constituencies in Karimnagar and Warangal Districts **Segment 15/7 - Manthani.**

i) Short narrative of the Proposal for Project : The Government of Telangana

has decided to improve the drinking water supply level to all the habitations in the new State to Provide safe Drinking Water to all in the State. To avoid Quantitative and Qualitative problems it is proposed to supply surface water arraying from Godavari river. The clear Water Pipe lines are to be laid to cover the Segment - 15-7 Manthani in all habitations of the said constituencies of Karimnagar District. The proposed Pipe line alignment is passing through the Reserve Forest for which Forest Diversion is required to complete the Telangana Drinking Water Supply Project for providing safe drinking water to Manthani and Bhupalpally constituencies in Karimnagar District.

ii) Map showing the required forest land : Map showing the reserve forest and Boundary of adjoining Forest on a 1 in 50,000 Scale topo map.

laying of Pumping mains and Gravity Mains in WLM Karimnagar Forest EAST Division in Karimnagar District under Segment 15/7 Manthani.

iii) Cost of the Project.

: Rs. 835.00 Crores.

iv) Justification for location the project in forest area :

The proposed Pipe lines of Telangana Drinking Water Project have no other alternative routes to cover all the habitations and the proposed Structures in the Forest Area are essential to cover all the habitations in the Warangal District. As per the Hydraulic Designs and Topography of the Area the proposed locations are very much essential and there are no other alternative alignments.

Not applicable, as there is no other alternate to compare the cost.

1875000 Mandays.

v) Cost benefit analysis (to be enclosed)
vi) Employment likely to be generated

2. Purpose wise breakup of the total Land required Extent :

After working out various options in execution of the Pipe Line Works in the forest Land , the diversion of forest land to the minimum requirement is worked Out and the purpose wise land requirement is as follows.

Division	Type of Forest	Length of pipeline in M	Area In Ha.
Karimnagar (East) Division	Area of Pipeline in WLM	8725.217	0.727
	Area of Structures in WLM		0.031
	Total area in WLM		0.758
	Area of Pipeline in Eco-sensitive Zone	80964.047	6.933
	Area of Structures in Eco-sensitive Zone		0.071
	Total area in ESZ		7.004
TOTAL		89689.264	7.762

3. Details of displacement of people due to the project if any:

i) Number of families :

ii) Number of Schedule Caste / Schedule Tribal families. :

iii) Rehabilitation Plan :

No

No

4. Where Clearance under

Environment (Protection) Act, 1986 Required? (Yes/No)

5. Undertaking to bear the cost of rising and maintenance of compensatory Afforestation and /or penal compensatory Afforestation as well as cost are protection and regeneration of Safety zone., etc., as per the Scheme prepared by the state Government (under taking to be enclosed).

: Enclosed

6. Details of Certificates / Documents Enclosed as required under the instructions.

: Enclosed

Superintending Engineer
TDWSP Circle, Karimnagar (Dist).

"Counter signed"

Chief Engineer
TDWSP, Hyderabad