

01c

कार्यालय महाप्रबंधक
मध्य प्रदेश जल निगम मर्यादित
(म.प्र. शासन का उपक्रम)

परियोजना क्रियान्वयन इकाई, सिंगरौली

कार्यालय : कक्ष क्र. 44, प्रथम तल, कलेक्ट्रेट भवन, वैद्वन
(Website: www.mpjalnigam.mp.gov.in)

CIN-U41000MP2012SGC028798
gmpinmsingrauli@gmail.com

क्रमांक 1818 /महा.प्रबं./म.प्र.ज.नि.मर्या./परि.क्रि.ई./2022
प्रति,

दिनांक 10/07/23

वन मण्डल अधिकारी
वन मण्डल सिंगरौली (म.प्र.)

विषय:- गोण्ड देवसर ग्रामीण समूह जल प्रदाय योजना अंतर्गत पर्यावरण, वन एवं जलवायु परिवर्तन मंत्रालय द्वारा चाही गई जानकारी प्रेषित करने बावत्।

संदर्भ:- 1. प्रकरण क्रमांक FP/MP/WATER/151757/2022
2. तकनीकी अधिकारी पत्र क्र0/06 एमपीबी/016/2022-बीएचओ दिनांक 28-06-2023.
3. प्रधान मुख्य वन संरक्षक (भू-प्रबंध), भोपाल का पत्र क्र0 2669 दिनांक 30-06-2023
4. इस कार्यालय का पत्र क्र. 1205 दिनांक 04.05.2023

--000--

विषयांतर्गत लेख है कि आपके संदर्भित पत्र क्र.2 के माध्यम से तालिक में वर्णित जानकारी चाही गई थी जो निम्नानुसार है:-

S.No.	Query	Reply
1	Administrative Approval/Sanction letter of the project shall be submitted/uploaded.	Enclosed
2	Complete KML file of layout plan of Forest Area and Non Forest Area (full project KML be submitted/uploaded).	KML file depicting Forest Area and Non Forest Area Uploaded in Parivesh Portal and Google Drive. (https://drive.google.com/file/d/12Q6pDXsRLJA7_mrdLpe-n4J2c5MhD7ka/view?usp=drive_web)
3	Justification for location of the project in forest land (counter signed by DFO) shall be submitted/uploaded.	Detailed Justification report Attached.
4	No objection certificates of concerned department (Railway, WRD, TL etc) shall be submitted.	No Objection Certificates from MPRDC is attached.
5	It is a new pipeline project, alternative alignment of with comparative statement shall be submitted.	It is already shown in Para-D of part-1 proposal, where it is clearly mentioned "NO", it means there is no alternative option is available.
6	KML file for alternative alignment shall be submitted/uploaded.	It is already shown in Para-D of part-1 proposal, where it is clearly mentioned "NO", it means there is no alternative option is available.
7	Detailed muck calculation and muck disposal scheme as approved by concerned DFO shall be submitted.	Total quantity of excavated material during laying of pipeline will be as follows.





		Calculation- Excavated Volume- $(48057 \times 1 \times 1.2) = 57,668.4$ cum Pipe Volume $-(3.14 \times 0.1 \times 0.1 \times 48057) = 1,508.9898$ cum Backfilled soil= 56159.4102 Remaining Muck (excavated soil - backfilled soil) = 1508.9898. Note: Excavated soil shall be backfilled and levelled. And Remaining muck (Equal to pipe volume) will be disposed off at available surplus revenue land 3.8 (20.8 - 17) ha located at village pipri, teh: chitrangi khasra no. 245 allotted to MPJNM.
8	Componenet wise breakeup of land required and component wise area calculation with the layout plan is shall be submitted.	Component wise breakup for 4.8057 ha. of pipeline network uploaded on Parivesh portal Part-1 (Point-B) Google Drive. (https://drive.google.com/file/d/12Q6pDXsRLJA7_mrdLpe-n4J2c5MhD7ka/view?usp=drive_web)
9	As per covering letter of Proposal, the CA is proposed over 20.80 ha but CA scheme is only for 17.00 ha. Also as per the DSS analysis, the proposed CA Area has 7.00 ha VDF and 7.00 ha MDF. Thus Revised CA scheme shall be uploaded.	17 ha CA land is to be provided for the given proposals (Proposals- 144394 - 3.9589 ha. 151757 - 4.8057 ha. 151448 - 4.9627 ha. 154848- 2.9455 ha. Total required Area - 16.6728 ha. But total 17 ha CA land has already been provided to forest. Comment on CA Scheme & VDF/MDF will be given by DFO Singrauli.
10	As Per the Covering letter, the pipeline is proposed along roadside but as per KML file many of parts of pipeline are not along road.	The Proposed Pipeline is applied under Non-ROW & CA land for the same is provided.
11	The proposed diversion area is part of Elephant corridor, So comments of CWLW M.P. shall be submitted.	Comment to be given by DFO Singrauli
12	As Per the KML of all four proposals (FP/MP/WATER/151448/2022, FP/MP/WATER/151757/2022, FP/MP/WATER/144394/2021, FP/MP/WATER/154848/2022), it seems that all proposals are co-related to each other. Why a Consolidated proposal is not submitted.	Proposal No. (FP/MP/WATER/154848/2022) is belongs to Waidhan-2 Scheme and Rest 3 Proposals are associated with Gond Devsar MVS for Garvity and Distribution Main Pipeline and All these Proposals are Applied Zone wise.

जानकारी सूचनार्थ एवं आवश्यक कार्यवाही हेतु सादर संप्रेषित है।

पृ. क्रमांक 1819 /महा.प्रबं./म.प्र.ज.नि.मर्या./परि.क्रि.ई./2023
प्रतिलिप:-

1. प्रधान मुख्य वन संरक्षक (भू-प्रबंध), भोपाल की ओर सूचनार्थ प्रेषित।
2. ओ.एस.डी., म.प्र. जल निगम मर्यादित भोपाल की ओर सूचनार्थ प्रेषित।


महाप्रबंधक
म.प्र. जल निगम मर्यादित
परि.क्रिया.ई. सिंगरौली
दिनांक 10/07/23


महाप्रबंधक
म.प्र. जल निगम मर्यादित
परि.क्रिया.ई. सिंगरौली