

SITE INSPECTION REPORT NOT BELOW THE RANK OF DCF

(For the forest land to be diverted under FCA)

A proposal has been received by the this office from उप मंडलीय अभियंता दूर संचार परियोजना भारत संचार निगम लि०, मुरादाबाद द्वारा राज्य मार्ग सं०-49 (मुरादाबाद - हरिद्वार मार्ग मार्ग) कि०मी० 36.00 से कि०मी० 62.600 (महाराणा प्रताप चौक) से दूरभाष केंद्र धामपुर तक कुल 26.800 कि०मी० लम्बाई में सड़क बायें के किनारे पर ओ०एफ०सी बिछाने हेतु diversion (under FCA-1980) of **0.804** hac. of forest land for non-forestry purpose. The project envisage the use of forest land for laying . The site inspection of the land involved in the proposal has been done by me on dated.-
07/07/2017

On inspection of the site, it is found that the land required buy the user agency is a RF/PF/unclassed/Protect forest measuring. PF **0.804** Hac.

The requirement of forest land as proposed by the user agency in col.2 of part-I is unavoidable and is barest minimum required for the project. **Yes**

Whether any rare/endangered/unique species of flora and fauna in the area. If so, the details thereof. **No**

Whether any protected archaeological/heritage site/ defense establishment or any other important monument is located in the area. If so, the details thereof with NOC from competent authority, if required. **No**

- The user agency has not violated the provision of forest (conservation) Act, 1980 and no work has been started without proper sanction.
- it has been found that the user agency has violated the forest (conservation) Act, 1980 provisions. A detail report as per para 1.9 of chepter-1; para C of handbook of forest (Conservation) Act. 1980 is attached.

Specific recommendation for acceptance or otherwise of the proposal.-

Recommended for acceptance of the proposal.


(एम. सेखरन)
प्रमाणीय निदेशक,
सामाजिक वानिकी प्रभाग,
बिजनौर