


# Joint Inspection Report

Crossing details of Nawabganj – Gonda (AP-53A/0 to LOC-53A/1)

400 kV D/C Tanda – Gonda Transmission line

Forest Range : Tikri, District – Gonda

Date:-17/10/2023



Area of protected forest strip : Left strip(X)  $46 \times 16.764 = 771.144$  Sq.Mtr.

Right strip(Y)  $46 \times 16.764 = 771.144$  Sq.Mtr.

**TOTAL = 1542.288 Sq.Mtr. (0.1542 Hectares)**

List of Trees in 46 Meter Left Corridor.

| Sl.No. | Name Of Tree | Girth (cm) Mtr | Dia Class   | No. of Trees | Remarks |
|--------|--------------|----------------|-------------|--------------|---------|
| 1.     | Sahtoot      | 0.70           | 20-30       | 1            | Left    |
| 2.     | Mango        | 0.30           | 0-10        | 1            | Left    |
| 3.     | Mango        | 0.30           | 0-10        | 1            | Left    |
| 4.     | Bakain       | 1.00           | 30-40       | 1            | Left    |
| 5.     | Neem         | 0.55           | 20-30 10-20 | 1            | Left    |
| 6.     | Ambaar       | 0.65           | 20-30       | 1            | Left    |

*S. Ghosh*  
S. Ghosh  
Specialist T/L  
South East UP Power Transmission Co.Ltd

*[Signature]*



Range officer  
Tikri (Gonda)  
क्षेत्रीय वन अधिकारी  
टिकरी रेन्ज

|     |         |      |         |   |      |
|-----|---------|------|---------|---|------|
| 7.  | Neem    | 0.15 | 0-10    | 1 | Left |
| 8.  | Sahtoot | 0.15 | 0-10    | 1 | Left |
| 9.  | Amarood | 0.30 | 0-10    | 1 | Left |
| 10. | Bakain  | 0.74 | 20-30   | 1 | Left |
| 11. | Mango   | 3.20 | 100-110 | 1 | Left |
| 12. | Bakain  | 0.85 | 20-30   | 1 | Left |
| 13. | Shisham | 1.00 | 30-40   | 1 | Left |
| 14. | Semal   | 4.00 | 120-130 | 1 | Left |
| 15. | Sirsa   | 0.32 | 10-20   | 1 | Left |
| 16. | Sirsa   | 0.20 | 0-10    | 1 | Left |
| 17. | Sirsa   | 0.29 | 0-10    | 1 | Left |
| 18. | Sirsa   | 0.24 | 0-10    | 1 | Left |
| 19. | Shisham | 0.29 | 0-10    | 1 | Left |
| 20. | Sirsa   | 0.15 | 0-10    | 1 | Left |

#### List of Trees in 46 Meter Right Corridor

| Sl.No. | Name Of Tree | Girth (cm) Mtr | Dia Class | No. of Trees | Remarks |
|--------|--------------|----------------|-----------|--------------|---------|
| 1.     | Shisham      | 0.33           | 10-20     | 1            | Right   |
| 2.     | Chilbil      | 0.26           | 0-10      | 1            | Right   |
| 3.     | Chilbil      | 0.27           | 0-10      | 1            | Right   |
| 4.     | Chilbil      | 0.40           | 10-20     | 1            | Right   |
| 5.     | Sirsa        | 2.16           | 80-70     | 1            | Right   |
| 6.     | Sirsa        | 0.16           | 0-10      | 1            | Right   |
| 7.     | Shisham      | 0.44           | 10-20     | 1            | Right   |
| 8.     | Arjun        | 2.00           | 80-70     | 1            | Right   |
| 9.     | Sirsa        | 0.16           | 0-10      | 1            | Right   |
| 10.    | Imly         | 0.72           | 20-30     | 1            | Right   |
| 11.    | Bel          | 0.35           | 10-20     | 1            | Right   |
| 12.    | Neem         | 305            | 90-100    | 1            | Right   |
| 13.    | Sagaun       | 0.10           | 0-10      | 1            | Right   |
| 14.    | Semal        | 0.30           | 0-10      | 1            | Right   |
| 15.    | Shisham      | 0.70           | 20-30     | 1            | Right   |
| 16.    | Shisham      | 0.34           | 10-20     | 1            | Right   |
| 17.    | Shisham      | 0.36           | 10-20     | 1            | Right   |
| 18.    | Shisham      | 0.48           | 10-20     | 1            | Right   |
| 19.    | Shisham      | 0.35           | 10-20     | 1            | Right   |
| 20.    | Shisham      | 0.45           | 10-20     | 1            | Right   |

*S. Ghosh*

*A. Shukla*



|     |         |      |       |   |       |
|-----|---------|------|-------|---|-------|
| 21. | Shisham | 0.19 | 0-10  | 1 | Right |
| 22. | Shisham | 0.14 | 0-10  | 1 | Right |
| 23. | Shisham | 0.30 | 0-10  | 1 | Right |
| 24. | Shisham | 0.30 | 0-10  | 1 | Right |
| 25. | Shisham | 0.32 | 10-20 | 1 | Right |

  
 For SEUPPTCL  
**Somnath Ghosh**  
 Specialist T/L  
 South East UP Power Transmission Co.Ltd

  
 क्षेत्रीय वस अधिकारी  
 Range officer  
 टिकरी रेंज  
 Tikri (Gonda)



# Joint Inspection Report

Crossing details of Nawabganj - Tarabganj (AP-57B/0 to AP-57C/0 )

400 kV D/C Tanda – Gonda Transmission line

Forest Range : Tikri, District – Gonda

Date:-17/10/2023



Area of protected forest strip : Left strip(X)  $46 \times 16.764 = 771.144$  Sq.Mtr.

Right strip(Y)  $46 \times 16.764 = 771.144$  Sq.Mtr.

**TOTAL = 1542.288 Sq.Mtr. (0.1542 Hectares)**

**List of Trees in 46 Meter Left Corridor.**

| Sl.No. | Name Of Tree | Girth (cm) Mtr | Dia Class | No. of Trees | Remarks |
|--------|--------------|----------------|-----------|--------------|---------|
| 1.     | Kachnar      | 0.34           | 10-20     | 1            | Left    |
| 2.     | Chitwan      | 0.14           | 0-10      | 1            | Left    |
| 3.     | Shisham      | 0.96           | 30-40     | 1            | Left    |
| 4.     | Chitwan      | 0.35           | 10-20     | 1            | Left    |
| 5.     | Chitwan      | 0.27           | 0-10      | 1            | Left    |
| 6.     | Shisham      | 0.56           | 10-20     | 1            | Left    |

*S. Ghosh*  
**Somnath Ghosh**  
For SEUPPTCL  
Specialist T/L  
South Eastern Power Transmission Co.Ltd



*B*  
**मेत्रीय वन अधिकारी**  
Range officer  
Tikri (Gonda)

|     |         |      |       |   |      |
|-----|---------|------|-------|---|------|
| 7.  | Shisham | 0.14 | 0-10  | 1 | Left |
| 8.  | Shisham | 0.40 | 10-20 | 1 | Left |
| 9.  | Shisham | 0.11 | 0-10  | 1 | Left |
| 10. | Babool  | 0.51 | 10-20 | 1 | Left |
| 11. | Sahtoot | 0.60 | 10-20 | 1 | Left |
| 12. | Shisham | 0.15 | 0-10  | 1 | Left |
| 13. | Shisham | 0.10 | 0-10  | 1 | Left |
| 14. | Shisham | 0.34 | 10-20 | 1 | Left |
| 15. | Shisham | 0.45 | 10-20 | 1 | Left |
| 16. | Babool  | 0.60 | 10-20 | 1 | Left |
| 17. | Shisham | 0.50 | 10-20 | 1 | Left |
| 18. | Sirsa   | 1.20 | 30-40 | 1 | Left |

**List of Trees in 46 Meter Right Corridor.**

| Sl.No. | Name Of Tree | Girth (cm)<br>Mtr | Dia Class | No. of Trees | Remarks |
|--------|--------------|-------------------|-----------|--------------|---------|
| 1.     | Chitwan      | 0.30              | 0-10      | 1            | Right   |
| 2.     | Sirsa        | 0.45              | 10-20     | 1            | Right   |
| 3.     | Shisham      | 0.30              | 0-10      | 1            | Right   |
| 4.     | Chitwan      | 0.30              | 0-10      | 1            | Right   |
| 5.     | Shisham      | 0.30              | 0-10      | 1            | Right   |
| 6.     | Chilbil      | 0.45              | 10-20     | 1            | Right   |
| 7.     | Shisham      | 0.42              | 10-20     | 1            | Right   |
| 8.     | Chilbil      | 0.45              | 10-20     | 1            | Right   |
| 9.     | Gutel        | 0.40              | 10-20     | 1            | Right   |
| 10.    | Gutel        | 0.24              | 0-10      | 1            | Right   |
| 11.    | Gutel        | 0.20              | 0-10      | 1            | Right   |

*S. Ghosh*  
**Soumitra Ghosh**  
 Specialist T/L  
 South East UP Power Transmission Co.Ltd

*19*  
**लेत्री वन अधिकारी**  
 Range officer  
 Tikri (Gonda)




# Joint Inspection Report

Crossing details of Nawabganj - Mankapur (AP-52/0 to AP-52/A )

400 kV D/C Tanda – Gonda Transmission line

Forest Range : Tikri, District – Gonda

Date:-17/10/2023



Area of protected forest strip : Left strip(X)  $46 \times 16.764 = 771.144$  Sq.Mtr.

Right strip(Y)  $46 \times 16.764 = 771.144$  Sq.Mtr.

**TOTAL = 1542.288 Sq.Mtr. (0.1542 Hectares)**

**List of Trees in 46 Meter Left Corridor.**

| Sl.No. | Tree    | Girth (cm) | Dia Class | No. of Trees | Remarks |
|--------|---------|------------|-----------|--------------|---------|
| 1.     | Gutel   | 0.96       | 30-40     | 1            | Left    |
| 2.     | Kanji   | 0.25       | 0-10      | 1            | Left    |
| 3.     | Kanji   | 0.20       | 0-10      | 1            | Left    |
| 4.     | Gutel   | 0.16       | 0-10      | 1            | Left    |
| 5.     | Shisham | 0.20       | 0-10      | 1            | Left    |
| 6.     | Kanji   | 0.26       | 0-10      | 1            | Left    |

*S. Ghosh*  
For SEUPPTCL  
**Somnath Ghosh**  
Specialist T/L  
South East UP Power Transmission Co.Ltd



*B*  
**क्षेत्रीय वन अधिकारी**  
Range officer  
Tikri (Gonda)

| Sl.No. | Tree          | Girth (cm) | Dia Class              | No. of Trees | Remarks |
|--------|---------------|------------|------------------------|--------------|---------|
| 7.     | Kanji         | 0.16       | 0-10                   | 1            | Left    |
| 8.     | Gutel         | 0.22       | 0-10                   | 1            | Left    |
| 9.     | Gutel         | 2.00       | 60-70                  | 1            | Left    |
| 10.    | Gutel         | 0.50       | 10-20                  | 1            | Left    |
| 11.    | Gutel         | 0.25       | 64 0-10                | 1            | Left    |
| 12.    | Gutel         | 0.40       | 10-20                  | 1            | Left    |
| 13.    | Kanji         | 0.25       | 0-10                   | 1            | Left    |
| 14.    | Kanji         | 0.16       | 0-10                   | 1            | Left    |
| 15.    | Gutel         | 0.20       | 0-10                   | 1            | Left    |
| 16.    | Gutel         | 0.40       | 10-20                  | 1            | Left    |
| 17.    | Gutel         | 0.25       | 0-10                   | 1            | Left    |
| 18.    | Gutel         | 0.40       | 10-20                  | 1            | Left    |
| 19.    | Jangal Jalebi | 1.00 Mtr   | 30-40                  | 1            | Left    |
| 20.    | Neem          | 2.50       | <del>70-80</del> 80-90 | 1            | Left    |
| 21.    | Gutel         | 1.45       | 40-50                  | 1            | Left    |
| 22.    | Jangal Jalebi | 0.90       | 20-30                  | 1            | Left    |
| 23.    | Gutel         | 2.03       | 60-70                  | 1            | Left    |
| 24.    | Gutel         | 1.43       | 40-50                  | 1            | Left    |
| 25.    | Pipal         | 3.20       | 100-110                | 1            | Left    |
| 26.    | Gutel         | 240        | 70-80                  | 1            | Left    |
| 27.    | Shisham       | 290        | 90-100                 | 1            | Left    |

**List of Trees in 46 Meter Right Corridor.**


| Sl.No. | Tree     | Girth (cm) | Dia Class | No. of Trees | Remarks |
|--------|----------|------------|-----------|--------------|---------|
| 1.     | Gutel    | 0.50       | 10-20     | 1            | Right   |
| 2.     | Neem     | 2.48       | 70-80     | 1            | Right   |
| 3.     | Gutel    | 0.45       | 10-20     | 1            | Right   |
| 4.     | Gutel    | 0.48       | 10-20     | 1            | Right   |
| 5.     | Chilbil  | 0.17       | 0-10      | 1            | Right   |
| 6.     | Shisham  | 0.16       | 0-10      | 1            | Right   |
| 7.     | Gutel    | 0.25       | 0-10      | 1            | Right   |
| 8.     | Gutel    | 0.30       | 0-10      | 1            | Right   |
| 9.     | Chilbil  | 0.24       | 0-10      | 1            | Right   |
| 10.    | Chitwan  | 0.10       | 0-10      | 1            | Right   |
| 11.    | Sirsa    | 0.17       | 0-10      | 1            | Right   |
| 12.    | Chitwan  | 0.17       | 0-10      | 1            | Right   |
| 13.    | Chitwan  | 0.34       | 10-20     | 1            | Right   |
| 14.    | Kachnaar | 0.15       | 0-10      | 1            | Right   |

*S. Chandra*

*A. Shukla*



|     |           |      |        |   |       |
|-----|-----------|------|--------|---|-------|
| 15. | Kesiya    | 1.00 | 30-40  | 1 | Right |
| 16. | Eucliptus | 1.77 | 50-60  | 1 | Right |
| 17. | Shisham   | 0.26 | 0-10   | 1 | Right |
| 18. | Shisham   | 0.17 | 0-10   | 1 | Right |
| 19. | Shisham   | 0.19 | 0-10   | 1 | Right |
| 20. | Shisham   | 0.11 | 0-10   | 1 | Right |
| 21. | Jamun     | 2.50 | 70-80  | 1 | Right |
| 22. | Gutel     | 0.19 | 0-10   | 1 | Right |
| 23. | Chitwan   | 0.14 | 0-10   | 1 | Right |
| 24. | Shisham   | 0.15 | 0-10   | 1 | Right |
| 25. | Gutel     | 0.16 | 0-10   | 1 | Right |
| 26. | Kesiya    | 1.42 | 40-50  | 1 | Right |
| 27. | Shisham   | 0.19 | 0-10   | 1 | Right |
| 28. | Gutel     | 0.16 | 0-10   | 1 | Right |
| 29. | Chitwan   | 0.30 | 0-10   | 1 | Right |
| 30. | Kanji     | 0.22 | 0-10   | 1 | Right |
| 31. | Chitwan   | 0.30 | 0-10   | 1 | Right |
| 32. | Semal     | 2.86 | 90-100 | 1 | Right |

  
**S. Ghosh**  
 For SEUPPTCL  
 Specialist T/L  
 South East UP Power Transmission Co.Ltd

  
 क्षेत्रीय वन अधिकारी  
 Range officer  
 Tikri (Gonda)




# Joint Inspection Report

Crossing details of Nawabganj - Mankapur (AP-51/0 to AP-52/0)

400 kV D/C Tanda – Gonda Transmission line

Forest Range : Tikri, District – Gonda

Date:-17/10/2023



Area of protected forest strip : Left strip(X)  $46 \times 4.572 = 210.312$  Sq.Mtr.

Right strip(Y)  $46 \times 4.572 = 210.312$  Sq.Mtr.

**TOTAL = 420.624 Sq.Mtr. (0.04206 Hectares)**

**= 0.0421 Ha**

**List of Trees in 46 Meter Left Corridor.**

| Sl.No. | Tree  | Girth (cm) | Dia Class | No. of Trees | Remarks |
|--------|-------|------------|-----------|--------------|---------|
| 1.     | Semal | 3.53 Mtr   | 110 - 120 | 1            | Left    |
| 2.     | Semal | 3.10 Mtr   | 90 - 100  | 1            | Left    |

*S. Ghosh*  
**Soumen Ghosh**  
For SEUPPTCL  
Specialist T/L  
South East UP Power Transmission Co.Ltd

*IS*  
**क्षेत्रीय वन अधिकारी**  
Range officer  
Tikri(Gonda)




# Joint Inspection Report

Crossing details of Katra - Nawabganj (AP-44A/0 to AP-44B/0 )

400 kV D/C Tanda – Gonda Transmission line

Forest Range : Tikri, District – Gonda

Date:-17/10/2023



Area of protected forest strip : Left strip(X)  $46 \times 16.764 = 771.144$  Sq.Mtr.

Right strip(Y)  $46 \times 16.764 = 771.144$  Sq.Mtr.

**TOTAL = 1542.288 Sq.Mtr. (0.1542 Hectares)**

List of Trees in 46 Meter Left Corridor.

| Sl.No. | Name Of Tree | Girth (cm) | Dia Class | No. of Trees | Remarks |
|--------|--------------|------------|-----------|--------------|---------|
| 1.     | Arjun        | 1.84       | 50-60     | 1            | Left    |
| 2.     | Arjun        | 1.47       | 40-50     | 1            | Left    |
| 3.     | Arjun        | 1.77       | 50-60     | 1            | Left    |
| 4.     | Arjun        | 2.05       | 60-70     | 1            | Left    |
| 5.     | Arjun        | 1.53       | 40-50     | 1            | Left    |
| 6.     | Arjun        | 1.44       | 40-50     | 1            | Left    |

*S. Ghosh*  
For SEUPPTCL  
Specialist T/L  
South East UP Power Transmission Co.Ltd



*19*  
क्षेत्रीय वन अधिकारी  
Range officer  
Tikri (Gonda)

|     |           |      |       |   |      |
|-----|-----------|------|-------|---|------|
| 7.  | Shisham   | 1.33 | 40-50 | 1 | Left |
| 8.  | Arjun     | 1.75 | 50-60 | 1 | Left |
| 9.  | Shisham   | 0.10 | 0-10  | 1 | Left |
| 10. | Eculiptus | 1.65 | 50-60 | 1 | Left |
| 11. | Eculiptus | 1.60 | 50-60 | 1 | Left |
| 12. | Shisham   | 0.25 | 0-10  | 1 | Left |
| 13. | Arjun     | 0.90 | 20-30 | 1 | Left |
| 14. | Kesiya    | 1.53 | 40-50 | 1 | Left |

**List of Trees in 46 Meter Right Corridor.**

| Sl.No. | Name Of Tree | Girth (cm) | Dia Class | No. of Trees | Remarks |
|--------|--------------|------------|-----------|--------------|---------|
| 1.     | Arjun        | 1.78       | 50-60     | 1            | Right   |
| 2.     | Kesiya       | 1.22       | 30-40     | 1            | Right   |
| 3.     | Kesiya       | 1.50       | 40-50     | 1            | Right   |
| 4.     | Kesiya       | 1.65       | 50-60     | 1            | Right   |
| 5.     | Kanji        | 0.10       | 0-10      | 1            | Right   |
| 6.     | Kanji        | 0.22       | 0-10      | 1            | Right   |
| 7.     | Shisham      | 0.20       | 0-10      | 1            | Right   |
| 8.     | Shisham      | 0.30       | 0-10      | 1            | Right   |
| 9.     | Shisham      | 0.33       | 10-20     | 1            | Right   |
| 10.    | Shisham      | 0.20       | 0-10      | 1            | Right   |
| 11.    | Shisham      | 0.22       | 0-10      | 1            | Right   |
| 12.    | Sirsa        | 0.40       | 10-20     | 1            | Right   |
| 13.    | Neem         | 0.14       | 0-10      | 1            | Right   |
| 14.    | Shisham      | 1.10       | 30-40     | 1            | Right   |

*S. Ghosh*  
**Soumath Ghosh**  
 Specialist T/L  
 South East UP Power Transmission Co.Ltd

*S. Ghosh*  
**क्षेत्रीय वन अधिकारी**  
 Range officer  
 Tikri (Gonda)



*A. Shukla*


# Joint Inspection Report

Crossing details of Ragarganj - Tarabganj (AP-70/0 to AP-71/0 )

400 kV D/C Tanda – Gonda Transmission line

Forest Range : Tarabganj, District – Gonda

Date:-16/10/2023




Area of protected forest strip : Left strip(X)  $46 \times 16.764 = 771.144$  Sq.Mtr.

Right strip(Y)  $46 \times 16.764 = 771.144$  Sq.Mtr.


**TOTAL = 1542.288 Sq.Mtr. (0.1542 Hectares)**

**List of Trees in 46 Meter Left Corridor.**

| Sl.No. | Name Of Tree | Girth (cm) | Dia Class | No. of Trees | Remarks |
|--------|--------------|------------|-----------|--------------|---------|
| 1.     | Kanji        | 0.92       | 20-30     | 1            | LEFT    |
| 2.     | Gutew        | 0.76       | 20-30     | 1            | LEFT    |
| 3.     | Gutew        | 0.56       | 10-20     | 1            | LEFT    |
| 4.     | Arjun        | 1.33       | 40-50     | 1            | LEFT    |
| 5.     | Arjun        | 0.95       | 20-30-40  | 1            | LEFT    |
| 6.     | Kanji        | 0.79       | 20-30     | 1            | LEFT    |

  
For SEUPPTCL  
**Somnath Ghosh**  
Specialist T/L  
South East UP Power Transmission Co.Ltd




  
Range officer  
Tarabganj (Gonda)  
तारबगंज-गंडा


| Sl.No. | Tree    | Girth (cm) | Dia Class | No. of Trees | Remarks |
|--------|---------|------------|-----------|--------------|---------|
| 7.     | Kanji   | 0.75       | 20-30     | 1            | LEFT    |
| 8.     | Chitwan | 0.35       | 10-20     | 1            | LEFT    |
| 9.     | Shisham | 0.63       | 10-20-30  | 1            | LEFT    |
| 10.    | Shisham | 0.17       | 0-10      | 1            | LEFT    |
| 11.    | Shisham | 0.48       | 10-20     | 1            | LEFT    |
| 12.    | Shisham | 1.14       | 30-40     | 1            | LEFT    |
| 13.    | Gutew   | 1.08       | 30-40     | 1            | LEFT    |
| 14.    | Gutew   | 0.85       | 20-30     | 1            | LEFT    |
| 15.    | Shisham | 0.98       | 30-40     | 1            | LEFT    |
| 16.    | Shisham | 0.34       | 10-20     | 1            | LEFT    |
| 17.    | Shisham | 0.94       | 20-30     | 1            | LEFT    |

**List of Trees in 46 Meter Right Corridor.**

| Sl.No. | Tree          | Girth (cm) | Dia Class | No. of Trees | Remarks |
|--------|---------------|------------|-----------|--------------|---------|
| 1.     | Shisham       | 0.89       | 20-30     | 1            | RIGHT   |
| 2.     | Shisham       | 0.77       | 20-30     | 1            | RIGHT   |
| 3.     | Shisham       | 0.80       | 20-30     | 1            | RIGHT   |
| 4.     | Gutew         | 0.15       | 0-10      | 1            | RIGHT   |
| 5.     | Chitwan       | 0.47       | 10-20     | 1            | RIGHT   |
| 6.     | Chitwan       | 0.42       | 10-20     | 1            | RIGHT   |
| 7.     | Chitwan       | 0.73       | 20-30     | 1            | RIGHT   |
| 8.     | Shisham       | 0.30       | 0-10      | 1            | RIGHT   |
| 9.     | Shisham       | 0.20       | 0-10      | 1            | RIGHT   |
| 10.    | Kanji         | 0.75       | 20-30     | 1            | RIGHT   |
| 11.    | Gutew         | 1.55       | 40-50     | 1            | RIGHT   |
| 12.    | Shisham       | 1.06       | 30-40     | 1            | RIGHT   |
| 13.    | Kanji         | 1.18       | 30-40     | 1            | RIGHT   |
| 14.    | Shisham       | 0.27       | 0-10      | 1            | RIGHT   |
| 15.    | Cassia Siamea | 0.42       | 10-20     | 1            | RIGHT   |

  
**S. Ghosh**  
 For SEUPPTCL  
**Specialist T/L**  
 South East UP Power Transmission Co.Ltd



  
 Range officer  
 Tarabganj (Gonda)


# Joint Inspection Report

## Crossing details of Gonda - Belsar (AP-78/0 to GONDA GANTRY)

### 400 kV D/C Tanda – Gonda Transmission line

Forest Range : Tarabganj, District – Gonda

Date:-16/10/2023



Area of protected forest strip : Left strip(X)  $46 \times 16.764 = 771.144$  Sq.Mtr.

Right strip(Y)  $46 \times 16.764 = 771.144$  Sq.Mtr.

**TOTAL = 1542.288 Sq.Mtr. (0.1542 Hectares)**

### List of Trees in 46 Meter Left Corridor.

| Sl.No. | Tree    | Girth (cm) | Dia Class | No. of Trees | Remarks |
|--------|---------|------------|-----------|--------------|---------|
| 1.     | Shisham | 0.85       | 20-30     | 1            | LEFT    |
| 2.     | Sihor   | 0.90       | 20-30     | 1            | LEFT    |
| 3.     | Semal   | 1.15       | 30-40     | 1            | LEFT    |
| 4.     | Sirsa   | 0.50       | 10-20     | 1            | LEFT    |
| 5.     | Chilbil | 1.65       | 50-60     | 1            | LEFT    |
| 6.     | Semal   | 0.75       | 20-30     | 1            | LEFT    |
| 7.     | Shisham | 0.92       | 20-30     | 1            | LEFT    |
| 8.     | Neem    | 2.26       | 70-80     | 1            | LEFT    |


*S. Ghosh*  
For SEUPPTCL  
**Somnath Ghosh**  
Specialist T/L  
South East UP Power Transmission Co.Ltd




*Shubh*  
Range officer  
Tarabganj (Gonda)

**List of Trees in 46 Meter Right Corridor.**

| Sl.No. | Tree    | Girth (cm) | Dia Class | No. of Trees | Remarks |
|--------|---------|------------|-----------|--------------|---------|
| 1.     | Sirsa   | 0.90       | 20-30     | 1            | RIGHT   |
| 2.     | Shisham | 0.55       | 10-20     | 1            | RIGHT   |
| 3.     | Shisham | 0.25       | 0-10      | 1            | RIGHT   |
| 4.     | Shisham | 0.84       | 20-30     | 1            | RIGHT   |
| 5.     | Shisham | 1.40       | 40-50     | 1            | RIGHT   |
| 6.     | Shisham | 0.48       | 10-20     | 1            | RIGHT   |
| 7.     | Chilbil | 0.64       | 20-30     | 1            | RIGHT   |
| 8.     | Shisham | 0.60       | 10-20     | 1            | RIGHT   |
| 9.     | Shisham | 0.30       | 0-10      | 1            | RIGHT   |
| 10.    | Semal   | 1.20       | 30-40     | 1            | RIGHT   |
| 11.    | Shisham | 0.25       | 0-10      | 1            | RIGHT   |
| 12.    | Sahijan | 0.95       | 20-30-40  | 1            | RIGHT   |
| 13.    | Semal   | 3.00       | 30-100    | 1            | RIGHT   |
| 14.    | Chilbil | 0.68       | 20-30     | 1            | RIGHT   |
| 15.    | Sahtoot | 0.30       | 0-10      | 1            | RIGHT   |

  
 For SEUPPTCL  
**Somnath Ghosh**  
 Specialist T/L  
 South East UP Power Transmission Co.Ltd

  
 Range officer  
 Tarabganj (Gonda)  
 तराबगंज-गंडा




# Joint Inspection Report

Crossing details of Pakri - Tarabganj (AP-64/0 to LOC-64/1 )

400 kV D/C Tanda – Gonda Transmission line

Forest Range : Tarabganj, District – Gonda

Date:-16/10/2023



Area of protected forest strip : Left strip(X)  $46 \times 16.764 = 771.144$  Sq.Mtr.

Right strip(Y)  $46 \times 16.764 = 771.144$  Sq.Mtr.

**TOTAL = 1542.288 Sq.Mtr. (0.1542 Hectares)**

**List of Trees in 46 Meter Left Corridor.**

| Sl.No. | Tree  | Girth (cm) | Dia Class | No. of Trees | Remarks |
|--------|-------|------------|-----------|--------------|---------|
| 1.     | Kanji | 0.58       | 10-20     | 1            | LEFT    |
| 2.     | Arjun | 1.31       | 40-50     | 1            | LEFT    |
| 3.     | Arjun | 1.15       | 30-40     | 1            | LEFT    |
| 4.     | Kanji | 0.90       | 20-30     | 1            | LEFT    |
| 5.     | Kanji | 0.80       | 20-30     | 1            | LEFT    |
| 6.     | Kanji | 0.45       | 10-20     | 1            | LEFT    |

*S. Ghosh*  
For SEUPPTCL  
**Somnath Ghosh**  
Specialist T/L  
South East U.P. Power Transmission Co.Ltd




*Shukla*  
Range officer  
Tarabganj (Gonda)


| Sl.No. | Tree    | Girth (cm) | Dia Class | No. of Trees | Remarks |
|--------|---------|------------|-----------|--------------|---------|
| 7.     | Semal   | 1.06       | 30-40     | 1            | LEFT    |
| 8.     | Semal   | 1.25       | 30-40     | 1            | LEFT    |
| 9.     | Kanji   | 0.52       | 10-20     | 1            | LEFT    |
| 10.    | Arjun   | 1.18       | 30-40     | 1            | LEFT    |
| 11.    | Kanji   | 0.88       | 20-30     | 1            | LEFT    |
| 12.    | Chilbil | 0.90       | 20-30     | 1            | LEFT    |
| 13.    | Kanji   | 0.46       | 10-20     | 1            | LEFT    |

**List of Trees in 46 Meter Right Corridor.**

| Sl.No. | Tree    | Girth (cm) | Dia Class | No. of Trees | Remarks |
|--------|---------|------------|-----------|--------------|---------|
| 1.     | Arjun   | 1.13       | 30-40     | 1            | RIGHT   |
| 2.     | Arjun   | 1.03       | 30-40     | 1            | RIGHT   |
| 3.     | Semal   | 1.70       | 50-60     | 1            | RIGHT   |
| 4.     | Shisham | 0.52       | 10-20     | 1            | RIGHT   |
| 5.     | Gutel   | 0.56       | 10-20     | 1            | RIGHT   |
| 6.     | Gutel   | 0.71       | 20-30     | 1            | RIGHT   |
| 7.     | Arjun   | 1.11       | 30-40     | 1            | RIGHT   |
| 8.     | Arjun   | 0.60       | 10-20     | 1            | RIGHT   |
| 9.     | Arjun   | 1.20       | 30-40     | 1            | RIGHT   |
| 10.    | Kanji   | 0.46       | 10-20     | 1            | RIGHT   |
| 11.    | Kanji   | 0.46       | 10-20     | 1            | RIGHT   |
| 12.    | Kanji   | 0.26       | 0-10      | 1            | RIGHT   |
| 13.    | Arjun   | 1.20       | 30-40     | 1            | RIGHT   |
| 14.    | Arjun   | 0.90       | 20-30     | 1            | RIGHT   |
| 15.    | Arjun   | 0.95       | 20+30-40  | 1            | RIGHT   |
| 16.    | Arjun   | 1.03       | 30-40     | 1            | RIGHT   |
| 17.    | Arjun   | 1.46       | 40-50     | 1            | RIGHT   |
| 18.    | Arjun   | 0.80       | 20-30     | 1            | RIGHT   |
| 19.    | Arjun   | 1.02       | 30-40     | 1            | RIGHT   |
| 20.    | Kanji   | 0.50       | 10-20     | 1            | RIGHT   |
| 21.    | Arjun   | 1.80       | 50-60     | 1            | RIGHT   |
| 22.    | Arjun   | 1.21       | 30-40     | 1            | RIGHT   |
| 23.    | Arjun   | 0.96       | 30-40     | 1            | RIGHT   |
| 24.    | Arjun   | 0.96       | 30-40     | 1            | RIGHT   |
| 25.    | Arjun   | 0.89       | 20-30     | 1            | RIGHT   |
| 26.    | Arjun   | 1.24       | 30-40     | 1            | RIGHT   |
| 27.    | Arjun   | 1.20       | 30-40     | 1            | RIGHT   |
| 28.    | Arjun   | 0.98       | 30-40     | 1            | RIGHT   |

  
**Somnath Ghosh**  
 Specialist T/L  
 South East UP Power Transmission Co.Ltd



  
 Range officer  
 Tarabganj (Gonda)