

SITE INSPECTION REPORT NOT BELOW THE RANK OF DCF

(For the forest land to be diverted under FCA)

A proposal has been received by this office from **Executive Engineer, E.T.D.II, U.P.P.T.C.L Allahabad** for division under (FCA-1980 of 0.298 Ha. Protected forest land non-forestry purpose. The Project envisages the use of forest land for **laying of 132 k.v. under ground power Cable Line between 132 K.V. Teliyarganj to Mintopark in district Allahabad Uttar Pradesh**. The site inspection of the land involved in the proposal has done by me on dated 27.6.2018.

On inspection of the site, it is found that the land required by the user agency is a protected forest measuring **Protected Forest 0.298 Ha.**

The requirement of the forest land as proposed by the user agency is col.2 part-1 is unavoidable and is barest minimum required for the project.

Whether any rare/endangered/unique species of flora and fauna in the area. If, so the details there of:- **No**

Whether any protected archaeological/heritage site/ defence establishment or any other important monuments is located in the area, if so the details there of with NOC from competent authority, if required:- **No**

- (a) The user agency has not violated the provisions of forest (Conservation) Act, 1980 and no work has been started without proper sanction:- **User agency has not violated the provisions of FC Act 1980.**
- (b) It has been found that the user agency has violated the forest (Conservation), Act 1980 provisions. A detail report as per Para 1.9 of chapter 1, Para C of Handbook of forest (Conservation) Act, 1980 is attached:- **Not applicable**

Specific recommendation for acceptance or otherwise of the proposal:-
Recommended.

Place:- **Allahabad**

Date:- **05.07.2018**

प्रभागीय निदेश
सामाजिक वानिकी वन प्रभाग
Divisional Forest Officer
Allahabad

- N.B. x State the purpose for which the forest land is proposed to be diverted.
Xx Out of (a) and (b) tick the option which is applicable and cross the portion which is not applicable.

As per letter number 2-2/2000 FC dated 16.10.2010 from Ministry of Environment & Forests, Government of India for proposal involving less than 40 hectares of forest land, the site inspection report from DCF is required and for proposal involving more than 40 hectares of forest land site inspection report from the Conservation of forests is required.