

CHECK LIST SERIAL NUMBER: - 25
SITE INSPECTION REPORT NOT BELOW THE RANK OF DCF
(for the forest land to be diverted under FCA)

A proposal has been received by this office from **AGM, 220KV Salakati Grid S/S, AEGCL** for diversion (under FCA-1980) of **1.82 ha** of forest land for non-forestry purpose. The project envisages the use of forest land for* **Construction of 132KV D/C Transmission line from BTPS, Salakati to 132/33KV Kokrajhar S/S, Adabary**. The site inspection of the land involved in the proposal has been done by me on date-----.

On inspection of the site, it is found that the land required by the user agency is a RF/DPF/Unclassed _____ forest measuring **1.82 ha**.

The requirement of forest land as proposed by the user agency in Col. 2 of part-I is unavoidable and is barest minimum required for the project.

Whether any rare/endangered/unique species of flora and fauna found in the area. If so, the details thereof. - Nil

Whether any protected archaeological/heritage site/defence establishment or any other important monument is located in the area. If so, the details thereof with NOC from competent authority, if required. - Nil

**

(a) The user agency has not violated the provisions of Forests (Conservation) Act, 1980 and no work has been started without proper sanction. **(✓)**

(b) It has been found that the user agency has violated the Forest (Conservation) Act, 1980 provisions. A detailed report as per para 1.9 of Chapter1, Part C of handbook of Forest (Conservation) Act, 1980 is attached. **(x)**

Specific recommendation for acceptance or otherwise of the proposal.

Date:

Signature:

Place:

Name:

Designation: **Divisional Forest Officer,
Haltugaon Forest Division,
Kokrajhar**

Office seal:

N.B

* state the purpose for which the forest land is proposed to be diverted.

** out of (a) and (b) tick (✓) the option which is applicable and cross (x) the option which is not applicable

As per letter number 2-2/2000-FC dated 16.10.2000 from Ministry f Environment & Forests, Government of India for proposal involving less then 40 ha of forest land, the site inspection report from DCF is required and for proposal involving more than 40 ha of forest land site inspection report of Conservator of Forests is required.