

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

Ref No.: FP/RJ/OFC/44037/2020/EDS-2

Dated-27 July 2020

To

The PCCF & HoFF ,

Rajasthan, Jaipur

Subject: EDS compliance of Proposal No - FP/RJ/OFC/44037/2020, Dated 20/01/2020

Sir,

Reply to the EDS raised by Nodal Officer vide letter No.F14()2019/OFC/FCA/PCCF/EDD-2 dt. 20/03/2020. Pointwise reply/compliance is as as follows:

| Point no. | Shortcoming in proposal | Reply |
|-----------|---|---|
| 1 | details of all the proposals submitted in the past & under processing should be given | details of all the proposals submitted in the past & under process have been given. |
| 2 | KML is different from the area required for diversion, So, rectify KLL, TOPO sheet and DGPS accordingly | <p>Area of RoW where underground OFC is proposed to be laid is 2370 mtr x.45 mtr=0.10665 hectare.</p> <p>We are not seeking DIVERSION OF 0.10665 ha FOREST LAND.</p> <p>We seek at least two permissions/NOCs. The first permission/NOC is obtained from road authority (PWD/NHAI/BRO etc.) because they have Right of Use of RoW & second permission is obtained from Forest Department because status of forest land even after its diversion to road authority remains forest land.</p> <p>Permission of Forest Department is sought in pursuance to GENERAL APPROVAL granted by MoEF&CC, N.Delhi vide order No.F.No.11-09/98-FC dt.7/9/2015.</p> <p>Underground laying of OFC in existing ROW of roads outside PAs are exempt from NPV as well as CA, area of KML is of no significance. However, Toposheet & GPS have been uploaded.</p> |
| 3 | TOPO Sheet Should be given at 1:50000 scale with entry & exit chainage in Forest | Toposheet has been uploaded. Further we undertake that Toposheet with R.F. 1:50000 will be submitted with hard copies to the D.F.O. |
| 4 | Proper DGPS Map with all coordinate should be uploaded | Toposheet has been uploaded with required coordinates. |
| 5 | Administrative and Financial sanction | Administrative and Financial sanction should not be required. |
| 6 | Area Calculation Sheet should be given length X breadth wise | Area Calculation Sheet is attached. |
| 7 | Bar Chart not given | Point 7: Bar Chart is attached. |

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

| | | |
|---|---|--|
| 8 | Undertaking regarding use of minimum forest land, compensatory afforestation should be uploaded | Undertakings regarding use of minimum forest land, compensatory afforestation are uploaded |
| 9 | Cross Section | Cross Section is uploaded. |

Kindly accept the proposal for further necessary permission.

Kind regards,

For Jio Digital Fibre Pvt. Ltd.



Authorized Signatory

(Manoj Likhyani- AVP)