

छत्तीसगढ़ स्टेट पावर ट्रांसमिशन कंपनी लिमिटेड

(छ.म. शासन का एक उपक्रम)(छराविमं. उत्तरदायी कं.)

कार्यालय कार्यपालन अभियंता (अउदा.निर्माण) संभाग, छराविपारेकमर्गा, तिफरा, बिलासपुर-495223

email:eeht.bilaspur@cspc.co.in Fax/Phone No. 07752427074

क्रमांक का.अ./अउ.दा./निर्माण/संभाग/स्था./457

बिलासपुर दिनांक 22.07.21

प्रति,

वनमण्डलाधिकारी रायगढ़

वनमण्डल रायगढ़ (छ.म.)

विषय:- Diversion of forest land non-forest purpose under Forest Conservation Act, 1980 Proposed for CONSTRUCTION work of 132 KV DCDS line to provide supply from 132/33 KV SS kondatarai to M/s NTPC Ltd. area- 9.589 ha.- regarding.

पंजीयन क्रमांक - FP/CG/TRANS/39462/2019

संदर्भ:- वन मण्डल अधिकारी रायगढ़ का पत्र क्रमांक/तक.अधि./3808 रायगढ़ दिनांक 19.07.2021

---0---

उपरोक्त विषयांतर्गत 132/33 के.वी. उपकेन्द्र कोड़ातराई से एन.टी.पी.सी. जुड़ा तक प्रस्तावित 132 के.वी. डी.सी.डी.एस. विद्युत पारेषण लाईन के निर्माण कार्य हेतु वन संरक्षण अधिनियम 1980 अंतर्गत स्वीकृति हेतु प्रेषित प्रस्ताव में आपके द्वारा 4 बिन्दुओं की आपत्ति का निराकरण निम्नानुसार है:-

क्र.	पायी गयी कमियाँ	कमियों की पूर्ति																				
I	Consolidated single KML file of entire alignment dully highlighting the forest land proposed for diversion needs to be submitted.	डायवर्टेड लाईन के के.एम.एल. फाईल को सभी एलाइमेंट के साथ हाइलाइट कर दिया गया है और परिवेश पोर्टल में अपलोड कर दिया गया है।																				
IX	Details of alternative alignments explored along with justification for selecting the prososal alternatative and reasons for discarding other alternatives has not been submitted. The detail comparative statement of various parameters examined before finalization of propose alignment along with KML files of all alignments need to be submitted.	<table><tr><th>S. No.</th><th>Alternative</th><th>Length in KM</th><th>Forest land in Ha.</th><th>Remarks</th></tr><tr><td>1</td><td>Route No. 1</td><td>27.052</td><td>12.836</td><td>Route length of this compared to alternative forest involeved in this sagaun tree.</td></tr><tr><td>2</td><td>Route No. 2 (Proposed Route)</td><td>24.510</td><td>9.589</td><td>Proposed route and there is non-involved compared</td></tr><tr><td>3</td><td>Route No. 3</td><td>24.409</td><td>10.200</td><td>Alternative route and there is non-involved compared to alternative Air Strip</td></tr></table>	S. No.	Alternative	Length in KM	Forest land in Ha.	Remarks	1	Route No. 1	27.052	12.836	Route length of this compared to alternative forest involeved in this sagaun tree.	2	Route No. 2 (Proposed Route)	24.510	9.589	Proposed route and there is non-involved compared	3	Route No. 3	24.409	10.200	Alternative route and there is non-involved compared to alternative Air Strip
S. No.	Alternative	Length in KM	Forest land in Ha.	Remarks																		
1	Route No. 1	27.052	12.836	Route length of this compared to alternative forest involeved in this sagaun tree.																		
2	Route No. 2 (Proposed Route)	24.510	9.589	Proposed route and there is non-involved compared																		
3	Route No. 3	24.409	10.200	Alternative route and there is non-involved compared to alternative Air Strip																		
X	Complete compliance of Scheduled Tribes and Other Traditional Forest Dwellers (Recognition of Forest Rights) Act, 2006 has not been submitted, Documentary evidences in the form of copies of the resolutions of the concerned Forest Right Committee(s), Gram Sabha (s), Sub-Divison Level Committee(s) recording their consent for the proposal and bearing signature of the participants have not submitted.	संबंधित दस्तावेज संलग्न है।																				
XI	Details of employment potetial in terms of man days of skilled, semiskilled and unskilled persons on permanent (direct and indirect) and temporary (direct and indirect) basis have not been provided.	जानकारी संलग्न है।																				

संलग्न:- उपरोक्तानुसार।

कार्यपालन अभियंता
अ.उ.दा. (निर्माण) संभाग
छ.स्टेट पा.ट्रांस.क.लिमि. बिलासपुर