



# ODISHA CEMENT PLANT

(A Unit of Shree Cement Limited)

CHANDRABALI SHYAMPURA, BLOCK-ATHAGARH  
CUTTACK, ODISHA-754029

CIN NO.: L26943RJ1979PLC001935 • Website: [www.shreecementltd.in](http://www.shreecementltd.in)



To,

29/07/2020

Divisional Forest Officer  
Office of the Divisional Forest Officer  
Athgarh Forest Division  
Distt.- Cuttack

Sub: EDS compliance of online Proposal No: FP/OR/TRANS/42103/2019 dtd 28.03.2019 with State SI No. :- OR/073/2019 dtd 15.10.2019) Cement Plant at Chandrabalishyampur by M/s Odisha Cement Plant ( Unit of Shree Cement Ltd.) Chandrabalishyampur, Block-Athgarh, Distt.-Cuttack, Pin-754029

Ref: Letter No. 2996 dated 15.07.2020 of DFO, Athgarh

Sir/Madam

Kindly refer to the above subject matter and referred letter. We are submitting herewith the point wise EDS compliance of online proposal no. FP/OR/TRANS/42103/2019 and State S No. OR-073/2019 for forest clearance of Transmission line project given below


S. No.	EDS Points	Compliance
I	It is seen in the part-II & site inspection report of DFO, athagarh that the proposed forest land involved in the proposal for diversion is of Eco-class II, which covers Littoral & Swamp Forests. This may be clarified.	to be complied by DFO
II	The check list -7 showing details of forest land involved including 1.810 ha of Revenue Forest Land located in two separate villages (Bhogara & Chandrabalishyampur) has not been authenticated by tahasildar concerned.	Attached as Annexure-07 in physical copy of DPR
III	The tree enumeration list over the involved forest land over 1.810 ha has not been furnished by DFO Athagarh Division & nothing has been mentioned on it in Part-II or site Inspection report. But, it is revealed from DP that RO athagarh has been reported to have submitted tree enumeration list over revenue forest land for both the villages to DFO athagarh vide his Memo No. 854 dtd 30.09.2019 further no tree enumeration list over the non-forest land of 12.404 ha (Govt non forest land 2.965 ha+ Private land 9.439 ha) located in six villages has not been submitted.	Tree enumeration attached as Annexure-16 in copy of DPR & mentioning in Part-II to be complied by DFO
IV	The forest land involved in the project has been mentioned as 4.495 ha in the proposal and in memo no 2441 dtd 12.6.2020, it has been mentioned as 4.0785 ha, which may be clarified.	to be complied by DFO

V	The Topo sheet No F-45 T 10 showing proposed non forest private land identified for CA at village Khanduali has not been authenticated by Tahsildar concerned. Further the GPS co-ordinate survey map of the proposed non-forest private land identified for CA at Khandulai village showing details of land schedule has not been authenticated by Tahsildar, Athagarh.	Attached as Annexure-18 in physical copy of DPR
VI	Total numbers of towers to be erected in forest & non-forest land involved in the project be mentioned clearly with the length of the line to draw in forest & non- forest area separately be provided. GPS co-ordinate of each tower point in forest land is to be furnished.	Attached as Annexure-04 in physical copy of DPR
VII	The Location map on Topo sheet depicting aerial distance of end (delivery) point of the project from Eco- sensitive zone of kapilash WLS be verified. The shortest distance shown in the map on Topo sheet No F-45T14 & F-45T14 (Combined) enclosed is 9.092 km, which needs to be re-checked.	Map attached as Annexure- 05(ii) in physical copy of DPR
VIII	Document in support of commissioning/running of the cement plant at Chandrabalishyampur, be furnished along with record of ownership of the land on which it exists.	Attached as Annexure-02 in physical copy of DPR
IX	UA has applied for diversion of Forest land for its use to lay power transmission line & in Form-A (Part-II) it has been mentioned for its use of water and obtaining components for the plant.	to be complied by DFO
X	The proposed CA land has been certified to be devoid of any forest growth and the CA scheme has been prepared with AR plantation of 1000 saplings of 6 months ols/ha instead of 1600/ha, which may be clarified. Feasibility of SMC work on the identified CA land may also be probed & if required may be proposed.	Attached as Annexure-19 in physical copy of DPR

In view of above, it is requested to your good self that kindly forward approved Forest Diversion Proposal to the higher quarters

Thanking You,

Yours Faithfully,

  
For Shree Cement Ltd.  
(A Unit of Shree Cement Ltd.)

Encl: 6 Sets of DRP