

मक डिस्पोजल प्रमाण पत्र

प्रमाणित किया जाता है कि जनपद बरेली में बरेली—शाहजहाँपुर मार्ग(11300मी0) , चैनेज 260. 300 से 271.600 तक 4" एवं 125 एम0एम0(5") व्यास की भूमिगत स्टील एवं एम0डी0पी0ई0 गैस पाईप लाईन बिछाने हेतु 0.6215 हे0 संरक्षित वन भूमि पर निर्माण कार्य के दौरान किसी भी प्रकार का मक/वैस्ट/सामग्री/मलवा निस्तारण/मिटटी खुदान कार्य प्रस्तावित नहीं है। अतः उक्त परियोजना हेतु मक डिस्पोजल योजना अनुमन्य नहीं है।

Disposal / Management Plan

While preparing FCA case, if there is any activity in the project which involves digging of land, muck disposal/management plan has to be prepared.

Should include:-

- 1. Calculation of muck to be generated self factor has to be applied NA
- 2. Quantity of muck to utilized in the project activities NA
- 3. Balance quantity of muck. Which requires disposal/management plan? NA
- 4. Carriage of muck from the muck generation sitein the dumping site. NA
- 5. Qwnership of land and the consent of land owner, in case muck disposal on no forest land. NA
- 6. Photograph & carrying capacity of proposed dumping site (muck disposal site) NA
- 7. Development of dumping site-construction of retaining walls and other structure as per requirment of the
- 8. Rehabilitation of dumping site like leveling planting of grass, shrubs and tree muck. NA

After construction work of approach road will be done

Cost to be incurred in the above activities has to be given component wise. Details of dumping site including length, width and hight of structures to be exacted muct be mentioned.

Undetaking be user agency has to be given to the effect that:

- 1- Muck management plan will be implemented by the user agency and in case of non implementation of the
- 2- The proposed dumping site is located away from river/stream/nala

भू भूगाधिकारी क्षेत्रीय वना क (बरेली) फरीदपुर (जितेन्द्र गौतम)

क्षेत्रीय वनाधिकारी मेनेजर इन्चार्ज फरीदपुर रेंज्सेन्ट्रल यूपी गैस लि0,बरेली

बरेली

Jitendra Gautam Manager Projects Central U.P. Gas Limited Bareilly

(दीक्षा भण्डारी) प्रभागीय वनाधिकारी वन एवं वन्य जीव प्रभाग,बरेली