



Regional Office, Nuh at Palwal
Haryana State Pollution Control Board
Phagna Tower, Ward No. 10, NH-02,
Near Red Rocks Cinema, Palwal
Website - www.hspcb.gov.in E-Mail -
hspcbopal@gmail.com



No. HSPCB/NUH/2020/ 179

Dated: 07/07/2020

To

The District Magistrate,
Nuh.

Sub.:-

No Objection Certificate for proposed Retail Outlet (MS/HSD) at location " Anywhere on Road from Uttawar to Sikrawa, District Nuh, Mustil No 33, Killa No 7, at Village Sikrawa, Tehsil Punhana, District Nuh.


Ref.:-

Letter no. 1404-15 on dated 27.05.2020

In this connection, it is submitted that, Petrol Pump/Retail Outlet (MS/HSD) is not covered under NOC/consent Management being no source of Trade Effluent and Air Emission from the Petrol Pump. Therefore, as per site plan "Anywhere on Road from Uttawar to Sikrawa, District Nuh, Mustil No 33, Killa No 7, at Village Sikrawa, Tehsil Punhana, District Nuh.

Submitted by you, the Board has no objection to install new Petrol Pump/ Retail Outlet (MS/HSD) subject to following Conditions:-

- 1 The said company will set up the modern pollution Control checking equipment along with video cameras etc. as per Head Office DO Letter No. HSPCB/2003/9883 dated 27-10-2003.
- 2 The said Petrol Pump/ Retail Outlet (MS/HSD) will provide /install adequate safety measures regarding the product which is hazardous in nature.
- 3 Unit will not alter the system and will not start any polluting process without prior permission/NOC of Board.
- 4 Unit shall provide the acoustic chamber on D.G. set and raise the height of D.G. set exhaust pipe as per the norms of the Board, Unit will obtained prior NOC if any change in D.G. sets capacity of 1 MVA or more.
- 5 That unit will obtained clearance from Forest Department & other concerned authorities, if land of project is falls under section 4 & 5 of PLPA, 1900 & other Notifications of Forest Department. That if the land of the unit falls under section 4 & 5 of PLPA, 1900 & is within 500 meters from Aravali Plantation & other Notifications of Forest Department then consent so granted will deemed to be cancelled.
- 6 At any stage, if the Petrol Pump/Retail Outlet (MS/HSD) will cover under consent /NOC management, then said Petrol Pump/Retail Outlet (MS/HSD) will apply to the consent of the Board as per Law/Rule/Act / Direct of Government/Board.
- 7 Unit will obtain all required clearance from concerned authorities before starting construction or any other type activities.
- 8 Unit will comply with all the direction issued by CPCB vide letter no. B-13011/1/2019-20/AQM/10809 on dated January,07,2020.
- 9 The industry shall provide adequate arrangement for fighting the accidental leakages, discharge of any pollutants gas/liquids from the vessels, mechanical equipment etc. which are likely to cause environment pollution.
- 10 The industry shall comply noise pollution (Regulation and control) Rules, 2016.
- 11 The officer/official of the Board shall reserve the right to access for the inspection of the Petrol Pump/Retail Outlet (MS/HSD) in connection with the various process and the APCM. The consent to operate is subject to review by the Board at any time.
- 12 If the unit fails to adhere to any of the conditions of this consent to operate order, the consent to operate so granted shall automatically lapse.
- 13 Unit will dispose off hazardous waste i.e used/spent oil will be disposed of to authorized recyclers / Re-refiners of hazardous waste.
- 14 The unit will comply all the provisions of HWM Rules,2016, E-waste Rules, 2016 and BMW Rules, 2016 and amended time to time.
- 15 The unit will obtain prior NOC/Permission from central Ground Water Authority in case under ground water resource is used.
- 16 Unit will comply the guidelines on Environment Management of Construction & Demolition Waste in March, 2017 issued by CPCB.
- 17 The unit will comply all the directions, guidelines, orders issued time to time by Hon'ble Supreme Court of India, Hon'ble High Court, Hon'ble NGT, EPCA, CPCB, HSPCB & other Central and State agencies.
- 18 That in case any additional charges / fees / penalty etc. are found payable towards this NOC as per audit then the same shall be paid by the unit without any objection immediately as and when demanded by this office.
- 19 If at any stage found that unit was involved in any past violation regarding Environment Laws /Rules / Acts then this letter so granted shall be revoked automatically & legal action will be initiate against the project proponent.
- 20 That this letter will not provide any immunity from any other Act/Rules/Regulations applicable to the project/land in question.
- 21 The unit will obtain all necessary clearances from the concerned authorities and will adhere to all the applicable Environmental Laws/Acts/Notification regularly. In case of any violation found at any stage, this letter deemed revoked.
- 22 Unit will provide facility for segregation and disposal of solid waste as per Solid Waste Management & Handling Rules,2016.
- 23 Unit will comply the rules/ notifications of Plastic Waste Management Rules, 2016, E-waste Rules, BMW Rules and battery Rules etc.
- 24 Increase of green belt cover by 40% of the total land area beyond the permissible requirement of 33%, wherever feasible.
- 25 Stipulation of greenbelt outside the project premises such as avenue plantation, plantation in vacant areas, social forestry etc.
- 26 Unit will not generate/ discharge any type of trade effluent without prior approval of the board.
- 27 Unit should obtained Aravali Clarence from Deputy Commissioner before starting construction or any other type activities.


Regional Officer
Nuh Region