

कार्यालय प्रभागीय निदेशक, सामाजिक वानिकी प्रभाग इटावा  
पत्रांक- 518 / 14-10-1 दिनांक, इटावा, अगस्त, 08, 2022

सेवा में,

मुख्य वन संरक्षक,  
कानपुर मण्डल कानपुर

विषय: टोरेन्ट गैस प्रा0 लि0 कानपुर द्वारा इटावा कानपुर मार्ग राष्ट्रीय राजमार्ग सं0-02 (नया राजमार्ग-19) के किमी0 348.00 से 323.55 तक दायीं पटरी पर सी0एन0जी0 पाइपलाइन बिछाये जाने हेतु 1.46265 हे0 संरक्षित वनभूमि के वन संरक्षण अधिनियम-1980 के अन्तर्गत गैर वानिकी प्रयोग की अनुमति प्रदान किये जाने के सम्बन्ध में।

सन्दर्भ:- ऑनलाईन प्रस्ताव संख्या-FP/UP/Pipeline152073/2022 एवं आपका पत्रांक-573/14-1 दि0-05.08.2022

महोदय,

उपरोक्त विषयक क्रम में प्रस्ताव में पायी गयी त्रुटियों के क्रम में निराकरण आख्या निम्नवत् प्रस्तुत है-

क्रम सं0	त्रुटियां	निराकरण आख्या
1	प्रस्ताव में सी0डी0 संलग्न नहीं है।	सी0डी0 के स्थान पर प्रस्ताव की प्रत्येक प्रति के साथ पेनड्राइव संलग्न है।
2	भूमिगत पाइपलाइन बिछाये जाने सम्बन्धी प्रकरण में क्षतिपूरक वृक्षारोपण के छूट सम्बन्धी शासनादेश संलग्न नहीं है।	शासनादेश संलग्न कर दिया गया है।
3	आनलाइन भाग-02 में स्थलीय निरीक्षण रिपोर्ट अपलोड नहीं की गयी है।	आनलाइन भाग 02 के क्रमांक 15 में स्थलीय निरीक्षण रिपोर्ट अपलोड की गयी है।

अतः प्रस्ताव 04 प्रतियों में ऑनलाइन अपलोड कर संस्तुति सहित आपकी सेवा में सादर सूचनार्थ एवं आवश्यक कार्यवाही हेतु सादर प्रेषित है।

संलग्नक-उपरोक्तानुसार।

भवदीय

(अतुलकान्त शुक्ला)  
प्रभागीय निदेशक,  
सामाजिक वानिकी प्रभाग इटावा

पत्रांक:- 518 / उक्तदिनांकित।

प्रतिलिपि- मुख्य वन संरक्षक/नोडल अधिकारी उत्तर प्रदेश लखनऊ को सादर सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित।

प्रतिलिपि- प्राधिकृत हस्ताक्षरकर्ता टोरेन्ट गैस प्रा0लि0 तृतीय तल, साई पैलेस एच0आई0जी0 1-बी चन्द्रविहार लखनपुर कानपुर-208002 को सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित।

(अतुलकान्त शुक्ला)  
प्रभागीय निदेशक,  
सामाजिक वानिकी प्रभाग इटावा

०८

Government of India  
Ministry of Environment Forests & Climate Change  
(Forest Conservation Division)

**Indira Paryavaran Bhawan**  
Jor Bagh Road, Aliganj  
5<sup>th</sup> Floor, Agni Wing  
New Delhi-110003  
**Dated: 27th July, 2020**

To,  
The Principal Secretary (Forests)  
All States/UTs

**Sub: Clarification regarding guidelines for diversion of forest land for non-forest purpose as per the general approval , under Section-2 of the Forest (Conservation) Act, 1980, for laying of underground CNG/PNG and Slurry pipelines-reg.**

Sir,

I am directed to refer to the representation received from the Government of Punjab through Regional Office Chandigarh vide letter no. 1-2Misc/2019-ROC dated 08.01.2020 on the above mentioned subject and to inform that the matter was considered by the Forest Advisory Committee (FAC) in its meeting held on 23.04.2020.

2. FAC observed that as per existing guidelines dated 28.03.2019, condition mentioned in Para 4.1 (f) is also applicable on the proposals mentioned in Para 4.2. It further observed that laying of underground CNG/PNG and Slurry pipelines in RoW of the existing road is an activity being taken up in forest area which is already under non forest use.

3. After thorough deliberation on the issue, FAC recommended that CA may not be levied in case of laying of underground Optical Fiber Cables (OFC), telephone lines, drinking water supply pipelines, electricity cables, CNG/PNG and Slurry pipelines within the RoW of existing roads (trench size not more than two meter in depth and one meter in width) not falling in National Parks and Wildlife Sanctuaries without felling of trees.

**4. In view of the above, Para 4.2 of the Comprehensive Guidelines issued on 28.03.2019 may be read as:**

***Laying of Underground Optical Fiber Cables (OFC), telephone lines, drinking water supply pipelines, electricity cables, CNG/PNG and Slurry pipelines.*** General approval is accorded for taking up these projects within RoW of existing roads (trench size not more than two meter in depth and one meter in width) not falling in National Parks and Wildlife Sanctuaries' without felling of trees. Approval, in addition to general conditions mentioned above under para 4.1 (***except condition "f "***), subject to the following specific conditions:

- a. *No tree felling is involved for the proposed work*
- b. *After completion of the project the area under RoW should be reclaimed suitably.*
- c. *UA agrees to make good of any loss to Forest/Environment.*

- d. *The UA will seek permission from the local FD for carrying out any maintenance.*
- e. *In case, the proposed area falls in the RoW of the road passing through National Parks and Wildlife Sanctuaries, General Approval is subject to prior permissions from the State Board for Wildlife.*
- f. *In case of project involve tree felling, ten trees for each tree marked for removal shall be planted at the cost of user agency in consultation with the local forest department.*

This issues with the approval of the competent authority.

Your faithfully,

(Sandeep Sharma)  
Asst. inspector General of Forests

**Copy to:**

1. The PCCF (HoFF), Department of Forest, All States/UTs.
2. The DDGFs(Central), MoEF&CC, All Regional Offices.
3. The Nodal officer (FCA), Department of Forest, All states/UTs.
4. Monitoring cell of FC Division with request to upload on PARIVESH portal

Signature Not Verified

Digitally signed by SANDEEP  
SHARMA  
Date: 2020.07.28 17:18:20 IST

