## MUCK CALCULATION SHEET

Name of Work: C/o Extension of Judicial Courts Complex and Separate Block of Juvenile Justice Board at Shingla Chack.

Total quantity of muck generated	6485 cum
Add 45% for muck swelling	2918 cum
Total quantity	9403 cum
Total quantity muck/debris required for construction of Retaining, breast wall & Parking etc.	9403 cum

Executive Engineer Rampur Division (B&R) HPPWD, Rampur Bsf.

District & Session Juag. Kinnaur Division, et Rampur Bashahar (H.F.)

434-4 1 Officer Divisional Fore Rampur Forest Division Remper Sushaht (N.P.)

## PROFORMA - V

## STATEMENT SHOWING THE DETAIL OF PLACES FOR DISPOSAL OF MUCK/DEBRIS OF ROAD/CANAL/RAILWAY LINE TO BE CONSTRUCTED IN SHIMLA DISTRICT OF HP STATE

	Name of dumping	dumping place i.e. Village and	Slope of dumping place	Length & area of dumping place (m2)	muck/debries	Height of dumping expected in mtrs.	Remarks
10.	place	khasra no. etc.			6	7	8
1	2	3	4	5	0		

Executive Engineer Rampur Division (B&R) HPPWD, Rampur Bsrd

District & Session Juago Kinnaur Division, et Rampur Bashahar (H.P.) V

Divisional Forest Officer Rampur Forest Derision Rempur Bushahr (NLP.)



## STATEMENT SHOWING THE DUMPING PLACE, QUANTITY OF MUCK/DEBRISES TO BE DUMPED WITH OTHER DETAIL FOR PROJECT IN SHIMLA DISTRICT HIMACHAL PRADESH

Sr. No.	Name of component from where muck debries is to be produced	Total quantity of muck/ debries to be produced (cum)	Total quantity of muck/ debries to be dumped on compact basis (cum)	Factor of increase in volume for dumping	Qty of muck/ debries to be dumped on basis of increase (cum)	Name of dumping place	Slope of dumping place
1	2	3	4	5	6	7	8
1	C/o Extension of Judicial Courts Complex and Separate Block of Juvenile Justice Board at Shingla Chack.	6485.00	0.00	2918.00	9403.00	0	

Location of dumping place village police station and near by • road	Distance of dumping place from nearby river with name of river (kms)	Area of dumping place with length and breadth	Area of forest Land out of land col.	Height of muck/debrie s dumped expected vol. 11 area in mtr.	Remarks
9	10	11	12	13	14
Shingla Chack	NIL	NIL	NIL	NIL	Total qty of muck to be generated is 9403 cum out of which 1850 cum stone will be used for construction of R/wall & B/wall and balance qty. of muck 9218 cum will be used for levelling the ground in cut and fill method behind R/wall & B/wall. Hence no dumping place is required.

District & Session Judge. Kinnaur Division, et Rampur Bashabar (H.J.)

1

Executive Engineer Rampur Division (B&R) HPPWD, Rampur BST.

Divisional Forest Officer Rampur Forest Division Rampur Bushant MJP.)