



**कार्यालय अधिशासी अभियन्ता
निर्माण खण्ड लोक निर्माण विभाग
गैरसैण**

Phone N0/ Fax No: 01363.278533

Mail: eecdgairsain@rediffmail.com

पत्रांक 895 / 14A

दिनांक 27/7/2016

सेवा में,

उप वन संरक्षक
केदारनाथ वन्य जीव प्रभाग
गोपेश्वर।

विषय :- प्रस्तावित मालकोट कालीमाटी सेरा तिवाखर्क मोटर मार्ग में लगाई गयी आपत्तियों के निराकरण के सम्बन्ध में।

सन्दर्भ:- आपका पत्रांक संख्या 5032/12-1 गोपेश्वर दिनांक 29 अप्रैल 2016

उपरोक्त विषयक सन्दर्भित पत्र के अनुपालन में आपके द्वारा लगाई गयी आपत्तियों का निराकरण कर प्रेषित किया जा रहा है।

क्र.स.	आपत्ति	निराकरण किया गया या नहीं
1	Short narrative of the project does not give adequate information in Part I	Uploaded in A-1(iii) of part I
2	Total period for which forest land to be diverted is not mentioned in Part I	Uploaded in A-1(X) of Part I
3	Village wise break up is not provided for each village in part I	Uploaded in B-2.3 of part I
4	Justification of locating the proposal in forest land is not providing requisite information.	Uploaded in D-(i)of part I
5	The area proposed for C.A should be twice the area proposed for diversion i.e 3.254 ha. In this case but the details provided in part I is for Area 2.016 ha only . The C.A scheme uploaded in part II is also for area 2.016 ha .the state Govt . may revise the area proposed for C.A in online part I and revised C.A scheme for the area 3.254 ha is also need to be uploaded in part II	Uploaded in L-(i)(ii)(iii)(iv)(v)(vi) of part I
6	Ownership proof mou signed between user agency and present owner and non encumbrance certificate for the area proposed for C.A need to be uploaded in the designated place in part I	Uploaded in L-(iv) f, g , h of part I
7	Revised Geo referenced map showing GPS coordinate marked digitally for every corner of the land proposed for C.A need to be uploaded in the designated column of part I	Uploaded in L - (v)(vi)of part I
8	Because the area of the C.A is to be revised to 3.254 ha there for the revised KML file may also be uploaded for the revised area of C.A in part I	Uploaded in L-(iv) (c) of part I
9	As per detail provide in additional document in part I the no of trees to be felled are 57 while in part II the detail of 100 trees is filled .The state Govt .may revised the no .of the tree to be filled in the proposal and correct the data accordingly in part II	Related to DFO
10	The state Govt .may review the density and NPV charged because the density provided in part II along with NPV calculation in part I as an additional document is not correct.	Related to DFO
11	C.A stipulation is not commensurate with the total forest land diverted in the district in part II need justification and correction.	Related to DFO
12	Part I,II,III,IV,V which is provided in online web portal for the proposal is not inclosed with the hard copy.	Hard copy submitted on dated 29/01/2016

अधिशासी अभियन्ता
निर्माण खण्ड लो०नि०वि०
गैरसैण (चमोली)।