

Project Name Development of Urban Extension Road-II (UER-II) NH-344M from Design Km 0+000 at NH-1 Intersection (Km 23+800, near Bankoli village) to Design Km 38+111 near Sector 24, Dwarka in the state of NCT of Delhi under Bharatmala Pariyojana: Deemed Forest to be diverted (District North, West and South West)
Forest Proposal No. FP/DL/ROAD/49252/2020


UNDERTAKING

I hereby undertake the some trees which may have attained girth of 15.7 cm over the period for last survey conducted by NHAI and if some trees might have been inadvertently not enumerated shall be included in FCA 1980 proposal before applying for stage-II approval.

These extra trees shall be cut only after due verification of Forest Dept. upon submission of enumeration list of such trees.

Date:- 17/08/2021

Place:- Dwarka


Project Director
National Highways Authority of India
PIU, Dwarka, New Delhi

Project Director
Project Implementation Unit
National Highways Authority of India
Dwarka, New Delhi



भारतीय राष्ट्रीय राजमार्ग प्राधिकरण
(सड़क परिवहन और राजमार्ग मंत्रालय, भारत सरकार)
NATIONAL HIGHWAYS AUTHORITY OF INDIA
(MINISTRY OF ROAD TRANSPORT AND HIGHWAYS, GOVT. OF INDIA)



परियोजना निदेशक कार्यालय, परियोजना कार्यान्वयन इकाई
201ई/ए, द्वितीय तल, डी-21, कॉर्पोरेट पार्क, (नजदीक सेक्टर-8, द्वारका, मेट्रो स्टेशन), सेक्टर-21, द्वारका, नई दिल्ली-110075

OFFICE OF THE PROJECT DIRECTOR, PROJECT IMPLEMENTATION UNIT
201E/A, Second Floor, D21, Corporate Park, (Near Dwarka Sector- 8 Metro Station), Sector-21, Dwarka, New Delhi-110075

दूरभाष / Phone No. : +91- 9717892100, +91- 9717623100 ई-मेल / E-mail: piudwarka@nhai.org, piudwarka@gmail.com

NHAI/PIU/UER-II/06/01/

Date: 16.08.2021

Project Name : Development of Urban Extension Road-II (UER-II) NH-344M from Design Km 0+000 at NH-1 Intersection (Km 23+800, near Bankoli village) to Design Km 38+111 near Sector 24, Dwarka in the state of NCT of Delhi under BharatmalaPariyojana: Deemed Forest to be diverted (District North, West and South West) Forest Proposal No. FP/DL/ROAD/49252/2020

UNDERTAKING

This is to undertake that at the time of tree cutting if any such trees are encountered whose girth have grown beyond 15.7 cm in the intervening/development period and not considered in the submitted tree enumeration list enclosed with FCA/DPTA reports, then approval for such trees shall be sought from the Forest Department.

Yours Sincerely,


16.08.21
(RN Gupta)
Manager(T)



Project Director
Project Implementation Unit
National Highways Authority of India
Dwarka, New Delhi