

ANNEXURE - I

Entry Point Activity a classroom chair for a school

Classroom Chairs (Q3 Category)




Divisional Forest Officer
Sangrur Forest Division
SANGRUR





Divisional Forest Officer
Sangrur Forest Division
SANGRUR 

Classroom Chairs

Stellar[®]

(Stellar CC-2526-bid)

Rs.6000.00

TRENDS

Price For : 1 pieces

MRP/Unit: Rs.10,000.00

Offer Price/Unit: Rs.6000.00

Availability: 100 In Stock

Min. Qty. Per Consignee: 50

Product id: 5116877-6117290849

Country Of Origin: India

Local Content (MII): 80%

Sold by: OEM

OEM verified catalogue

[VIEW SELLER DETAILS](#)

★★★★★

Chair Type Foldable Writing pad on One side and Arm on other side

Type of Seat and Backrest 18 mm thick prelaminated Particle Board

Density of Cushion Used in Backrest (Kg/Cubic Metre) 40

Thickness of Cushion in Backrest in mm (+/- 2 mm) 40

Material of Fabric of Backrest Cover 290 gSM Cloth Fabric

Frame Material Mild Steel Pipe of diameter 25 mm and wall thickness 1.1 mm minimum

Writing Pad Material 18 mm thick prelaminated Particle Board

Warranty period in number of years 1

Product having BIFMA certification YES


OEM of offered product is ISO 9001:2015 certified YES

OEM of offered product is ISO 14001:2015 certified YES

OEM of offered product is ISO 18001:2007 certified YES

[VIEW MORE](#)

Seat Details


Divisional Forest Officer
Sangrur Forest Division
SANGRUR

Thickness of Cushion Used in Seat in mm (+/- 2 mm)	40
Density of Cushion Used in Seat (Kg/Cubic Metre)	40
Material of Fabric of Seat Cover	290 GSM cloth fabric

GENERIC

Chair Type	Foldable Writing pad on One side and Arm on other side
Type of Seat and Backrest	18 mm thick prelaminated Particle Board
Depth of Seat in mm (+/- 10 mm)	420
Height of Seat in mm (+/- 10 mm)	420
Width of Seat in mm (+/- 10 mm)	420
Overall Chair Height in mm (+/- 10 mm)	850

Backrest Details


 Divisional Forest Officer
 Sangrur Forest Division
 SANGRUR


Density of Cushion Used in Backrest (Kg/Cubic Metre)	40
Thickness of Cushion in Backrest in mm (+/- 2 mm)	40
Material of Fabric of Backrest Cover	290 gSM Cloth Fabric
Width of Backrest (mm)	420 millimeter
Height of Backrest (mm)	430 millimeter

SUPPORT / UNDER STRUCTURE

Frame Material	Mild Steel Pipe of diameter 25 mm and wall thickness 1.1 mm minimum
Under Storage provided below the Seat	NO
Material of under storage - write NA if not applicable	na
Length of Under Storage (mm) - write NA if not applicable	na
Width of Under Storage (mm) - write	na

NA if not applicable	
DEPTH of Under Storage (mm) - write NA if not applicable	na

Writing Pad Details

Writing Pad Material	18 mm thick prelaminated Particle Board
Writing Pad Size (Length X Width in mm)	-

MISC

Colour of Fabric for Seat and Backrest	As per buyer's choice
Finishing of Structure	Powder coated

Warranty

Warranty period in number of years	1
------------------------------------	---

Certification

Test reports to be furnished to buyer on	YES
--	-----


 Divisional Forest Officer
 Sangrur Forest Division
 SANGRUR.

demand	
Product having BIFMA certification	YES
OEM of offered product is ISO 9001:2015 certified	YES
OEM of offered product is ISO 14001:2015 certified	YES
OEM of offered product is ISO 18001:2007 certified	YES

- PRODUCT COMPARE
- PRODUCT HISTORY1
-


 Divisional Forest Officer
 Sangrur Forest Division
 SANGRUR.