



## ASSAM POWER GENERATION CORPORATION LTD.

Regd. Office: Bijulee Bhawan, 3<sup>rd</sup> floor, Paltanbazar, Guwahati-781 001, Assam  
Tele-Fax: 0361-2739546; E-mail: cgm-g@apgcl.com/ nrpp@apgcl.com  
K. Phatowali  
Chief General Manager(G)

No. APGCL/CGM (G)/ NTPS/Intake/2012-13/14/Pt-II /EIA/52

Dt. 02-01-2015

To,  
The Principal Chief Conservator of Forest (Wild Life)  
Govt of Assam  
Basistha Road  
Guwahati-781029

**Sub: Clearance under Wildlife (Protection) Act 1972 for construction of a new Raw water Intake Jackwell pump house at Dilli River at Namrup in the District of Dibrugarh, Assam within 10Km distance of Wildlife Sanctuary.**

Sir,

I would like to inform that Assam Power Generation Corporation Limited (APGCL) has undertaken construction of a new 100Mw thermal project named as Namrup Replacement Power Project within the premise of Namrup Thermal Power Station. Construction of the project is going on. To meet the water requirement of the said project and also for future requirement, APGCL has taken up construction of a new raw water intake pump house at the river Dilli situated at a distance of about 6Km from the plant. The new water intake pump house will replace the old dilapidated water intake pump house at Dilli river meant for Namrup Thermal Power Station, which was constructed way back in 1975-76.

A Central Govt. organization, M/s Central Water & Power Research Station (CWPRS), Pune was entrusted for hydrological study of the river to find a suitable location for the new intake well. After detailed hydrological study of the river, CWPRS has found the suitable location of the new intake at 50m to 100m upstream of the existing intake well. On the basis of the report of CWPRS, the intake well has been designed by our technical consultant, M/s Development Consultants (Pvt) Ltd, Kolkata and the location of the well is fixed at 50m upstream of the existing intake well so that the existing other infrastructure of water works can be utilized. The proposed intake pump house project falls under Joypur Reserve Forest area and at a distance of about 7.5Km from the Dihing Patkai Sanctuary. The total diversion of forest land for the proposed project is estimated to be **0.069 Hectare**.

For online submission of application to the Deptt of Forest, GoA for forest clearance for the construction of the proposed project, clearance certificate from State Board/ Central Board for wildlife is required.

I would request you kindly to arrange issuance of the above certificate in favour of Assam Power Generation Corporation Limited at the earliest to enable us to proceed further. The relevant forms from Part I to Part IV- Proposal for investigation and Survey in the National Park/ Sanctuary duly signed are enclosed here-with. A copy of the EIA study report along with location map of the proposed project is enclosed.

Yours faithfully,

*[Signature]*  
02/01/15

Chief General Manager (Gen), APGCL  
C.C.

- Enclo: i. Proposal format Pt-I to Pt-IV in 3sets  
ii. Project location map  
iii. Copy of EIA study report & CWPRS report.

1. The Managing Director, APGCL for kind information.
2. The General Manager, NTPS-786622.

*[Signature]*

PART-I

PART-I: Proposal for Investigation and survey in the National park/ Sanctuary		
1	Name of the Organization	: Assam Power Generation Corporation Limited
2	Aims and Objectives of the proposed project	: Construction of an offshore raw water intake pump house at Dilli river near the existing intake pump house to meet water requirement for the existing power plant, on-going new thermal 1x100Mw Namrup Replacement power project (Ph-I), future expansion of the thermal project (Ph-II) including domestic requirement.
3	Location Map (1:50,000 scale) of the area duly authentic by the competent authority to be investigation/ surveyed	: Location map attached
4	Whether investigation/ survey requires clearing of vegetation	: Cleaning of vegetation is not required. The site is accessible.
5	If yes, please specify the extent (in Ha)	: Not applicable
6	Opinion of the Officer in Charge of the NP/WLS (Attached signed copy)	:
7	Opinion of the Chief Wildlife warden (Attached signed copy). The following be included in the opinion. <ul style="list-style-type: none"><li>• Brief history of the protected area</li><li>• Current status of wildlife</li><li>• Current status of pressure on protected area</li><li>• Protected impacts of project on wildlife habitat management and access/ use of resource by various stakeholders</li><li>• Contiguous wildlife areas which would benefit wildlife if added to national park/ sanctuary.</li><li>• Other areas in the state which have been recommended by State Government, Wildlife Institute of India, BNHS, SACON, IISC, IUCN or other expert body for inclusion in protected area network.</li></ul>	:

Signed

Project Head

Name: **KRISHNA PHATOWALI**  
Organisation **APGCL**

Chief General Manager (Gen)  
Assam Power Generation Corpn Ltd.  
3rd Floor, Bijulee Bhawan  
Paltanbazar, Guwahati-1

Signed

The Officer in Charge

of the N.P/WLS  
Office Seal

Signed

The CWLW

Office Seal


## PART-II

1	<p>Project Details:</p> <ul style="list-style-type: none"> <li>• Copy of the investigation and survey report:</li> <li>• Self contained and factual project report for which NP/WLS area is required:</li> <li>• Map (duly authenticated by the Divisional/ District Head of the Department dealing with Forests and Wildlife) on a scale of 1:50,000 showing the boundaries of the NP/WLS delineating the area in question in red color:</li> <li>• Self contained and factual report of at least two alternatives considered by the project authorities along with technical and financial justification for opting national park/ sanctuary area:</li> <li>• Copy of the Bio diversity Impact Assessment report in case the proposal involves diversion of more than 50 Ha NP/ WLS area</li> </ul>	<p>Copy of EIA report attached</p> <p>Hydrological study report of Central Water and Power Research Station (CWPRS), Pune attached</p> <p>As per Hydrological study report of Central Water and Power Research Station (CWPRS), Pune., no other alternative site except the proposed location.</p> <p>Not applicable as the area is less than 50Ha</p>
2	<p>Location of the project/ scheme:</p> <p>(i) State/ Union territory</p> <p>(ii) District</p> <p>(iii) Name of the national Park/Sanctuary</p>	<p>Assam</p> <p>Dibrugarh District</p> <p>Nearest Wildlife Sanctuary: Dihing Patkai Sanctuary at a distance of about 7.5Km</p> <p>R.F.: Joypur R.F.</p>
3	<p>Details of the area required (in Hectares only): (Provide breakup of the land use under project e.g. construction of dam, submergence, housing for staff, road etc.)</p>	<p>i. Proposed Intake: 0.011Ha</p> <p>ii. Proposed switchyard building: 0.03Ha</p> <p>iii. Pipe bridge: 0.028Ha</p> <p style="text-align: right;"><b>Total area : 0.069Ha</b></p>





<p>4 Details of displacement of people, if any, due to the project:</p> <ul style="list-style-type: none"> <li>• Total number of families involved in displacement</li> <li>• Number of scheduled cast/scheduled tribe families involved in displacement</li> <li>• Detailed rehabilitation plan</li> </ul>	<p>There will be no displacement of people for setting up the proposed project</p>
<p>5 Any other information relevant to the proposal but not covered in any of the columns above.</p>	

Signed   
 Chief General Manager (Gen)  
 Assam Power Generation Corpn Ltd.  
 3rd Floor, Bijulee Bhawan  
 Paltanbazar, Guwahati-1

Project Head:

Name: KRISHNA PHATOWALI

Organization: APGCL