

Site inspection of District Forest Officer, Nellore
dt. 28-3-2022

Inspected 0.52 Ha., Of forest area which is proposed for diversion Of forest land for laying of under ground Optical Fibre Cable by M/s Vindhya Tele links Pvt. Ltd., along the existing road in Kanupuru East RF, Surveypalli RF, Surveypalli Extn RF of Nellore Range and Puduru & Yellasiri RFs of Venkatagiri Range.on 28-03-2022. The details are as follows:

Bit No. (As per DGPS authenticated map)	Name of RF/Part (As per DGPS authenticated map)	Compt. No.	Area (in Ha.)	Remarks
--	Kanupur East RF Surveypalli RF and Surveypalli Extn RFs	77,78,81 & 83	0.24	Along the existing road which is excluded from reservation.
I	Puduru	169, 171 & 172	0.12	Along the admitted right way
II	Yellasiri	173 and 174	0.16	Along the existing road which is excluded from reservation.
		Total	0.52	

During the field inspection, the geo coordinates of the following stations as recorded in authenticated map are checked.

Sl.No.	Name of the point as per authenticated map	Latitude	Longitude
I	Pudur RF		
1	M2	13.90123	79.95862
2	M3	13.90140	79.95927
3	M9	13.90279	79.96455
4	M14	13.90370	79.96805
II	Yellasiri RF		
1	M35	13.91717	79.99387
2	M40	13.91925	79.99682
3	M44	13.92021	79.99781
4	M47	13.92356	79.99914
5	M69	13.94149	80.00626
III	Surveypalli Extn RF		
	S1	14.29441	79.96155
	S3	14.29563	79.96028
	S11	14.29787	79.9579
	S13	14.29912	79.95662
	Surveypalli RF		
	S15	14.30023	79.95545
	S31	14.31024	79.9449
	Kanupuru East RF		
	S52	14.32279	79.93181
	S54	14.32407	79.93047
	S56	14.32465	79.9298

The above points are verified on field and found tallied.

The density of the adjacent RFs is 0.4. This area fall in Eco-Class IV (Tropical thorn forests and tropical dry ever green forests) open scrub forest. The user agency violated the provisions of FC Act, 1980 in Puduru RF. The field staff booked forest cases against the person responsible for violation.


 District Forest Officer,
 SPSR Nellore.