



M.P. Road Development Corporation Ltd.

(M.P. State Highway Authority)

(Govt. of M.P. Undertaking)

45-A, Arera Hills, Bhopal-462011

☎ : 0755-2597290 / 2765205 Fax : 0755-2572643, Website : mprdc.gov.in

3474

No...../151/OTH/APMS2019/1322/MPRDC/2021

Bhopal dated 28/06/2021

To,

Divisional Manager,
M.P Road Development. Cor. Ltd.,
Chhindwara.

Sub: Permission for laying pipeline along SH-33 from Ch.0+000 to Ch.37+890 alongwith 08 crossings at Ch.9+600, Ch.10+900, Ch.21+400, Ch.24+750, Ch.28+175, Ch.30+200, Ch.36+170 and Ch.37+890.


Ref: APMS Application No.APMS2019/1322 dated 04/11/2019

In reference to the above mentioned subject in principle approval is hereby accorded and you are hereby authorized to issue the permission to General Manager, M.P Jal Nigam Maryadit, PIU Jabalpur regarding Permission for laying pipeline along SH-33 from Ch.0+000 to Ch.37+890 alongwith 08 crossings at Ch.9+600, Ch.10+900, Ch.21+400, Ch.24+750, Ch.28+175, Ch.30+200, Ch.36+170 and Ch.37+890, subject to the fulfillment of following conditions:-

1. Submission of X-Section at each crossing for crossing the road by HDD method showing depth of ground level and drilling level below road top level.
2. The execution of work will be done as per MoRT& H guidelines and to the satisfaction of DM, MPRDC.
3. The work shall be carried strictly in accordance with the provisions of the estimate.
4. Strict adherence to the safety requirements of IRC: SP-55 "Guidelines on Safety in road construction Zone" shall be ensured.
5. The execution of work will be done in accordance with the specification of Concession agreement and no diversion will be constructed.
6. General Manager, M.P Jal Nigam Maryadit, PIU Jabalpur, shall maintain the traffic for smooth movement.
7. All safety measures will be followed by General Manager, M.P Jal Nigam Maryadit, PIU Jabalpur.
8. All construction work shall be done under supervision of Divisional Manager, MPRDC. Divisional Manager will issue a completion certificate after completion of the work to the satisfaction of MPRDC.
9. General Manager, M.P Jal Nigam Maryadit, PIU Jabalpur, shall get the approval of drawings and specification from Divisional Manager MPRDC for execution and should submit "As built drawing" after the completion work, within 30 days from date of actual completion of work at site.

Contd....2

10. General Manager, M.P Jal Nigam Maryadit, PIU Jabalpur, shall bear all costs related to construction, maintenance and other ancillary expenditure.
11. The road section to be made after completion of work should be in accordance to drawing and to the satisfaction of Divisional Manager, MPRDC. Work is to be carried out between sunrise and sunset.
12. As per IRC 98-2011 sewer lines or water supply lines should be laid at edge of ROW.
13. The Guidelines mentioned in the IRC: 98-2011 should be strictly adhered during execution.
14. You are also required to execute the Agreement as per MORT&H circular dated 22.11.2016 before allowing the Applicant to start the work .
15. This permission is being issued subject to Confirmation of Bank Guarantee from the issuing Bank.
16. The permission shall stand withdrawn automatically in the event of breach of any of the above mentioned conditions are not followed at site.


28/6/21
(Pradeep Jain)

Chief General Manager (Admin.)


MPRDC, Bhopal

Bhopal, Dated 28/06/2021

3475
Endt No...../151/OTH/APMS2019/1322/MPRDC/2021

Copy forwarded to-

1. PA to Managing Director, MPRDC, Bhopal for information please.
2. The General Manager, M.P Jal Nigam Maryadit, PIU, Jabalpur for information.


28/6/21
Chief General Manager (Admin.)
MPRDC, Bhopal

**M.P. Road Development Corporation Ltd.****(M.P. State Highway Authority)**

(Govt. of M.P. Undertaking)

45-A, Arera Hills, Bhopal-462011**☎ : 0755-2597290 / 2765205 Fax : 0755-2572643, Website : mprdc.gov.in**

3409
No...../143/OTH/APMS2019/1322/MPRDC/2021
Bhopal dated 28/06/2021

To,

Divisional Manager,
M.P Road Development. Cor. Ltd.,
Jabalpur.

Sub: Permission for laying pipeline along SH-33 from Ch.37+900 to Ch.47+600 and Ch.50+600 to Ch.61+500, i.e. total length 20.6 Km. alongwith 07 crossings at Ch.42+000, Ch.47+600, Ch.50+600, Ch.56+800, Ch.57+500, Ch.58+350 and Ch.61+500.

Ref: APMS Application No.APMS2019/1322 dated 04/11/2019

In reference to the above mentioned subject in principle approval is hereby accorded and you are hereby authorized to issue the permission to General Manager, M.P Jal Nigam Maryadit, PIU Jabalpur regarding Permission for laying pipeline along SH-33 from Ch.37+900 to Ch.47+600 and Ch.50+600 to Ch.61+500, i.e. total length 20.6 Km. alongwith 07 crossings at Ch.42+000, Ch.47+600, Ch.50+600, Ch.56+800, Ch.57+500, Ch.58+350 and Ch.61+500, subject to the fulfillment of following conditions:-

1. Submission of X-Section at each crossing for crossing the road by HDD method showing depth of ground level and drilling level below road top level.
2. The execution of work will be done as per MoRT& H guidelines and to the satisfaction of DM, MPRDC.
3. The work shall be carried strictly in accordance with the provisions of the estimate.
4. Strict adherence to the safety requirements of IRC: SP-55 "Guidelines on Safety in road construction Zone" shall be ensured.
5. The execution of work will be done in accordance with the specification of Concession agreement and no diversion will be constructed.
6. General Manager, M.P Jal Nigam Maryadit, PIU Jabalpur, shall maintain the traffic for smooth movement.
7. All safety measures will be followed by General Manager, M.P Jal Nigam Maryadit, PIU Jabalpur.
8. All construction work shall be done under supervision of Divisional Manager, MPRDC. Divisional Manager will issue a completion certificate after completion of the work to the satisfaction of MPRDC.
9. General Manager, M.P Jal Nigam Maryadit, PIU Jabalpur, shall get the approval of drawings and specification from Divisional Manager MPRDC for execution and should submit "As built drawing" after the completion work, within 30 days from date of actual completion of work at site.

Contd....2

10. General Manager, M.P Jal Nigam Maryadit, PIU Jabalpur, shall bear all costs related to construction, maintenance and other ancillary expenditure.
11. The road section to be made after completion of work should be in accordance to drawing and to the satisfaction of Divisional Manager, MPRDC. Work is to be carried out between sunrise and sunset.
12. As per IRC 98-2011 sewer lines or water supply lines should be laid at edge of ROW.
13. The Guidelines mentioned in the IRC: 98-2011 should be strictly adhered during execution.
14. You are also required to execute the Agreement as per MORT&H circular dated 22.11.2016 before allowing the Applicant to start the work .
15. The permission shall stand withdrawn automatically in the event of breach of any of the above mentioned conditions are not followed at site.

A
28/6/21

(Pradeep Jain)

Chief General Manager (Admin.)

MPRDC, Bhopal

Bhopal, Dated *28*/06/2021

3410
Endt No...../143/OTH/APMS2019/1322/MPRDC/2021

Copy forwarded to-

1. PA to Managing Director, MPRDC, Bhopal for information please.
2. The General Manager, M.P Jal Nigam Maryadit, PIU, Jabalpur for information.

A
28/6/21

Chief General Manager (Admin.)

MPRDC, Bhopal



दक्षिण पूर्व मध्य रेलवे SOUTH EAST CENTRAL RAILWAY

KINGSWAY, NAGPUR 440 001 (M.S.)

अभियांत्रिकी

पत्र सं. दपुमरे/नाग/ई/भुमि/उत्तर/20-21/11 म०/१९७८

दिनांक : 18.06.2021

To,

General Manager,

MP Jal Nigam Maryadit PIU,

Jabalpur (MP)

Sub:-	Proposed for water pipe line xing following locations :-
1.	Proposed 300 MM dia M.S. Casing pipe for 140 MM Dia HDPE Carrier pipe for water pipe line Crossing (U/G) at Km 1183/15-16 bet Shikara - Sukrimangla station on Jabalpur -Nainpur section (BG) by pipe pushing method.
2.	Proposed 300 mm dia M.S. Casing pipe for 90 MM Dia HDPE Carrier pipe for water pipe line Crossing (U/G) at KM 1162/17-18 between Binaiki - Sikara station on Jabalpur -Nainpur section (BG) by pipe pushing method.
3.	Proposed 300 mm dia M.S. Casing pipe for 90 MM Dia HDPE Carrier pipe for water pipe line Crossing (U/G) at KM 1143/10-11 between PDE - Nidhani station on Jabalpur -Nainpur section (BG) by pipe pushing method.
4.	Proposed 300 mm dia M.S. Casing pipe for 140 MM Dia HDPE Carrier pipe for water pipe line Crossing (U/G) at KM 1189/7-8 between Sukrimangla - BUQ station on Jabalpur -Nainpur section (BG) by pipe pushing method.
5.	Proposed 300 MM dia M.S. Casing pipe for 140 MM Dia HDPE Carrier pipe for water pipe line Crossing (U/G) at KM 1211/10-11 between Bargi - Gwarighat station on Jabalpur -Nainpur section (BG) by pipe pushing method.
6.	Proposed 1100 & 300 mm dia M.S. Casing pipe for 700 & 140 MM Dia HDPE Carrier pipe for water pipe line Crossing (U/G) at KM 1154/11-12 bet Binaiki - Ghunsore station on Jabalpur -Nainpur section (BG) by pipe pushing method.
7.	Proposed 350 MM dia M.S. Casing pipe for 160 MM Dia HDPE Carrier pipe for water pipe line Crossing (U/G) at KM 1154/1-2 between Binaiki - Ghunsore station on Jabalpur -Nainpur section (BG) by pipe pushing method.
8.	Proposed 800 MM dia M.S. Casing pipe for 450 MM Dia D.I Carrier pipe for water pipe line Crossing (U/G) at KM 1174/2-3 between VNK - Shikara station on Jabalpur -Nainpur section (BG) by pipe pushing method.
9.	Proposed 02 Nos 300 mm dia M.S. Casing pipe for 90 & 110 MM Dia HDPE Carrier pipe for water pipe line Crossing (U/G) at KM 1159/9-10 bet. Binaiki - Ghunsore station on Jabalpur -Nainpur section (BG) by pipe pushing method.
10.	Proposed 02 Nos 800 mm dia M.S. Casing pipe for 500 & 400 MM Dia HDPE Carrier pipe for water pipe line Crossing (U/G) at KM 1198/16-1199/1 bet. Sukrimangla - Bargi station on JBP -NIR section (BG) by pipe pushing method.
11.	Proposed 02 Nos mm dia M.S. Casing pipe for 90 MM Dia HDPE Carrier pipe for water pipe line Crossing (U/G) at KM 1157/16-17 between Binaiki - Ghunsore station on Jabalpur -Nainpur section (BG) by pipe pushing method.

Continued on page -02

ॐ नमो भगवते वासुदेवाय

E.C RAILWAY

SOUTH EAST CENTRAL RAILWAY

NO.SECR/NGP/Engg/Est/ DEN(N)/DEPOSIT/2020/

Office of the
Sr.DEN(Co.) Nagpur,
Dt.17/06/2021

From

The Divl. Engineer (N)
S.E.C. Railway / NGP.

To

Asst. Divl. Engineer
S.E.C.Railway/NIR

Name of work: Proposed 800 mm dia M.S. casing pipe for 450 mm dia. D.I. carrier pipe for water pipe line x-ing(U/G) at km 174/2-3 between BINAIKI - SHIKARA stations on Nainpur - Jabalpur section (U.G.) by Pipe pushing method.

1. Estimate No.: **521/NGP-BG/N/2020.**

2. Amount of Estimate: Rs. **58,57,655/-**


3. Allocation: **Deposit**

The above estimate is sanctioned by Sr.DEN(Co)/NGP.

The Railway charges as G & D charges and way leave charges etc of Rs. 19,33,391/- vide MR No. 015546, 015545 dt.30.04.2021(Rs.1738690/- + Rs.19470/-).has deposited by the party towards codal charges.

You are advised to take all precaution for safety of traffic & track. All the civil engg. Work will be done by the party with his own materials/labours and tools & plants etc. under the railway's supervision in all respect as per Railway's approved drawing.

Prior execution of the work, it is ensured that the party has executed the agreement & all formalities with the Railway as per rule.


DIVL. ENGINEER (N)
SEC RLY/NAGPUR.

1. Copy to Sr.DFM, for information please.
2. Copy to SSE(Works)/NIR for information and N/A please.
3. Copy to Sr.SO (W) / NGP,
4. Copy to Ch.OS(Tender), Ch. OS(Land) for N/A.
5. Copy to The General Manager M.P. Jal Nigam Maryadit PIU Jablpur (M.P.) for information.