



**GUJARAT GAS**

GGL/Shri Muktsar Sahib/FCA/PF/Compliance/2022/02

Date: 26/08/2022

To,  
**Divisional Forest Officer,  
Shri Muktsar Sahib Forest Division,  
Shri Muktsar Sahib (Punjab State)**

**Sub.: Shri Muktsar Sahib Virtual Pipeline – Diversion of 0.177 Hectare of Protected Forest land various Road side strip plantation declared as protected forest for laying of 8" dia Steel Natural Gas pipeline in Shri Muktsar Sahib District of Punjab State – Submission of Compliance.**

**Ref.:** Your good office letter no. 2103-04, Dated 21.06.2022.

Dear Sir,

We sincerely thank you for your co-operation and guidance received time to time for laying pipeline parallel & across the Road at various locations. Through your kind co operation only we succeed to set up gas distribution network in the entire Shri Muktsar Sahib Geographical Area reason to cater various demands of gas for industrial use, commercial & domestic Use.

As instructed in your letter mentioned in reference we have obtained NOC from below departments and copy of NOC is enclosed herewith for your ready references.

1. Executive Engineer, Punjab Mandi Board, Shri Muktsar Sahib
2. Executive Engineer, Punjab Mandi Board, Faridkot
3. Executive Engineer, Central Works Division, PWD B&R Branch, Ferozepur
4. Director/Canal (Nodal Officer), Water Resources Department, Chandigarh

Hope our submission is in line to fulfill your requirement. We therefore request you to consider the application and do the needful for granting permission at the earliest possible.

Thanking you an assuring you of our best attention always.

Yours sincerely,

  
26/08/22  
**Anish Parikh**  
**Dy. Manager (ROU)**



**GUJARAT GAS LIMITED** (A GSPC Group Company – Government of Gujarat Undertaking) (Formerly known as GSPC Distribution Networks Limited)

**Corporate Office :** 2, Shanti Sadan Society, Near Parimal Garden, Ellisbridge, Ahmedabad - 380 006, Gujarat, India.

**Tel.:** +91-79-26462980, 26460095 **Fax :** +91-79-26466249

**Registered Office :** Gujarat Gas CNG Station, Sector 5/C, Gandhinagar - 382 006, Gujarat, India. **Tel.:** +91-79-23264777, 23264999

**Website :** www.gujaratgas.com, www.gspcgroup.com **CIN :** L40200GJ2012SGC069118

9th Floor, Avdresh House, Opp. Shri Govind Gurudwara, S. G. Highway, Ahmedabad - 380 054, Gujarat, India. **Tel.:** +91-79-26737400 **Fax :** +91-79-26737456



ਦਫਤਰ ਕਾਰਜਕਾਰੀ ਇੰਜੀਨੀਅਰ (ਸ) ਪੰਜਾਬ ਮੰਡੀ ਬੋਰਡ, ਸ੍ਰੀ ਮੁਕਤਸਰ ਸਾਹਿਬ।  
 OFFICE : EXECUTIVE ENGINEER (CIVIL) PUNJAB MANDI BOARD, SRI MUKTSAR SAHIB.  
 Phone No. 01633-384012 Email Address : pmb.xencmkt@punjab.gov.in

ਵੱਲ,

ਪੱਤਰ ਨੰਬਰ 4085  
 ਮਿਤੀ 09.06.22

Gujarat Gas Limited,  
 9th floor avdresh house,  
 opp.Shri Gobind Gurudarwara  
 S.G.Highway Ahmedabad, Gujarat

ਵਿਸ਼ਾ:- Muktsar Sahib City & Surrounding Area Gas Distribution Network :Request for granting permission for laying 8" Dia Steel natural Gas Pipeline from Village Kot Kapura (GGL's Proposed Laying across/Along to various roads under your Jurisdiction

ਹਵਾਲਾ:- ਆਪ ਦਾ ਪੱਤਰ ਨੰ:ਨਿਲ ਮਿਤੀ 11-03-2020 ਅਤੇ ਪੱਤਰ ਨੰ: GGL/Shri Muktsar Sahib/Road\_13/BG\_sub/2022 ਮਿਤੀ 06/06/22

ਤੁਹਾਡੀ ਲਿਖਤੀ ਬੇਨਤੀ ਨੂੰ ਮੁੱਖ ਰੱਖਦੇ ਹੋਏ ਵਿਸ਼ੇ ਅਧੀਨ ਸੜਕ ਨਾਲ ਅੰਡਰਗਰਾਊਂਡ ਗੈਸ ਪਾਈਪ ਲਾਈਨ ਪਾਉਣ ਦੀ ਇਜਾਜ਼ਤ ਦਿੱਤੀ ਜਾਂਦੀ ਹੈ। ਨਿਰਧਾਰਤ ਪਾਲਿਸੀ ਤਹਿਤ ਆਪ ਵੱਲੋਂ ਦਿੱਤੀ ਬੈਕ ਗਰੇਟੀ ਨੰ:0024NDLG00042123 ਮਿਤੀ 19/05/2022 ਰੁ:1,15,350/- ਅਤੇ ਬੈਕ ਡਰਾਫਟ ਨੰ: 281128 ਮਿਤੀ 05/10/2021 ਰੁ: 2,90,668/- ਇਸ ਦਫਤਰ ਵਿਖੇ ਪ੍ਰਾਪਤ ਹੋ ਚੁੱਕਾ ਹੈ। ਇਸ ਸਬੰਧ ਵਿੱਚ ਤੁਹਾਡੇ ਵੱਲੋਂ ਇਸ ਦਫਤਰ ਨਾਲ ਐਗਰੀਮੈਂਟ ਕਰਨ ਉਪਰੰਤ ਹੇਠ ਲਿਖੀਆਂ ਸ਼ਰਤਾਂ ਤੇ ਐਨ.ਓ.ਸੀ ਜਾਰੀ ਕੀਤੀ ਜਾਂਦੀ ਹੈ :-

1. That the Gas pipeline will be laid at the extreme edge of right of way (ROW) of Road within one meter at the end of ROW.
2. In Case any shifting or alternation in the position of the laid Gas pipeline is required due to widening of Road, the licensee will shift the same of his own cost within specified period.
3. Licensee will ensure shifting and security of all underground installation & Utilities /facilities and will be responsible for compensation /identifications of concern authority for damage caused/claim of replacement suit for at his cost and risk.
4. The licensee will be liable to give a notice of 15 days with routs details period to trenching for fresh maintenance repair work shall be furnished by the licensee.
5. The Gas pipe may be laid as per Instructions issued by Punjab Govt. Notification dt. 03- April 2018.
6. The licensee will fill & Compact earth & dismantled Material in trenches properly. In case failure, it will be done by the the Department and the cost will be deducted from the Bank Guarantee deposited by the licensee.
7. In Case of any deviation, the NOC will be stands automatically cancelled and bank guarantee will be forfeited.
8. The user Agency will have to comply Scheduled road Act 1995 and other Guidelines issued from time to time by the state Govt. as well as by MORTH New Delhi.
9. If the Agency failed to comply with the MORT&H Guidelines /Conditions mentioned in the Letter, the NOC Granted by the office may be treated as cancelled/withdrawn.
10. The Licensee will be responsible for the construction and maintenance of berm /road at his own cost.
11. The Licensee will bound to dismantle of road at his own cost where asked by the Department during widening of road in future.



12. The Licensee will have to obtain permission from other Departments at his own level as per requirements.
13. The Licensee will install required signage for information/Safety of traffic as per coddle rules.
14. The responsibility to obtain No Objection Certificate from various Departments and Authorities as and when required shall be of the applicant licensee. The licensee shall separately also obtain NOC from the District Administration after following the due procedure.



ਕਾਰਜਕਾਰੀ ਇੰਜੀਨੀਅਰ (ਸ)

ਪੰਜਾਬ ਮੰਡੀ ਬੋਰਡ,

ਸ੍ਰੀ ਮੁਕਤਸਰ ਸਾਹਿਬ।  
9/6/20

ਪਿਠਾਏਕਣ ਨੰਬਰ:.....

ਮਿਤੀ:.....

ਉਪਰੋਕਤ ਦਾ ਉਤਾਰਾ :- ਉਪ ਮੰਡਲ ਅਫਸਰ (ਸ) ਪੰਜਾਬ ਮੰਡੀ ਬੋਰਡ, ਸ੍ਰੀ ਮੁਕਤਸਰ ਸਾਹਿਬ ਵੱਲ ਉਹਨਾਂ ਦੇ ਪੱਤਰ ਨੰਬਰ ਪੱਤਰ ਨੰ: 5734 ਮਿਤੀ 29-10-2020 ਨਾਲ ਕੀਤੀ ਸਿਫਾਰਸ ਦੇ ਸਬੰਧ ਵਿੱਚ ਭੇਜ ਕੇ ਲਿਖਿਆ ਜਾਂਦਾ ਹੈ ਕਿ ਸਮੇਂ ਸਮੇਂ ਤੇ ਉਪਰੋਕਤ ਕੰਮ ਨੂੰ ਮੌਕੇ ਤੇ ਦੇਖ ਲਿਆ ਜਾਵੇ ।



ਕਾਰਜਕਾਰੀ ਇੰਜੀਨੀਅਰ (ਸ)

ਪੰਜਾਬ ਮੰਡੀ ਬੋਰਡ,

ਸ੍ਰੀ ਮੁਕਤਸਰ ਸਾਹਿਬ।



ਦਫਤਰ ਕਾਰਜਕਾਰੀ ਇੰਜੀਨੀਅਰ (ਸ), ਪੰਜਾਬ ਮੰਡੀ ਬੋਰਡ ਫਰੀਦਕੋਟ।



ਪੱਤਰ ਨੰ: 3034

ਮਿਤੀ: 06/8/2020

ਵੱਲ,

ਗੁਜਰਾਤ ਗੈਸ ਲਿਮਟਿਡ,  
ਤੀਸਰੀ ਮੰਜਿਲ ਐਸ.ਸੀ.ਓ-109  
ਜਿਲਾ ਸਾਪਿੰਗ ਕੰਪਲੈਕਸ, ਨੇਰੇ ਡਾਕਖਾਨਾ,  
ਬੀ-ਬਲਾਕ, ਰਣਜੀਤ ਐਵਨਿਊ, ਅੰਮ੍ਰਿਤਸਰ।

ਵਿਸ਼ਾ: ਸ਼੍ਰੀ ਮੁਕਤਸਰ ਸਾਹਿਬ ਜੀਊਗ੍ਰਾਫੀਕਲ ਏਰੀਆ (ਮੁਕਤਸਰ ਸਾਹਿਬ ਸਪੁਰਲਾਈਨ) ਸਬਮੀਸ਼ਨ ਆਫ ਪੇਮੈਂਟ ਫਾਰ ਲੇਇੰਗ 8 ਡਾਇਆ ਸਟੀਲ ਪਾਈਪ ਲਾਈਨ ਟੂ ਬੀ ਲੇਡ ਪੈਰਲਲ ਐਂਡ ਅਕਰੋਸ ਟੂ ਵੇਰੀਅਸ ਐਸਪਹਾਲਟਿਡ/ਮੈਟਲਡ ਰੋਡ ਅੰਡਰ ਧੂਅਰ ਜੁਗੀਡੀਕਸਨ ਇੰਨ ਡਿਸਟਿਕ ਫਰੀਦਕੋਟ

ਹਵਾਲਾ: ਆਪ ਦਾ ਪੱਤਰ ਨੰ GGL/FerozpurSpl/PH-II/Road-1/Crs/per/2020 dated 18-05-2020  
ਉਪਰੋਕਤ ਵਿਸ਼ੇ ਅਤੇ ਹਵਾਲੇ ਦੇ ਸਬੰਧ ਵਿੱਚ ਰੋਡ ਕੱਟ ਲਾਉਣ ਦੀ ਹੇਠ ਲਿਖੀਆਂ ਸ਼ਰਤਾਂ ਤੇ ਪ੍ਰਵਾਨਗੀ ਦਿੱਤੀ ਜਾਂਦੀ -

1. ਪਾਈਪਾਂ ਦੇ ਟਾਪ ਤੋਂ 3 ਫੁੱਟ ਜਿਆਦਾ ਡੂੰਘਾ ਹੋਣਾ ਚਾਹੀਦਾ ਅਤੇ ਪੁਟਾਈ ਕੀਤੀ ਗਈ ਜਗ੍ਹਾ ਮੁੜ ਭਰਕੇ ਕੁਟਾਈ ਕਰਕੇ ਸੀਮੇਟ ਨਾਲ ਪੈਚ ਲਾਉਣਾ ਤੁਹਾਡੀ ਜ਼ਿੰਮੇਵਾਰੀ ਹੈ।
2. ਪਾਈਪ ਪਾਉਣ ਸਮੇਂ ਜਾ ਬਾਅਦ ਵਿੱਚ ਕਿਸੇ ਕਿਸਮ ਦਾ ਕੋਈ ਹਾਦਸਾ ਵਾਪਰਦਾ ਹੈ ਤਾਂ ਇਸਦੀ ਜ਼ਿੰਮੇਵਾਰੀ ਤੁਹਾਡੀ ਹੋਵੇਗੀ।
3. ਪਾਈਪ ਸਿਰਫ਼ ਦੇਵੇ ਪਾਸੇ ਆਪਣੇ ਖੇਤ ਹੇਠ ਤੇ ਪਾਈ ਜਾਵੇ, ਜੇਕਰ ਇਕ ਪਾਸੇ ਕਿਸੇ ਹੋਰ ਦਾ ਖੇਤ ਲੱਗਦਾ ਹੈ ਤਾਂ ਦੂਸਰੀ ਧਿਰ ਦੀ ਸਹਿਮਤੀ ਲੈਣੀ ਜ਼ਰੂਰੀ ਹੈ।
4. ਪਾਈਪ ਪਾਉਣ ਲੱਗਿਆ ਜਿਸ ਪਾਸੇ ਪਾਈਪ ਪਾਈ ਜਾਣੀ ਹੈ ਉਸ ਪਾਸੇ ਜੇਕਰ ਕਿਸੇ ਹੋਰ ਦੀ ਜਮੀਨ ਲੱਗਦੀ ਹੈ ਤਾਂ ਸਹਿਮਤੀ ਲੈਣ ਤੁਹਾਡੀ ਜ਼ਿੰਮੇਵਾਰੀ ਹੋਵੇਗੀ।
5. ਪਾਈਪਾਂ ਪਾਉਣ ਵਿੱਚ ਕਿਸੇ ਨੂੰ ਇਤਰਾਜ਼ ਨਹੀਂ ਹੋਣਾ ਚਾਹੀਦਾ।
6. ਜੇਕਰ ਕੋਈ ਪਾਲਿਸੀ ਅਨੁਸਾਰ ਸੜਕ ਨੂੰ ਚੌੜਾ ਕਰਨ ਲੱਗਿਆ ਕੋਈ ਨੁਕਸਾਨ ਪਾਈਪਾਂ ਨੂੰ ਪਹੁੰਚਦਾ ਹੈ ਤਾਂ ਜ਼ਿੰਮੇਵਾਰੀ ਇਸ ਦਫਤਰ ਦੀ ਨਹੀਂ ਹੋਵੇਗੀ।
7. ਭਵਿੱਖ ਵਿੱਚ ਸੜਕ ਚੌੜੀ ਕਰਨ ਦੀ ਕੋਈ ਪਰਪੋਜਲ ਆਉਂਦੀ ਹੈ ਤਾਂ ਸੜਕ ਨੂੰ ਪੁੱਟਣ ਲੱਗਿਆ ਜੇਕਰ ਪਾਈਪ ਦਾ ਕੋਈ ਨੁਕਸਾਨ ਹੁੰਦਾ ਹੈ ਤਾਂ ਇਹ ਮਹਿਕਮਾ ਜ਼ਿੰਮੇਵਾਰ ਨਹੀਂ ਹੋਵੇਗਾ।
8. ਭਵਿੱਖ ਵਿੱਚ ਪਾਈਪਾਂ ਕਰਕੇ ਜੇ ਸੜਕ ਦੀ ਟੁੱਟ-ਭੱਜ ਹੁੰਦੀ ਹੈ ਤਾਂ ਉਸਦੀ ਜ਼ਿੰਮੇਵਾਰੀ ਤੁਹਾਡੀ ਹੋਵੇਗੀ।
9. ਪਾਈਪ ਪਾਉਣ ਸਮੇਂ ਕਿਸੇ ਵੀ ਦੁਰਘਟਨਾ ਤੋਂ ਬਚਾਉਣ ਲਈ ਸਾਈਨ ਬੋਰਡਾਂ ਆਦਿ ਦੀ ਜ਼ਿੰਮੇਵਾਰੀ ਤੁਹਾਡੀ ਹੋਵੇਗੀ।
10. ਰੋਡ ਕੱਟ ਦਫਤਰ ਦੇ ਨੁਮਾਇੰਦੇ ਦੀ ਹਾਜ਼ਰੀ ਵਿੱਚ ਲਗਾਇਆ ਜਾਵੇ।
11. ਇਹ ਜਗ੍ਹਾ ਮੰਡੀ ਬੋਰਡ ਦੀ ਹੈ ਅਤੇ ਸੜਕ ਤੇ ਰੋਡ ਕੱਟ ਲਾਉਣ ਸਮੇਂ ਜੇ ਰਕਮ ਜਮ੍ਹਾਂ ਕਰਵਾਈ ਗਈ ਹੈ ਉਹ ਇਸਦੀ ਸਰਵਿਸ ਦੇ ਚਾਰਜਿਡ ਹਨ। ਰੋਡ ਕੱਟ ਤੁਰਾਡੇ ਵੱਲੋਂ ਸੀਮੇਟ ਤੇ ਕਰੈਸਰ ਨਾਲ ਭਰਿਆ ਜਾਵੇਗਾ।

ਉਪਰੋਕਤ ਸ਼ਰਤਾਂ ਅਨੁਸਾਰ ਪਾਈਪ ਲਾਈਨ ਪਾਉਣ ਲਈ ਇਤਰਾਜ਼ ਹੀਣਤਾ ਸਰਟੀਫਿਕੇਟ ਜਾਰੀ ਕੀਤਾ ਜਾਂਦਾ ਹੈ।

ਕਾਰਜਕਾਰੀ ਇੰਜੀਨੀਅਰ (ਸ),  
ਪੰਜਾਬ ਮੰਡੀ ਬੋਰਡ,  
ਫਰੀਦਕੋਟ।

ਪਿੱਠ ਅੰਕਣ ਨੰ: ਮਿਤੀ:

ਉਪਰੋਕਤ ਦਾ ਉਤਾਰਾ ਉਪ ਮੰਡਲ ਅਫਸਰ (ਸ), ਪੰਜਾਬ ਮੰਡੀ ਬੋਰਡ, ਕੋਟਕਪੂਰਾ ਨੂੰ ਆਪ ਦੇ ਪੱਤਰ ਨੰ. 186 ਮਿਤੀ 03-06-2020

ਰਾਹੀ ਸੂਚਨਾ ਅਤੇ ਜਾਣਕਾਰੀ ਹਿੱਤ ਭੇਜਿਆ ਜਾਂਦਾ ਹੈ ਜੀ।

ਕਾਰਜਕਾਰੀ ਇੰਜੀਨੀਅਰ (ਸ),  
ਪੰਜਾਬ ਮੰਡੀ ਬੋਰਡ,  
ਫਰੀਦਕੋਟ।

Office Executive Engineer (S), Punjab Mandi Board, Faridkot.

Letter No.3034

Date 06/08/2020

TO

Gujarat Gas Limited  
3rd Floor SCO 109  
District Shopping Complex, near Post Office,  
B-Block, Ranjit Avenue, Amritsar.

**Subject:** Sri Muktsar Sahib Geographical Area (Muktsar Sahib Suppline) submission of payment for laying 8" Dia steel pipeline to be laid parallel and across various asphalted/melted road under your gambling in district Faridkot.

**Reference:** your letter no. GGL / Ferozpur Spl / PH - 2/Crs/per / 2020 dated 18-05-2020.

In the reference of above subject and reference the application of rod cut approval is given on the following terms & condition.

1. Pipes should be 3 feet deeper than the top of the pipe lines and it is your responsibility to refill the punched dug and patch it with cement.
2. If any kind of accident occurs in the area then you will be responsible for it.
3. The pipe should be installed only on both sides of your field. If someone else's land seems to be on the other side, then consent of the other party is required.
4. When laying someone else's land on the side where the pipe is to be laid, it will be your responsibility to get consent.
5. No one should object to the installation of pipes.
6. As per the policy, if any damage is caused to the pipes while widening the road, then this office will not be responsible.
7. If there is any proposal for widening in future then the road will be dug up. If there is any damage to the pipe line then these department will not be responsible
8. In the future if the road is broken due to pipes then you will be responsible for it.
9. Sign boards etc. will be your responsibility to prevent any accident while installing the pipe.
10. Road cut will be done in the presence of a representative office.
11. This place belongs to Mandi Board and the amount deposited for making road cut on the road is its service charge, the road cut will be filled with cement and crusher.

No Objection Certificate would be issued for laying the pipeline as per the above conditions

Executive Engineer (S),  
Punjab Mandi Board,  
Faridkot.

Copy of the above is sent to Sub Divisional Officer (S), Punjab Mandi Board, Kotkapura. Your letter No. 186 dated 03: 06-2020 is sent for information.

Executive Engineer (S),  
Punjab Mandi Board,  
Faridkot.



**O/O Executive Engineer,**

**Central Works Division, PWD, B&R Branch,**

**Distt. Administrative Complex, C-Block, Ferozepur**

**Telephone No: 01632-235419**

**Email id:- eecwdfzrpwdbp@gmail.com**

**To**

Gujrat Gas Limited,  
3rd Floor, SCO-109,  
District Shopping Complex,  
Nr. Passport Office, B-Block  
Ranjit Avenue, Amritsar,  
Punjab-143001.

No. 2384

Dated:

23/10/2020

**Subject:** Permission for laying 8" dia Steel Natural Gas Pipeline along route from (SH-16), section Kotkapura-Muktsar road (Total Length=14740meter) for development of City Gas Distribution Network in Geographical area of Muktsar Sahib District.

**Reference:** Your application No.GGL/Muktsar-Sahib/SH\_3/Sub\_Pay/2020 Dated 15.10.2020  
Received in this office on Dated 21.10.2020.


As requested vide your letter under reference, the permission to 8" dia Steel Natural Gas Pipeline along route from (SH- 16), section Kotkapura-Muktsar road (Total Length=14740meter)for development of city is hereby accorded subject to the following Conditions:-

1. That the Gas pipeline will be laid at the extreme edge of right of way (ROW) of road within one meter at the end of ROW .
2. In case any shifting or alternation in the position of the laid Gas pipeline is required due to widening of Highway and construction of fly over bridges, the Licensee will shift the same at his own cost within specified period.
3. Licensee will ensure shifting and security of all underground installation/utilities/ facilities and will be responsible for compensation/Identifications of concern authority for damage caused /claim or replacement suit for at his cost and risk.
4. The Licensee will be liable to give a notice of 15 days with routs details period to trenching for fresh maintenance repair work shall be furnished by the licensee.
5. The cable may be laid as per instructions issued by the Chief Secretary Local Govt. vide letter no 19531-39 dated 08.09.2000 and by MORTH, New Delhi vide memo No.RW/NH-12037/826-98 dated 17.08.1999, letter No. RW/NH-34066/2/95 S&R dated 25.10.1999 and memo no. RW/33044/17/2000/ S&R dated 29.09.2000.
6. The Licensee will fill & compact earth in trenches properly. In case of failure, it will be done by the Department and the cost will be deducted from the Bank Guarantee deposited by the Licensee.

continue.....

In the continuation of previous page:-


7. In case of any deviation, the NOC will stand automatically cancelled and bank guarantee will be forfeited.
8. The user Agency will have to comply Scheduled Road Act 1995 and other guidelines issued from time to time by the State Govt. as well as by MORTH New Delhi.
9. If the Agency failed to comply with the MORTH Guidelines/Conditions mentioned in the letter, the NOC granted by this office may be treated as cancelled/withdrawn.
10. The Licensee will be responsible for the construction and maintenance of berm/road at his own cost.
11. The Licensee will be bound to dismantle of road at his own cost where asked by the department during widening of road in future.
12. The Licensee shall have to comply with the instructions issued by the P.W.D/MORTH/H Punjab Govt. from time to time.
13. The Licensee will have to obtain permission from other Departments at his own level as per his requirements.
14. The Licensee will install required signage for information/safety of traffic as per coddle rules.

  
Executive Engineer,  
Central Works Division, PWD (B&R),  
Ferozepur.

Endst. No.

Dated

A copy of the above is forwarded to the Sub Divisional Engineer, Central Works Sub Division No:1, Ferozepur w.r.t. his office letter no:141 dated 10.09.2020 for information.

  
Executive Engineer,  
Central Works Division, PWD (B&R),  
Ferozepur.



No: 1740-45 /CDO /677/21

Dated: 10 /12/2021

From,

Director/Canal, (Nodal Officer),  
Water Resources Department,  
Punjab, Chandigarh.

To,

Sh. Satyen Trivedi,  
GA Head,  
Gujrat Gas Limited  
3<sup>rd</sup> Floor, SCO-109, District Shopping Complex,  
Nr. Passport Office, B-Block, Ranjit Avenue,  
Amritsar, Punjab-143001

- Subject:-
1. Ferozepur Spurline (phase-1) L: Request for getting permission for laying 12" dia steel natural gas pipeline from Village Goniana (Proposed Goniana Spurline Terminal) Tehsil/District Bathinda to Jai Motors HPCL Ferozepur Tehsil/District Ferozepur-pipeline laying parallel and across various Canal/Field channel under your jurisdiction.
  2. Sh. Muktsar Sahib city & surrounding Area Gas Distribution Network: Request for granting permission for laying 8" dia steel natural gas pipeline from village Kotakpura (GGL's Proposed Pipeline) Tehsil/District Faridkot to Muktsar Sahib and surrounding area- pipeline laying across to various canal under your jurisdiction.

Reference:-

- A. GGL/Ferozepur SL-1/Bathinda/Canal/Crs/Per/2021 Dated 17.06.2021
- B. GGL/ Deshraj Ratheshyam /Canal/Crs/Per/2021 Dated 17.06.2021
- C. GGL/ Sivian Connectivity /Canal/Per/2021 Dated 17.06.2021
- D. GGL/ Bhisiana Air Force /Canal /Per/2021 Dated 17.06.2021
- E. GGL/Ferozepur SL-1/Faridkot/Canal/Crs/Per/2021 Dated 17.06.2021
- F. GGL/ Muktar Sahib SL/ Faridkot /Canal/Crs/Per/2021 Dated 17.06.2021
- G. GGL/ Muktar Sahib SL/ Muktar Sahib /Canal/Crs/Per/2021 Dated 17.06.2021

With Reference to letter mentioned under reference vide which request was made to issue the permission for laying steel natural gas pipeline across to various canals/distributaries/Minors for 5 No. different Spurlines. The same case was forwarded to Superintending Engineer/ Sirhind Canal Circle Ludhiana, vide this office letter No. 1136-37/677/21 CDO/RC dated 26.7.2021 for sending the technical data/ field report along with recommendations. Out of 5 numbers different Spurlines, Superintending Engineer/ Sirhind Canal Circle Ludhiana has sent the technical data along with requisite recommendations for subject cited 2 numbers works for issuing the permission. The details of channels and their location of crossings are given below:-

1. Ferozepur Spurline (phase-1) L ( mentioned at serial No. 1 under subject):-For Laying 12" dia steel natural gas pipeline



Sno.	Name of Channel	Crossing R.D	Description	Remarks of Executive Engineer, Faridkot Canal Division vide his letter 1454/1-W dated 03/12/2021 (received in this office via email dt 03/12/2021) in response to mail sent by this office 01/12/2021.
1	Jaitu Disty.	43900	Across to Jaitu Disty.	
2	Matta Minor	15500	Across to Matta Minor canal	
3	Romana Minor	25900	Across to Romana Minor	Abandoned/ Curtailed channels. So Hydraulic data is not required for mentioned RD's
4	Assa Butter Feeder	23550	Across to upper Abohar Branch (Sirhind Canal)	
5	Dhaipai minor	22420	Across to Dhaipai minor	Abandoned/ Curtailed channels. So Hydraulic data is not required for mentioned RD's
6	Parallel to Kotkapura Disty TP 159 to TP 173 (Left side of Distributary outside the non petrol Bank)	18100 to 25900	Parallel to Kotkapura Disty TP 159 to TP 173 (Left side of Distributary outside the non petrol Bank)	
7	Kotkapura Disty.	18100	Across to Kotkapura Disty.	
8	Sandhwan Minor	3261	Across to Canal	
9	Faridkot Disty.	64400	Across to Faridkot Disty.	
10	Machaki Minor	1815	Across to Canal	
11	Raunta Disty	150290	Across to Disty.	

2. Sh. Muktersar Sahib city & surrounding Area Gas Distribution Network: (mentioned at serial No. 2 under subject) For Laying 8" dia steel natural gas pipeline

Sno.	Name of Channel	Crossing R.D	Description	Remarks of Executive Engineer, Faridkot Canal Division vide his letter 1454/1-W dated 03/12/2021 (received in this office via email dt 03/12/2021) in response to mail sent by this office 01/12/2021.
1	Kotkapura Disty.	31172	Across to Kotkapura Disty.	
2	Pipeline laying Parallel to Kotkapura Disty	25900 to 27700	Pipeline laying Parallel to Kotkapura Disty	
3	Pipeline laying Parallel to Kotkapura Disty	27700 to 31172	Pipeline laying Parallel to Kotkapura Disty	
4	Chirewan Minor	10690	Across to Faridkot Disty.	Abandoned/ Curtailed channels. So Hydraulic data is not required for mentioned RD's

Executive Engineer /Faridkot Canal Division, Faridkot vide his letter no. 1454/1-W dated 03/12/2021 (received in this office via email dt 03/12/2021) had sent the clarifications and recommended for issuing of NOC for above mentioned works.



Keeping in view the request of Superintending Engineer/Sirhind Canal Circle, Ludhiana vide his letter no. 2778-79/1-ਐਲ.ਐਚ.ਡੀ/ਫਰੀਦਕੋਟ/ਰੋਪੜ dated 24/11/2021 permission is granted for laying gas Pipe Line of 12" and 8" dia steel natural gas pipeline to cross at a minimum distance of 4.0m below (top of pipe) the bed level of canals/minors/channels and Pit location should be beyond the Right of Way (ROW) of the canal with the following terms & conditions:-


1. The laying of Pipes will be done strictly as per General X-section Drawings approved by Water Resources Department
2. Gujarat Gas Limited will start the work for laying the 12 Inch and 8 Inch steel natural gas pipeline, across/parallel the said canals/minors/channel only after depositing the requisite fee charges, supervision charges.
3. Gujarat Gas Limited will ensure that the work of drilling will be carried out by Horizontal Directional Drilling Method.
4. The drilling Pit will be excavated minimum 10 ft beyond the outer Toe of Bank to avoid disturbance of Phreatic Line and the depths of Top of Pipeline will be not less than 4 metre below the scoured bed level or existing bed level whichever is lower of the above said canals/minors/channels. During the process of drilling and installing underground pipelines, the existing condition of canals/minors/channels will not be disturbed at any cost.
5. The levels of natural gas pipeline will be in accordance with the Bench Mark of the canals/minors/channels
6. By laying the pipe line below the canals/minors/channels bed, it will be ensured that normal functioning/flow of canals/minors/channels is not affected/interrupted.
7. The work will be carried out as per instruction issued at site under the supervision of concerned Executive Engineer (or his representative) of Punjab Water Resources Department.
8. In case the pipe lines are affected due to future development and improvement of canals/minors/channel system by Punjab Water Resources Department, the cost of laying pipe lines for relaying rerouting/dismantling of pipe line will be borne by the Gujarat Gas Limited.
9. All temporary structures constructed during the execution will be removed and the site will be cleared of all the dismantled material within stipulated time period as desired by the concerned Executive Engineer.
10. In case NOC is required from other departments for laying pipeline. The same will be obtained by Gujarat Gas Limited from respective departments and if there is any damage to the essential services i.e. water supply, sewerage system, telecommunication lines & electricity supply etc. it will be the responsibility of the entity to get the service restored from the concerned department with immediate effect and the cost so incurred would be borne by the Entity.



11. Special precaution will be taken by the Gujarat Gas Limited for safety of canals/minors/channels bank and other infrastructure in the vicinity of site where crossing works is being undertaken. Clearance from concerned XEN will be obtained by the Gujarat Gas Limited before leaving the sites after laying of pipe lines. In case any accident occurs during or afterwards due to laying of pipe Lines, the Gujarat Gas Limited will be responsible for the same and will pay for losses and cost of restoration will be borne by the entity.

12. There should be no interference to the pucca works in the vicinity of proposed crossing site.

13. The Gujarat Gas Limited will abide by the rules/regulations/policy of Water Resources Department. The lease to Government land or any other expenditure like scrutiny fee, use of Canal land for laying the pipes, department charges/supervision charges or any other charges as applicable from time to time will be paid by the Gujarat Gas Limited



Senior Design Engineer/D.D-1,  
For: Director/Canal-cum-Nodal Officer,  
Water Resources Department,  
Punjab, Chandigarh.



Copy:-

1. Principal Secretary, Water Resources Department, Punjab Govt. Irrigation Branch (IP-3 Branch) for information please.
2. Chief Executive Officer, Punjab Bureau of Investment promotion Chandigarh for information please.
3. Chief Engineer/ canal, Water resources department, Punjab for information & necessary action please.
4. Superintending Engineer/Sirhind Canal Circle, Ludhiana w.r.t his letter no. 2778-79/1-  
ਐਲ.ਐਚ.ਡੀ/ਫਰੀਦਕੋਟ/ਚੋਪੜ dated 24/11/2021 for information and necessary action.
5. Executive engineer/ Faridkot Canal Division, Faridkot is directed that the work to be executed from the concerned Agency as per above said terms and conditions. Photocopy of check-list, undertaking and conditions regarding terms received from the Entity is hereby attached. The supervision charges and other charges as applicable may be got deposited from the Entity before start of work. As the company will deposit charges for laying the Gas pipe line for specific Length as mentioned above, in the absence of approved x-section/ L-section, the Executive Engineer/ Faridkot Canal Division, Faridkot will ensure that the company will lay the pipe for the same length and from same location for which Gujarat Gas Limited will deposit the Charges as per policy.