



क्षेत्रीय कार्यालय

दूरभाष : 05732-23387

ई-मेल : robulandshahar@uppcb.co

उत्तर प्रदेश प्रदूषण नियन्त्रण बोर्ड Uttar Pradesh Pollution Control Board

F-5, यमुनापुरम (MMR मॉल के पीछे), बुलन्दशहर-203001

सन्दर्भ : 450/N.O.C-1897/2020

दिनांक : 28.02.2020

सेवा में,

प्रभारी अधिकारी, (शस्त्र)/

अपर जिलाधिकारी, (प्रशासन),

बुलन्दशहर।

विषय-मै0 भारत पेट्रोलियम कॉरपोरेशन लि0, खसरा सं0-1233, ग्राम-सिकन्दराबाद देहात तहसील-सिकन्दराबाद, जनपद बुलन्दशहर द्वारा रिटेल आउटलेट पम्प हेतु पर्यावरणीय दृष्टिकोण से अनापत्ति प्रमाण पत्र के सम्बन्ध में।

महोदय,

कृपया उपरोक्त विषयक कार्यालय जिला मजिस्ट्रेट, बुलन्दशहर के पत्रांक: 239(6)/शस्त्र लिपिक-द्वितीय दिनांक 14.02.2020 का संदर्भ ग्रहण करने का कष्ट करें। इस सम्बन्ध में अवगत कराना है कि प्रस्तावित स्थल का निरीक्षण इस कार्यालय के प्राधिकृत अधिकारियों द्वारा दिनांक 27.02.2020 को किया गया। उक्त स्थल पर रिटेल आउटलेट पम्प की स्थापना हेतु पर्यावरणीय प्रदूषण की दृष्टिकोण से इस कार्यालय के पत्रांक: 92081/यू.पी.पी.सी.बी./बुलन्दशहर(यू.पी.पी.सी.बी.आर.ओ.)सी.टी.ई./बुलन्दशहर/2020 दिनांक 28.02.2020 द्वारा सशर्त अनापत्ति प्रमाण पत्र निर्गत किया गया है, जिसकी छायाप्रति संलग्न है।

उपरोक्त सूचना आपके अग्रिम आवश्यक कार्यवाही हेतु प्रेषित की जा रही है।
संलग्नक-उपरोक्तानुसार।

भवदीय

(जी0एस0 श्रीवास्तव)
क्षेत्रीय अधिकारी

अनार अविनाश
प्रादेशिक प्रबन्धक (रिटेल)
भारत पेट्रोलियम कॉरपोरेशन लिमिटेड
आबू का मकबरा, केसर गंज
मेरठ-250002 (उ0प्र0)

एम. ब्रह्मा (M. Brahma,
प्रबन्धक अभियांत्रिकी (रिटेल)
मेरठ रिटेल, टेस्टिंग
भारत पेट्रोलियम कॉरपोरेशन लिमिटेड
आबू का मकबरा केसरगंज मेरठ (उ0प्र0)

UTTAR PRADESH POLLUTION CONTROL BOARD

Validity Period :28/02/2020 To 27/02/2021

Ref No. - 92081/UPPCB/Bulandshahar(UPPCBRO)/CTE/BULAND SHAHAR/2020 Dated:- 28/02/2020

To ,

Shri MANSI MERATWAL
M/s BHARAT PETROLEUM CORPORATION LIMITED
KHASRA NO-1233 VILLAGE SIKANDRABAD DEHAT TEHSIL SIKANDRABAD
DISTRICT ,BULAND SHAHAR,
BULAND SHAHAR

Sub : Consent to Establish for New Unit/Expansion/Diversification under the provisions of Water (Prevention and control of pollution) Act, 1974 as amended and Air (Prevention and control of Pollution) Act, 1981 as amended.

Please refer to your Application Form No.- 8096192 dated - 25/02/2020. After examining the application with respect to pollution angle, Consent to Establish (CTE) is granted subject to the compliance of following conditions :

1. Consent to Establish is being issued for following specific details :

A- Site along with geo-coordinates : 28.4445540 77.7216750

B- Main Raw Material :

Main Raw Material Details		
Name of Raw Material	Raw Material Unit Name	Raw Material Quantity
MS (PETROL)	Kilo Liters/Month	15
HSD (DIESEL)	Kilo Liters/Month	20

C- Product with capacity :

Product Detail	
Name of Product	Product Quantity
STORAGE OF HSD (DIESEL) IN KL	20
STORAGE OF MS (PETROL) IN KL	15

D- By-Product if any with capacity :

By Product Detail			
Name of By Product	Unit Name	Licence Product Capacity	Install Product Capacity
N.A.	Metric Tonnes/Day	0	0

2. Water Requirement (in KLD) and its Source :

Source of Water Details		
Source Type	Name of Source	Quantity (KL/D)
Ground Water (within premises)	BORE WELL	1.0

3. Quantity of effluent (In KLD) :

Effluent Details	
Source Consumption	Quantity (KL/D)
Domestic	1.0

4. Fuel used in the equipment/machinery Name and Quantity (per day) :

Fuel Consumption Details		
Fuel	Consumption(tpd/kld)	Use

5. For any change in above mentioned parameters, it will be mandatory to obtain Consent to Establish again. No further expansion or modification in the plant shall be carried out without prior approval of U.P. Pollution Control Board.

For any change in above mentioned parameters, it will be mandatory to obtain Consent to Establish again. No further expansion or modification in the plant shall be carried out without prior approval of U.P. Pollution Control Board.

2. You are directed to furnish the progress of Establishment of plant and machinery, green belt, Effluent Treatment Plant and Air pollution control devices, by 10th day of completion of subsequent quarter in the Board.
3. Copy of the work order/purchase order, regarding instruction and supply of proposed Effluent Treatment Plant/Sewerage Treatment Plant /Air Pollution control System shall be submitted by the industry till 27/02/2021 to the Board.
4. Industry will not start its operation, unless CTO is obtained under water (Prevention and control of Pollution) Act, 1974 and Air (Prevention and control of Pollution) Act, 1981 from the Board.
5. It is mandatory to submit Air and Water consent Application, complete in all respect, four months before start of operation, to the U.P. Pollution Control Board.
6. Legal action under water (Prevention and control of Pollution) Act, 1974 and Air (Prevention and Control of Pollution) Act, 1981 may be initiated against the industry With out any prior information, in case of non compliance of above conditions.

Specific Conditions:

Retail Outlet should ensure strictly compliance of all terms & conditions with CTE and compliance report submitted within one month time.

1. This CTE valid for storage & distribution M.S.-(Petrol)-15 KL & H.S.D.(Diesel)-20 KL only.
2. This CTE only valid for discharge of domestic effluent only.
3. Domestic effluent shall be treated properly/discharged through septic tank in soak pit.
4. Retail Outlet shall insure the proper/sufficient plantation of your Retail Outlet campus for the improvement of environment nearby area and submit the compliance report within three month.
5. Retail Outlet shall insure the installation of Rain Water Harvesting system on your Retail Outlet campus and submit the compliance report within three months.
6. Retail Outlet should comply all the directions of M/s Bharat Petroleum Corporation Ltd.
7. Retail Outlet should comply all the directions of expressive and fire department.
8. Land conversion certificate should be submit within three month. If same shall not be submitted within three month hence CTE will be deemed cancelled.
9. The Retail Outlet shall comply with various provisions of Air (Prevention and Control of Pollution) Act 1981 as amended, Water (Prevention and Control of Pollution) Act 1974 as amended and all other applicable rules notified under E.P. Act 1986.

Please note that consent to Establish will be revoked, in case of, non compliance of any of the above mentioned conditions. Board reserves its right for amendment or cancellation of any of the conditions specified above. Industry is directed to submit its first compliance report regarding above mentioned specific and general conditions till 28/03/2020 in this office. Ensure to submit the regular compliance report otherwise this Consent to Establish will be revoked.

प्रदेशिक प्रबंधक (रिटेल)
भारत पेट्रोलियम कॉर्पोरेशन लिमिटेड
आबू का मकवरा, कैसर गंज
मेरठ-250002 (उप्र)

28/02/2020



एम. ब्रह्मा (M. Brahma,
प्रबंधक अभियांत्रिकी (रिटेल)
मेरठ रिटेल, टेरिटरी
भारत पेट्रोलियम कॉर्पोरेशन लिमिटेड
आबू का मकवरा कैसरगंज मेरठ (उप्र)

Govind
Shankar
Srivastava
Digitally signed by
Govind Shi
Srivastava
Date: 2020
14:03:18 +05'30'

Dated:- 28/02/ 20


Copy To -

Chief Environment Officer (C-4), U.P. Pollution Control Board,
Lucknow (U.P.)

Govind
Shankar
Srivastava

Digitally signed by
Govind Shankar
Srivastava
Date: 2020.02.28
14:03:46 +05'30'

गुनार अविनाश
प्रादेशिक प्रबन्धक (रिटेल)
भारत पेट्रोलियम कॉर्पोरेशन लिमिटेड
आबू का मकबरा, केसर गंज
मेरठ-250002 (उ०प्र०)


05/08/2020



एम. ब्रह्मा (M. Brahma,
प्रबन्धक अभियांत्रिकी (रिटेल)
मेरठ रिटेल, टेरिटरी
भारत पेट्रोलियम कॉर्पोरेशन लिमिटेड
आबू का मकबरा केसरगंज मेरठ (उ०प्र०)


05/08/2020