

"33 KV PROPOSED DIYAN S/S TO PROPOSED MIAO S/S"

SL.N O	AP NO	POLE NO	TYPE OF POLE	EXT.	ANGLE OF DEVIATION	SPAN	SECTION. LENGTH	CUMLTV. LENGTH	CROSSING	VILLAGE NAME	GPS (WGS-84)		REMARKS
											EASTING	NORTHING	
1	1	1	DP+0	0						Fish Firm	96°3'51.2"	27°32'34"	
2		1/1	SP+0	0		51							
3	2	2	FP+0	0	70°03'53" RT		101	101		Fish Firm	96°3'54.6"	27°32'35.3"	
4		2/1	SP+0	0		50							
5		2/2	SP+0	0		40							
6	3	3	DP+0	0	16°3'00" LT	50	140	241		Sompai 1	96°3'58.1"	27°32'32"	
7	4	4	DP+3	3	21°10'4" RT	66	66	307		Sompai 1	96°4'0.2"	27°32'31"	
8	5	5	DP+3	3	56°49'48" LT	16	16	323	Metal Road, 11Kv	Sompai 1	96°4'0.6"	27°32'30.6"	
9		5/1	SP+0	0		48							
10		5/2	SP+0	0		50							
11		5/3	SP+0	0		50							
12		5/4	SP+0	0		50							
13	6	6	SP+0	0	4°34'26" LT	50	248	571		Sompai 1	96°4'9.5"	27°32'31.4"	SP WITH ANGLE
14	7	7	DP+0	0	23°18'11" LT	38	38	609		Sompai 1	96°4'10.9"	27°32'31.6"	
15	8	8	DP+0	0	33°17'44" LT	22	22	631		Sompai 1	96°4'11.6"	27°32'32"	
16		8/1	SP+0	0		52							
17		8/2	SP+0	0		52			Metal Road				
18		8/3	SP+0	0		52			Metal Road				
19		8/4	SP+0	0		52			Metal Road				
20		8/5	SP+0	0		52			Metal Road				
21	9	9	DP+0	0	25°45'56" RT	39	312	943		Sompai 1	96°4'16"	27°32'41.3"	
22	10	10	DP+0	0	26°14'6" RT	48	39	982		Sompai 1	96°4'17.1"	27°32'42.1"	
23		10/1	SP+0	0		42	90	1072					
24	11	11	DP+0	0	17°23'36" LT	29	29	1101		Sompai 1	96°4'20.3"	27°32'42.9"	
25	12	12	DP+0	0	17°36'45" LT	23	23	1124		Sompai 1	96°4'21.2"	27°32'43.4"	
26	13	13	SP+0	0	4°59'34" LT	34				Sompai 1	96°4'21.7"	27°32'44"	SP WITH ANGLE
27		13/1	SP+0	0		18	52	1176					
28	14	14	DP+0	0	30°2'45" RT	50				Sompai 1	96°4'22.8"	27°32'45.4"	
29		14/1	SP+0	0		43	93	1269					
30	15	15	SP+0	0	2°26'3" RT	61				Sompai 1	96°4'25.9"	27°32'46.6"	SP WITH ANGLE
31		15/1	SP+0	0		60							
32		15/2	SP+0	0		59							
33		15/3	SP+0	0		59	239	1508					
34	16	16	SP+0	0	3°15'7" LT	46	46	1554		Sompai 1	96°4'33.9"	27°32'49.6"	SP WITH ANGLE
35	17	17	DP+0	0	11°11'48" LT	65				Sompai 1	96°4'35.4"	27°32'50.2"	
36		17/1	SP+0	0		64	129	1683					
37	18	18	SP+0	0	1°33'19" LT	51	51	1734		Sompai 1	96°4'39.2"	27°32'52.7"	SP WITH ANGLE

"33 KV PROPOSED DIYAN S/S TO PROPOSED MIAO S/S"

SL. NO	AP NO	POLE NO	TYPE OF POLE	EXT.	ANGLE OF DEVIATION	SPAN	SECTION. LENGTH	CUMULTV. LENGTH	CROSSING	VILLAGE NAME	GPS (WGS-84)		REMARKS
											EASTING	NORTHING	
38	19	19	FP+0	0	80°44'53" RT	51				Sompai 1	96°4'40.6"	27°32'53.8"	
39		19/1	SP+0	0		50							
40		19/2	SP+0	0		50	151	1885					
41	20	20	DP+0	0	12°39'0" LT	60				Sompai 1	96°4'44.7"	27°32'50.5"	
42		20/1	SP+0	0		59			Metal Road				
43		20/2	SP+0	0		59							
44		20/3	SP+0	0		59	237	2122					
45	21	21	SP+3	3	4°7'44" RT	33	33	2155	LT Line	Forest Camp	96°4'52.2"	27°32'46.7"	SP WITH ANGLE
46	22	22	DP+3	3	47°01'22" LT	19	19	2174	Metal Road, 11Kv	Forest Camp	96°4'53.2"	27°32'46.1"	
47	23	23	DP+3	3	30°19'25" RT	41	41	2215		Avoipur	96°4'53.9"	27°32'46.2"	
48	24	24	SP+0	0	3°48'51" RT	24	24	2239		Avoipur	96°4'55.3"	27°32'45.8"	SP WITH ANGLE
49	25	25	DP+0	0	20°7'39" RT	50				Avoipur	96°4'56.1"	27°32'45.6"	
50		25/1	SP+0	0		50							
51		25/2	SP+0	0		50							
52		25/3	SP+0	0		50							
53		25/4	SP+0	0		63	263	2502					
54	26	26	DP+0	0	36°2'10" LT	27	27	2529		Avoipur	96°5'3.3"	27°32'40"	
55	27	27	DP+0	0	27°30'05" LT	33	33	2562		Avoipur	96°5'4.3"	27°32'39.9"	
56	28	28	SP+0	0	9°22'6" LT	46				Avoipur	96°5'5.4"	27°32'40.3"	SP WITH ANGLE
57		28/1	SP+0	0		45							
58		28/2	SP+0	0		45	136	2698					
59	29	29	DP+0	0	33°19'21" RT	41				Avoipur	96°5'9.6"	27°32'42.6"	
60		29/1	SP+0	0		41	82	2780	Vill Road				
61	30	30	DP+0	0	17°32'55" RT	52				Diyun	96°5'12.6"	27°32'42.6"	
62		30/1	SP+0	0		55							
63		30/2	SP+0	0		55							
64		30/3	SP+0	0		55							
65		30/4	SP+0	0		55							
66		30/5	SP+0	0		55							
67		30/6	DP+0	0		55							USED DP AS A SECTION POLE
68		30/7	SP+0	0		55	437	3217					
69	31	31	SP+3	3	1°54'23" LT	32	32	3249	LT Line, Metal Road	Diyun	96°5'27.7"	27°32'37.9"	SP WITH ANGLE
70	32	32	SP+3	3	1°59'52" RT	54				Diyun	96°5'28.8"	27°32'37.6"	SP WITH ANGLE
71		32/1	SP+0	0		55	109	3358					

"33 KV PROPOSED DIYAN S/S TO PROPOSED MIAO S/S"

SL.N O	AP NO	POLE NO	TYPE OF POLE	EXT.	ANGLE OF DEVIATION	SPAN	SECTION. LENGTH	CUMLTV. LENGTH	CROSSING	VILLAGE NAME	GPS (WGS-84)		REMARKS
											EASTING	NORTHING	
72	33	33	SP+0	0	3°4'44" LT	34	34	3392		Diyun	96°5'32.5"	27°32'36.5"	SP WITH ANGLE
73	34	34	DP+0	0	2°7'9" RT	48				Diyun	96°5'33.7"	27°32'36.2"	
74		34/1	SP+0	0		48							
75		34/2	SP+0	0		48							
76		34/3	SP+0	0		48							
77	35	35	SP+4.5	4.5	0°59'10" RT	58	192	3584	11Kv	Diyun	96°5'40.4"	27°32'34.3"	SP WITH ANGLE
78		35/1	SP+4.5	4.5		55							
79		35/2	DP+0	0		55							USED DP AS A SECTION POLE
80		35/3	SP+0	0		55							
81		35/4	SP+0	0		55	278	3862					
82	36	36	SP+0	0	1°48'5" LT	41				Diyun	96°5'49.9"	27°32'31.3"	SP WITH ANGLE
83		36/1	SP+0	0		40	81	3943					
84	37	37	SP+0	0	0°37'56" RT	42	42	3985		Diyun	96°5'52.7"	27°32'30.5"	SP WITH ANGLE
85	38	38	DP+0	0	1°9'34" RT	63				Diyun	96°5'54.2"	27°32'30.1"	
86		38/1	SP+0	0		63	126	4111					
87	39	39	SP+0	0	0°26'11" RT	40				Diyun	96°5'58.5"	27°32'28.8"	SP WITH ANGLE
88		39/1	SP+0	0		41	81	4192					
89	40	40	SP+0	0	1°21'51" LT	57			Vill Road	Diyun	96°6'1.3"	27°32'27.9"	SP WITH ANGLE
90		40/1	SP+0	0		60	117	4309					
91	41	41	DP+0	0	0°7'56" RT	15	15	4324		Diyun	96°6'5.4"	27°32'26.7"	
92	42	42	SP+0	0	1°16'14" RT	36	36	4360	Vill Road	Diyun	96°6'5.9"	27°32'26.5"	SP WITH ANGLE
93	43	43	SP+0	0	3°23'56" LT	60	60	4420		Diyun	96°6'7.1"	27°32'26.1"	SP WITH ANGLE
94	44	44	SP+4.5	4.5	0°43'13" RT	48			11Kv, Vill Road	Diyun	96°6'9.2"	27°32'25.6"	SP WITH ANGLE
95		44/1	SP+4.5	4.5		48	96	4516					
96	45	45	SP+0	0	6°21'26" LT	19	19	4535		Diyun	96°6'12.6"	27°32'24.7"	SP WITH ANGLE
97	46	46	DP+1.5	1.5	39°1'3" RT	21	21	4556	LT Line	Diyun	96°6'13.3"	27°32'24.6"	
98	47	47	DP+1.5	1.5	32°28'16" LT	57	57	4613	LT Line, Vill Road	Diyun	96°6'13.8"	27°32'24.1"	
99	48	48	SP+3	3	0°0'0"	47	47	4660		Diyun	96°6'15.7"	27°32'23.5"	SP WITH ANGLE
100	49	49	SP+0	0	0°41'5" RT	40				Diyun	96°6'17.4"	27°32'23.1"	SP WITH ANGLE
101		49/1	SP+0	0		39	79	4739					
102	50	50	SP+0	0	1°12'12" RT	58	58	4797	River	Diyun	96°6'20.1"	27°32'22.3"	SP WITH ANGLE
103	51	51	SP+0	0	3°37'26" LT	31	31	4828		Diyun	96°6'22.1"	27°32'21.7"	SP WITH ANGLE
104	52	52	DP+0	0	2°13'31" RT	55				Diyun	96°6'23.2"	27°32'21.4"	
105		52/1	SP+0	0		56	111	4939					
106	53	53	SP+3	3	0°47'12" LT	61	61	5000	LT Line, Vill Road	Diyun	96°6'27.1"	27°32'20.3"	SP WITH ANGLE
107	54	54	SP+3	3	0°40'4" RT	45				Diyun	96°6'29.2"	27°32'19.7"	SP WITH ANGLE
108		54/1	SP+0	0		50							
109		54/2	SP+0	0		50			Vill Road				
110		54/3	SP+0	0		50	195	5195					
111	55	55	DP+0	0	1°15'1" RT	67	67	5262	Vill Road	Diyun	96°6'36"	27°32'17.8"	

"33 KV PROPOSED DIYAN S/S TO PROPOSED MIAO S/S"

SL.N O	AP NO	POLE NO	TYPE OF POLE	EXT.	ANGLE OF DEVIATION	SPAN	SECTION. LENGTH	CUMLTV. LENGTH	CROSSING	VILLAGE NAME	GPS (WGS-84)		REMARKS
											EASTING	NORTHING	
112	56	56	SP+1.5	1.5	0°0'56" RT	56				Diyun	96°6'38.3"	27°32'17.1"	SP WITH ANGLE
113		56/1	SP+0	0		55							
114		56/2	SP+0	0		55	166	5428					
115	57	57	DP+0	0	13°43'53" LT	36	36	5464	Metal Road	Diyun	96°6'44"	27°32'15.4"	
116	58	58	DP+0	0	13°58'6" RT	45				Diyun	96°6'45.3"	27°32'15.3"	
117		58/1	SP+0	0		45							
118		58/2	SP+0	0		45	135	5599					
119	59	59	SP+0	0	4°18'54" RT	26	26	5625		Diyun	96°6'50"	27°32'13.9"	SP WITH ANGLE
120	60	60	SP+0	0	7°55'28" LT	52	52	5677		Diyun	96°6'50.9"	27°32'13.5"	SP WITH ANGLE
121	61	61	SP+0	0	05°06'08" RT	22	22	5699		Diyun	96°6'52.7"	27°32'13.1"	SP WITH ANGLE
122	62	62	DP+0	0	21°48'5" LT	17	17	5716		Diyun	96°6'53.5"	27°32'12.8"	
123	63	63	DP+3	3	19°10'44" RT	24	24	5740	11kv	Diyun	96°6'54.1"	27°32'12.9"	
124	64	64	SP+4.5	4.5	1°16'14" RT	63			Vill Road	Diyun	96°6'54.9"	27°32'12.6"	SP WITH ANGLE
125		64/1	SP+0	0		63	126	5866					
126	65	65	DP+0	0	35°42'17" LT	57			FP	Jotipur Bl. I-III	96°6'59.3"	27°32'11.3"	
127		65/1	SP+0	0		57							
128		65/2	SP+0	0		57							
129		65/3	SP+0	0		57							
130		65/4	SP+0	0		57							
131		65/5	SP+0	0		57							
132		65/6	DP+0	0		57							USED DP AS A SECTION POLE
133		65/7	SP+0	0		57							
134		65/8	SP+0	0		57							
135		65/9	SP+0	0		57							
136		65/10	SP+0	0		57							
137		65/11	SP+0	0		57	684	6550					
138	66	66	DP+0	0	37°31'52" RT	60				Jotipur Bl. I-III	96°7'23.1"	27°32'17.6"	
139		66/1	SP+0	0		58							
140		66/2	SP+1.5	1.5		61	179	6729	LT Line				
141	67	67	SP+3	3	4°10'10" LT	55				Jotipur Bl. I-III	96°7'29.2"	27°32'15.5"	SP WITH ANGLE
142		67/1	SP+0	0		55							
143		67/2	SP+0	0		55							
144		67/3	DP+0	0		55							USED DP AS A SECTION POLE
145		67/4	SP+0	0		55							
146		67/5	SP+0	0		56							
147		67/6	SP+0	0		55	386	7115					
148	68	68	SP+0	0	1°9'26" LT	55				Santipur	96°7'42.7"	27°32'11.9"	SP WITH ANGLE
149		68/1	SP+0	0		50							
150		68/2	DP+0	0		55							USED DP AS A SECTION POLE
151		68/3	SP+0	0		60	220	7335	Nala				

"33 KV PROPOSED DIYAN S/S TO PROPOSED MIAO S/S"

SL.N O	AP NO	POLE NO	TYPE OF POLE	EXT.	ANGLE OF DEVIATION	SPAN	SECTION. LENGTH	CUMLTV. LENGTH	CROSSING	VILLAGE NAME	GPS (WGS-84)		REMARKS
											EASTING	NORTHING	
152	69	69	DP+0	0	17°34'7"LT	61				Santipur	96°7'50.4"	27°32'10"	
153		69/1	SP+0	0		62			Metal Road				
154		69/2	SP+0	0		62	185	7520					
155	70	70	DP+0	0	11°6'21"LT	55				Santipur	96°7'57.1"	27°32'10.2"	
156		70/1	SP+0	0		54							
157		70/2	SP+0	0		54							
158		70/3	SP+0	0		54							
159		70/4	SP+0	0		54	271	7791					
160	71	71	SP+0	0	4°7'50"RT	53				Santipur	96°8'8.7"	27°32'12.2"	SP WITH ANGLE
161		71/1	DP+0	0		53	106	7897					USED DP AS A SECTION POLE
162	72	72	SP+0	0	7°1'39"RT	50				Santipur	96°8'10.6"	27°32'12.7"	SP WITH ANGLE
163		72/1	SP+0	0		51	101	7998					
164	73	73	SP+0	0	7°57'12" RT	54	54	8052		Santipur	96°8'14.2"	27°32'12.8"	SP WITH ANGLE
165	74	74	DP+0	0	14°9'42"RT	50				Santipur	96°8'16.2"	27°32'12.6"	
166		74/1	SP+0	0		50							
167		74/2	SP+0	0		54							
168		74/3	SP+0	0		56	210	8262					
169	75	75	SP+0	0	4°31'38" LT	50				Santipur	96°8'23.4"	27°32'10.3"	SP WITH ANGLE
170		75/1	SP+0	0		50							
171		75/2	DP+0	0		50							USED DP AS A SECTION POLE
172		75/3	SP+0	0		50							
173		75/4	SP+0	0		56	256	8518					
174	76	76	SP+0	0	0°13'20" LT	55	55	8573		Madhupur	96°8'32.4"	27°32'8"	SP WITH ANGLE
175	77	77	SP+0	0	8°48'14" RT	53	53	8626		Madhupur	96°8'34.3"	27°32'7.6"	SP WITH ANGLE
176	78	78	DP+0	0	13°27'53" RT	60				Madhupur	96°8'36.1"	27°32'6.8"	
177		78/1	SP+4.5	4.5		62			11Kv				
178		78/2	SP+4.5	4.5		62							
179		78/3	SP+0	0		62			VIII Road				
180		78/4	SP+0	0		62	308	8934					
181	79	79	DP+0	0	19°26'34" LT	51				Madhupur	96°8'44.9"	27°32'0.7"	
182		79/1	SP+0	0		52							
183		79/2	SP+0	0		52							
184		79/3	SP+0	0		52							
185		79/4	SP+0	0		52	259	9193					
186	80	80	DP+0	0	12°35'50" RT	64			Nala	Madhupur	96°8'53.9"	27°31'58.1"	
187		80/1	SP+0	0		42							
188		80/2	SP+0	0		35	141	9334					
189	81	81	SP+4.5	4.5	1°34'13" RT	52			11Kv	Haripur	96°8'58.3"	27°31'55.7"	SP WITH ANGLE
190		81/1	SP+4.5	4.5		52							
191		81/2	SP+0	0		52	156	9490					
192	82	82	DP+0	0	9°31'37" LT	53				Haripur	96°9'3.1"	27°31'53"	

"33 KV PROPOSED DIYAN S/S TO PROPOSED MIAO S/S"

SL.N O	AP NO	POLE NO	TYPE OF POLE	EXT.	ANGLE OF DEVIATION	SPAN	SECTION. LENGTH	CUMULTV. LENGTH	CROSSING	VILLAGE NAME	GPS (WGS-84)		REMARKS
											EASTING	NORTHING	
193		82/1	SP+0	0		53							
194		82/2	SP+0	0		53							
195		82/3	SP+0	0		53	212	9702					
196	83	83	DP+0	0	35°43'30" RT	34			Vill Road	Haripur	96°9'10.2"	27°31'50.3"	
197		83/1	SP+0	0		50							
198		83/2	SP+0	0		50	134	9836					
199	84	84	SP+0	0	8°12'31" RT	50				Haripur	96°9'12.7"	27°31'46.6"	SP WITH ANGLE
200		84/1	SP+0	0		50							
201		84/2	SP+0	0		51	151	9987					
202	85	85	DP+0	0	6°12'28" LT	53				Haripur	96°9'14.9"	27°31'42.1"	
203		85/1	SP+0	0		53	106	10093					
204	86	86	SP+0	0	8°39'3" LT	54				Haripur	96°9'16.8"	27°31'39.1"	SP WITH ANGLE
205		86/1	SP+0	0		54							
206		86/2	SP+0	0		54							
207		86/3	SP+0	0		54							
208		86/4	SP+0	0		57	273	10366					
209	87	87	DP+0	0	7°57'1" LT	52				Haripur	96°9'22.9"	27°31'32.1"	
210		87/1	SP+0	0		52	104	10470					
211	88	88	DP+0	0	21°12'38" LT	54	54	10524		Haripur	96°9'25.6"	27°31'29.8"	
212	89	89	DP+0	0	18°28'7" LT	50				Haripur	96°9'27.4"	27°31'29.1"	
213		89/1	SP+0	0		51	101	10625					
214	90	90	DP+0	0	41°18'8" RT	51			Metal Road	Haripur	96°9'31.1"	27°31'28.8"	
215		90/1	SP+0	0		50							
216		90/2	SP+3	3		60			LT Line				
217		90/3	SP+3	3		60	221	10846	Vill Road				
218	91	91	DP+0	0	30°48'43" LT	54				Haripur	96°9'36.7"	27°31'23.7"	
219		91/1	SP+0	0		50							
220		91/2	SP+0	0		50	154	11000					
221	92	92	DP+0	0	40°3'39" LT	56				Haripur	96°9'42.1"	27°31'22.4"	
222		92/1	SP+0	0		57							
223		92/2	SP+0	0		57							
224		92/3	SP+0	0		57							
225		92/4	SP+4.5	4.5		57	284	11284	Vill Road, 11Kv				
226	93	93	DP+3	3	22°15'32" RT	53				Gautampur BI-I-II	96°9'51.5"	27°31'26.3"	
227		93/1	SP+0	0		50							
228		93/2	SP+0	0		50							
229		93/3	DP+3	3		98			Nala				USED DP POLE FOR LONG SPAN
230		93/4	DP+3	3		55							USED DP POLE FOR LONG SPAN
231		93/5	SP+0	0		53							
232		93/6	SP+0	0		53							
233		93/7	SP+0	0		53	465	11749					

"33 KV PROPOSED DIYAN S/S TO PROPOSED MIAO S/S"

SL.N O	AP NO	POLE NO	TYPE OF POLE	EXT.	ANGLE OF DEVIATION	SPAN	SECTION. LENGTH	CUMULTV. LENGTH	CROSSING	VILLAGE NAME	GPS (WGS-84)		REMARKS
											EASTING	NORTHING	
234	94	94	DP+0	0	18°18'2" RT	52	52	11801	Metal Road	Gautompur BI.I-II	96°10'8.4"	27°31'27.1"	
235	95	95	SP+0	0	0°26'21"LT	50	50	11851	Metal Road	Gautompur BI.I-II	96°10'10.3"	27°31'26.7"	SP WITH ANGLE
236	96	96	SP+0	0	8°5'39"LT	55				Gautompur BI.I-II	96°10'12"	27°31'26.2"	SP WITH ANGLE
237		96/1	SP+0	0		56							
238		96/2	SP+0	0		57							
239		96/3	SP+0	0		58	226	12077					
240	97	97	DP+0	0	8°9'58"LT	54				Gautompur BI.I-II	96°10'20.2"	27°31'25.4"	
241		97/1	SP+0	0		53	107	12184					
242	97A	97A	DP+0	0	11°56'39"LT	53				Gautompur BI.I-II	96°10'24.1"	27°31'25.4"	
243		97A/1	SP+0	0		53							
244		97A/2	SP+0	0		53	159	12343					
245	98	98	DP+0	0	23°26'8"RT	48				Gautompur BI.I-II	96°10'29.7"	27°31'26.6"	
246		98/1	SP+0	0		48							
247		98/2	SP+0	0		40							
248		98/3	SP+0	0		49	185	12528					
249	99	99	DP+0	0	26°24'43" RT	59				Gautompur BI.I-II	96°10'36.4"	27°31'25.6"	
250		99/1	SP+0	0		59							
251		99/2	SP+0	0		59	177	12705					
252	100	100	SP+3	3	0°35'58" LT	53	53	12758	LT Line	Gautompur BI.I-II	96°10'41.6"	27°31'22.1"	SP WITH ANGLE
253	101	101	DP+1.5	1.5	19°27'49"LT	46				Gautompur BI.I-II	96°10'43.1"	27°31'21.1"	
254		101/1	SP+0	0		45	91	12849					
255	102	102	FP+1.5	1.5	74°9'0" LT	47	47	12896	LT Line	Gautompur BI.I-II	96°10'46.3"	27°31'20.3"	
256	103	103	DP+1.5	1.5	21°25'31"LT	47	47	12943		Gautompur BI.I-II	96°10'47.2"	27°31'21.6"	
257	104	104	FP+0	0	95°58'4"RT	49			Nala	Gautompur BI.I-II	96°10'47.5"	27°31'23.1"	
258		104/1	SP+0	0		40	89	13032					
259	105	105	DP+0	0	23°16'54"RT	49				Maitripur	96°10'50.7"	27°31'22.2"	
260		105/1	SP+0	0		50							
261		105/2	SP+0	0		60							
262		105/3	SP+0	0		60							
263		105/4	SP+0	0		60	279	13311					
264	106	106	DP+0	0	34°55'56"LT	52	52	13363		Maitripur	96°10'58.4"	27°31'16.4"	
265	107	107	DP+0	0	29°21'52"LT	54	54	13417		Maitripur	96°11'0.3"	27°31'16.2"	
266	108	108	DP+0	0	10°35'38"RT	55				Maitripur	96°11'2.1"	27°31'16.9"	
267		108/1	SP+0	0		51							
268		108/2	SP+0	0		50			Vill Road				
269		108/3	SP+0	0		50							
270		108/4	SP+0	0		50	256	13673					
271	109	109	DP+0	0	7°52'41" RT	50				Maitripur	96°11'11.2"	27°31'18.9"	
272		109/1	SP+0	0		50							
273		109/2	SP+0	0		50							
274		109/3	SP+1.5	1.5		49	199	13872	LT Line				
275	110	110	DP+1.5	1.5	6°31'22" RT	53				Khagam Singpho	96°11'18.4"	27°31'19.5"	

"33 KV PROPOSED DIYAN S/S TO PROPOSED MIAO S/S"

SL.N O	AP NO	POLE NO	TYPE OF POLE	EXT.	ANGLE OF DEVIATION	SPAN	SECTION. LENGTH	CUMLTV. LENGTH	CROSSING	VILLAGE NAME	GPS (WGS-84)		REMARKS
											EASTING	NORTHING	
276		110/1	SP+0	0		50							
277		110/2	SP+0	0		65			Nala				
278		110/3	SP+0	0		65	233	14105	Vill Road				
279	111	111	DP+0	0	12°52'16" RT	46				Khagam Singpho	96°11'26.9"	27°31'19.4"	
280		111/1	SP+0	0		50							
281		111/2	SP+0	0		50	146	14251					
282	112	112	SP+3	3	3°52'49" RT	60			LT Line	Khagam Singpho	96°11'32.1"	27°31'18.2"	SP WITH ANGLE
283		112/1	SP+1.5	1.5		60							
284		112/2	SP+0	0		60							
285		112/3	DP+0	0		60							USED DP AS A SECTION POLE
286		112/4	SP+0	0		60							
287		112/5	SP+0	0		60							
288		112/6	SP+0	0		60							
289		112/7	SP+0	0		60	480	14731					
290	113	113	DP+0	0	13°54'22" LT	55				Khagam Singpho	96°11'48.7"	27°31'13.5"	
291		113/1	SP+0	0		58	113	14844					
292	114	114	DP+0	0	14°55'33" RT	50				Khagam Singpho	96°11'52.9"	27°31'13.3"	
293		114/1	SP+0	0		55	105	14949					
294	115	115	DP+0	0	46°43'20" RT	50				Khagam Singpho	96°11'56.5"	27°31'12.2"	
295		115/1	SP+0	0		57							
296		115/2	SP+0	0		50	157	15106					
297	116	116	DP+0	0	18°5'2" LT	56	56	15162	Metal Road	Khagam Singpho	96°11'58.9"	27°31'7.5"	
298	117	117	DP+0	0	10°34'5" LT	62				Khagam Singpho	96°12'0.3"	27°31'6.2"	
299		117/1	SP+0	0		62							
300		117/2	SP+0	0		62							
301		117/3	SP+0	0		62							
302		117/4	SP+0	0		62	310	15472					
303	118	118	DP+0	0	0°23'28" LT	58				Khagam Singpho	96°12'9.3"	27°31'0.2"	
304		118/1	SP+0	0		58							
305		118/2	SP+0	0		59							
306		118/3	SP+0	0		59							
307		118/4	SP+0	0		59							
308		118/5	SP+0	0		56							
309		118/6	SP+0	0		60	409	15881					
310	119	119	DP+0	0	3°23'12" LT	56				Khagam Singpho	96°12'21.3"	27°30'52.3"	
311		119/1	SP+3	3		54	110	15991	LT Line	Khagam Singpho	96°12'24.7"	27°30'50.4"	SP WITH ANGLE
312	120	120	SP+3	3	2°28'48" RT	50							
313		120/1	SP+0	0		43	93	16084					
314	120A	120A	SP+0	0	5°53'57" RT	53				Khagam Singpho	96°12'27.4"	27°30'48.6"	SP WITH ANGLE
315		120A/1	SP+0	0		50	103	16187					
316	121	121	DP+0	0	10°40'34" RT	58				Pisi	96°12'30.3"	27°30'46.4"	

"33 KV PROPOSED DIYAN S/S TO PROPOSED MIAO S/S"

SL.N O	AP NO	POLE NO	TYPE OF POLE	EXT.	ANGLE OF DEVIATION	SPAN	SECTION. LENGTH	CUMULTV. LENGTH	CROSSING	VILLAGE NAME	GPS (WGS-84)		REMARKS
											EASTING	NORTHING	
317		121/1	SP+0	0									
318		121/2	SP+0	0		59							
319		121/3	SP+0	0		59							
320		121/4	SP+0	0		59							
321		121/5	SP+0	0		63	357	16544					
322	122	122	DP+0	0	1°20'37" RT	52				Pisi	96°12'38.2"	27°30'37.3"	
323		122/1	SP+0	0		52							
324		122/2	SP+0	0		52							
325		122/3	SP+0	0		52							
326		122/4	SP+0	0		53	261	16805					
327	123	123	DP+3	3	26°30'48" RT	59	59	16864	11Kv, Metal Road	Pisi	96°12'43.9"	27°30'30.5"	
328	124	124	DP+3	3	42°24'6" LT	54				Pisi	96°12'44.3"	27°30'28.6"	
329		124/1	SP+4.5	4.5		54							
330		124/2	SP+0	0		54							
331		124/3	SP+0	0		54							
332		124/4	SP+0	0		54							
333		124/5	SP+0	0		54							
334		124/6	SP+0	0		54	378	17242					
335	125	125	DP+0	0	10°31'15" RT	51				Pisi	96°12'55.2"	27°30'21.1"	
336		125/1	SP+0	0		50							
337		125/2	SP+0	0		50							
338		125/3	SP+0	0		50							
339		125/4	SP+0	0		50							
340		125/5	SP+0	0		60	311	17553					
341	126	126	DP+0	0	25°44'48" LT	40				Pisi	96°13'2.8"	27°30'13.6"	
342		126/1	SP+0	0		45	85	17638					
343	127	127	DP+0	0	13°44'19" LT	63				Pisi	96°13'5.7"	27°30'12.5"	
344		127/1	SP+0	0		60							
345		127/2	SP+0	0		64	187	17825	Nala				
346	128	128	DP+0	0	16°23'44" LT	56				Pisi	96°13'12.4"	27°30'11.6"	
347		128/1	SP+0	0		60							
348		128/2	SP+0	0		60							
349		128/3	SP+0	0		60	236	18061					
350	129	129	DP+0	0	12°15'52" RT	56				Pisi	96°13'20.9"	27°30'12.7"	
351		129/1	SP+0	0		57							
352		129/2	SP+0	0		57							
353		129/3	SP+0	0		57							
354		129/4	SP+0	0		57							
355		129/5	SP+0	0		57							
356		129/6	DP+0	0		57							USED DP AS A SECTION POLE
357		129/7	SP+0	0		60							

"33 KV PROPOSED DIYAN S/S TO PROPOSED MIAO S/S"

SL.N O	AP NO	POLE NO	TYPE OF POLE	EXT.	ANGLE OF DEVIATION	SPAN	SECTION. LENGTH	CUMLTV. LENGTH	CROSSING	VILLAGE NAME	GPS (WGS-84)		REMARKS
											EASTING	NORTHING	
358		129/8	SP+0	0									
						58							
359		129/9	SP+0	0									
						60							
360		129/10	SP+0	0									
						58							
361		129/11	SP+0	0									
						58							
362		129/12	DP+0	0									USED DP AS A SECTION POLE
						58							
363		129/13	SP+0	0									
						58	808	18869					
364	130	130	DP+0	0	33°1'51" RT					Pisi	96°13'50.3"	27°30'10.7"	
						55							
365		130/1	SP+0	0									
						55							
366		130/2	SP+0	0									
						55							
367		130/3	SP+0	0									
						55							
368		130/4	SP+0	0									
						55							
369		130/5	SP+0	0									
						55							
370		130/6	DP+0	0									USED DP AS A SECTION POLE
						55							
371		130/7	SP+0	0									
						57							
372		130/8	SP+0	0									
						62	504	19373					
373	131	131	FP+3	3	17°1'51" LT					TVS Miao	96°14'4.8"	27°30'0.7"	
						89	89	19462					
374	132	132	SPL.	0	54°50'19" RT					TVS Miao	96°14'7.9"	27°29'59.7"	
						399	399	19861	Diyan River				
375	133	133	SPL.	3	20°47'5" RT					TVS Miao	96°14'11.6"	27°29'47.2"	
						43			11Kv				
376		133/1	FP+3	3									
						60							
377		133/2	SP+0	0									
						62							
378		133/3	SP+0	0									
						63							
379		133/4	SP+0	0									
						47	275	20136					
380	134	134	DP+0	0	58°27'22" RT					TVS Miao	96°14'10.5"	27°29'38.3"	
						53			Vill Road				
381		134/1	SP+0	0									
						50							
382		134/2	SP+0	0									
						50							
383		134/3	SP+0	0									
						50							
384		134/4	SP+0	0									
						50	253	20389					
385	135	135	DP+0	0	32°25'16" LT					TVS Miao	96°14'2.2"	27°29'34.8"	
						46							
386		135/1	SP+0	0									
						45	91	20480					
387	136	136	DP+1.5	1.5	53°25'11" RT					TVS Miao	96°14'0.4"	27°29'32.3"	
						53	53	20533					
388	137	137	SP+3	3	1°57'17" LT				LT Line, Vill Road	TVS Miao	96°13'58.5"	27°29'32.1"	SP WITH ANGLE
						52							
389		137/1	SP+0	0									
						52							
390		137/2	SP+0	0									
						40	144	20677					
391	138	138	DP+0	0	47°54'14" RT					TVS Miao	96°13'53.3"	27°29'31.6"	
						53	53	20730					
392	139	139	DP+1.5	1.5	3°55'38" RT					TVS Miao	96°13'51.9"	27°29'32.7"	
						74	74	20804					
393	140	140	DP+0	0	18°25'9" LT					TVS Miao	96°13'50"	27°29'34.4"	
						47	47	20851					
394	141	141	FP+0	0	63°37'27"LT					TVS Miao	96°13'48.5"	27°29'35.1"	
						52							
395		141/1	SP+0	0									
						50	102	20953	Vill Road				
396	142	142	FP+0	0	76°17'41"RT					TVS Miao	96°13'45.5"	27°29'33.2"	
						54							
397		142/1	SP+0	0									
						54	108	21061					

"33 KV PROPOSED DIYAN S/S TO PROPOSED MIAO S/S"

SL.N O	AP NO	POLE NO	TYPE OF POLE	EXT.	ANGLE OF DEVIATION	SPAN	SECTION. LENGTH	CUMLTV. LENGTH	CROSSING	VILLAGE NAME	GPS (WGS-84)		REMARKS
											EASTING	NORTHING	
398	143	143	DP+0	0	38°18'31" LT	56				RWC Miao	96°13'42.5"	27°29'35.4"	
399		143/1	SP+6	6		55	111	21172	Vill Road				
400	144	144	DP+4.5	4.5	51°34'12"LT	61	61	21233		RWC Miao	96°13'38.4"	27°29'35.5"	
401	145	145	DP+4.5	4.5	56°42'10"RT	52			33Kv	RWC Miao	96°13'37"	27°29'34"	
402		145/1	SP+6	6		45	97	21330					
403	146	146	DP+4.5	4.5	25°14'15"LT	57			Vill Road, 33Kv	RWC Miao	96°13'33.5"	27°29'34.3"	
404		146/1	SP+6	6		56							
405		146/2	SP+0	0		57							
406		146/3	SP+0	0		57							
407		146/4	SP+0	0		57							
408		146/5	DP+0	0		57							USED DP AS A SECTION POLE
409		146/6	SP+0	0		57	398	21728					
410	147	147	DP+0	0	40°31'12" LT	59				RWC Miao	96°13'19.7"	27°29'30.1"	
411		147/1	SP+0	0		60	119	21847					
412	148	148	DP+0	0	11°5'15" RT	55				Miao	96°13'17.5"	27°29'26.8"	
413		148/1	SP+0	0		55							
414		148/2	SP+0	0		56	166	22013					
415	149	149	DP+0	0	13°27'15" LT	51				Miao	96°13'13.5"	27°29'22.8"	
416		149/1	SP+0	0		55							
417		149/2	SP+0	0		55							
418		149/3	SP+0	0		55							
419		149/4	SP+0	0		55	271	22284					
420	150	150	DP+0	0	34°6'55" RT	59				Miao	96°13'8.8"	27°29'15.1"	
421		150/1	SP+0	0		57							
422		150/2	SP+0	0		57							
423		150/3	SP+0	0		57							
424		150/4	SP+0	0		57	287	22571					
425	151	151	DP+0	0	32°12'24" LT	50				Miao	96°12'59.6"	27°29'10.7"	
426		151/1	SP+0	0		50							
427		151/2	SP+0	0		50							
428		151/3	SP+0	0		53	203	22774					
429	152	152	SP+0	0	5°58'47" RT	51				Miao	96°12'55.9"	27°29'5"	SP WITH ANGLE
430		152/1	SP+0	0		50							
431		152/2	SP+0	0		50	151	22925					
432	153	153	DP+0	0	0°52'42" LT	45				Miao	96°12'52.6"	27°29'1.1"	
433		153/1	SP+0	0		45							
434		153/2	SP+0	0		50							
435		153/3	SP+0	0		43							
436		153/4	SPL.	0		238	421	23346	2Nos Vill Road				
437	154	154	SPL.	0	26°30'30" RT	63				Miao	96°12'43.8"	27°28'49.9"	
438		154/1	SP+0	0		63							

"33 KV PROPOSED DIYAN S/S TO PROPOSED MIAO S/S"

SL.N O	AP NO	POLE NO	TYPE OF POLE	EXT.	ANGLE OF DEVIATION	SPAN	SECTION. LENGTH	CUMULTV. LENGTH	CROSSING	VILLAGE NAME	GPS (WGS-84)		REMARKS
											EASTING	NORTHING	
439		154/2	SP+0	0		63							
440		154/3	SP+0	0		63							
441		154/4	SP+0	0		60	312	23658					
442	155	155	DP+0	0	1°11'2" RT	50				Miao	96°12'33.8"	27°28'45.1"	
443		155/1	SP+0	0		50							
444		155/2	SP+0	0		50	150	23808					
445	156	156	DP+0	0	25°58'49"RT	32				Miao	96°12'28.9"	27°28'42.9"	
446		156/1	SP+1.5	1.5		68							
447		156/2	SP+1.5	1.5		52							
448		156/3	SP+0	0		60	212	24020					
449	157	157	DP+0	0	29°38'46" LT	53				Miao	96°12'21.2"	27°28'42.8"	
450		157/1	SP+0	0		60			Nala, Vill Road				
451		157/2	SP+0	0		60	173	24193	2Nos Tea Garden				
452	158	158	DP+0	0	24°36'44" RT	53				Miao	96°12'15.8"	27°28'39.9"	
453		158/1	SP+0	0		54			Tea Garden				
454		158/2	SP+3	0		50	157	24350	Tea Garden, LT Line, Vill Road				
455	159	159	DP+1.5	0	59°30'2"RT	60				Miao	96°12'10.1"	27°28'39.4"	
456		159/1	SP+0	0		60							
457		159/2	SP+0	0		61			Nala				
458		159/3	SP+0	0		60			Nala				
459		159/4	SP+0	0		60							
460		159/5	SP+0	0		63	364	24714					
461	160	160	DP+0	0	27°33'4" RT	65				Miao	96°12'2.2"	27°28'48.9"	
462		160/1	SP+0	0		65							
463		160/2	SP+0	0		64	194	24908					
464	161	161	SP+0	0	5°36'7" RT	64				Miao	96°12'1.1"	27°28'55.1"	SP WITH ANGLE
465		161/1	SP+0	0		63							
466		161/2	SP+0	0		63	190	25098	Vill Road				
467	162	162	FP+0	0	91°58'32"LT	64	64	25162		Miao	96°12'0.7"	27°29'1.3"	
468	163	163	DP+0	0	10°27'29"RT	56	56	25218	Un Metal Road	Miao	96°11'58.4"	27°29'1"	
469	164	164	DP+0	0	31°33'10" RT	50				Miao	96°11'56.3"	27°29'1.2"	
470		164/1	SP+0	0		60							
471		164/2	SP+0	0		60	170	25388					
472	165	165	DP+4.5	4.5	14°5'26" LT	45	45	25433	33Kv	Miao	96°11'51.2"	27°29'4.3"	
473	166	166	DP+4.5	4.5	13°14'10" RT	51				Miao	96°11'49.7"	27°29'4.8"	
474		166/1	SP+0	0		50							
475		166/2	SP+0	0		50	151	25584					
476	167	167	DP+0	0	9°49'0" LT	53				Miao	96°11'45.2"	27°29'7.6"	
477		167/1	SP+0	0		54							
478		167/2	SP+0	0		54							
479		167/3	SP+0	0		54							

"33 KV PROPOSED DIYAN S/S TO PROPOSED MIAO S/S"

SL.N O	AP NO	POLE NO	TYPE OF POLE	EXT.	ANGLE OF DEVIATION	SPAN	SECTION. LENGTH	CUMLTV. LENGTH	CROSSING	VILLAGE NAME	GPS (WGS-84)		REMARKS
											EASTING	NORTHING	
480		167/4	SP+0	0		54							
481		167/5	SP+0	0		54	323	25907					
482	168	168	DP+0	0	22°26'35" LT	58				Miao	96°11'34.4"	27°29'11.9"	
483		168/1	SP+0	0		57							
484		168/2	SP+0	0		57							
485		168/3	SP+0	0		57							
486		168/4	SP+0	0		57							
487		168/5	SP+0	0		57							
488		168/6	DP+0	0		57							USED DP AS A SECTION POLE
489		168/7	SP+0	0		57	457	26364					
490	169	169	SP+0	0	4°39'14" RT	50				Miao	96°11'17.8"	27°29'12.3"	SP WITH ANGLE
491		169/1	SP+0	0		50							
492		169/2	SP+0	0		55							
493		169/3	SP+0	0		55	210	26574					
494	170	170	DP+0	0	34°26'4" LT	50				Miao	96°11'10.2"	27°29'13.1"	
495		170/1	SP+0	0		55							
496		170/2	SP+0	0		55							
497		170/3	SP+0	0		55							
498		170/4	SP+0	0		55							
499		170/5	SP+0	0		55							
500		170/6	SP+6	6		55	380	26954	33Kv				
501	171	171	DP+4.5	4.5	20°24'54" RT	59				Miao	96°10'58"	27°29'7.3"	
502		171/1	SP+0	0		57							
503		171/2	SP+0	0		57							
504		171/3	SP+0	0		57							
505		171/4	SP+0	0		57							
506		171/5	SP+0	0		57							
507		171/6	DP+0	0		57							USED DP AS A SECTION POLE
508		171/7	SP+0	0		57							
509		171/8	SP+6	6		57	515	27469	33Kv				
510	172	172	DP+4.5	4.5	10°21'24" LT	53			Metal Road	Miao	96°10'39.4"	27°29'5"	
511		172/1	SP+0	0		51							
512		172/2	SP+0	0		60							
513		172/3	SP+0	0		58	222	27691					
514	173	173	FP+0	0	92°8'9" LT	54				Miao	96°10'35.7"	27°29'11.4"	
515		173/1	SP+0	0		53							
516		173/2	SP+0	0		53							
517		173/3	SP+0	0		53							
518		173/4	SP+0	0		53							
519		173/5	SP+0	0		53							

"33 KV PROPOSED DIYAN S/S TO PROPOSED MIAO S/S"

SL. NO	AP NO	POLE NO	TYPE OF POLE	EXT.	ANGLE OF DEVIATION	SPAN	SECTION. LENGTH	CUMULTV. LENGTH	CROSSING	VILLAGE NAME	GPS (WGS-84)		REMARKS
											EASTING	NORTHING	
520		173/6	SP+0	0									
						53	372	28063					
521	174	174	DP+0	0	47°1'56" LT					Miao	96°10'23.9"	27°29'5.5"	
						51							
522		174/1	SP+0	0									
						55							
523		174/2	SP+0	0									
						55							
524		174/3	SP+0	0									
						55			Metal Road				
525		174/4	SP+0	0									
						55	271	28334					
526	175	175	DP+0	0	16°10'48" RT					Miao	96°10'21.6"	27°28'57"	
						54							
527		175/1	SP+0	0									
						55	109	28443					
528	176	176	DP+0	0	46°24'38" LT					Miao	96°10'19.9"	27°28'53.8"	
						50							
529		176/1	SP+0	0									
						53							
530		176/2	SP+0	0									
						53							
531		176/3	SP+0	0									
						53							
532		176/4	SP+0	0									
						53	262	28705					
533	177	177	FP+0	0	72°29'34" RT					Miao	96°10'23.3"	27°28'45.8"	
						46	46	28751					
534	178	178	DP+0	0						Miao	96°10'21.9"	27°28'44.9"	