

DETAIL POAL SCHEDULE OF "33 KV PROPOSED MIAO S/S TO PROPOSED KHARSANG S/S"

SL. N O	AP NO	POLE NO	TYPE OF POLE	EXT.	ANGLE OF DEVIATION	SPAN	SECTION. LENGTH	CUMLTV. LENGTH	CROSSING	VILLAGE NAME	GPS CO-ORDINATE(WGS-84)	
											EASTING	NORTHING
1	1	1/0	DP+0	0						TR CAMP	96°10'18.1"	27°28'45.6"
2	2	2/0	FP+0	0	80°1'14"RT	38	38	38	S/S Boundary, Vill Road			
						49					96°10'16.9"	27°28'45.1"
3		2/1	SP+0	0		50						
4		2/2	SP+0	0								
						50	149	187				
5	3	3/0	FP+0	0	91°38'50"LT					TR CAMP	96°10'13.7"	27°28'49"
						55						
6		3/1	SP+0	0		55						
7		3/2	SP+0	0		55						
8		3/3	SP+0	0								
						55						
9		3/4	SP+0	0		55	275	462				
10	4	4/0	DP+0	0	7°27'23"LT					TR CAMP	96°10'5.8"	27°28'43.5"
						54						
11		4/1	SP+0	0		54						
12		4/2	SP+0	0		55						
13		4/3	SP+0	0		55						
14		4/4	SP+0	0		55						
15		4/5	SP+0	0		55						
16		4/6	DP+0	0		55						
17		4/7	SP+0	0		55	438	900		TR CAMP	96°9'54.6"	27°28'33.3"
18	5	5/0	SP+0	0	5°27'39"LT	50						
19		5/1	SP+0	0		52						
20		5/2	SP+0	0		52						
21		5/3	SP+0	0		52						
22		5/4	SP+0	0		52	258	1158				
23	6	6/0	DP+0	0	2°26'34"LT	53				TR CAMP	96°9'48.7"	27°28'26.8"
24		6/1	SP+0	0		52						
25		6/2	SP+0	0		52						
26		6/3	SP+0	0		51	208	1366				
27	7	7/0	DP+0	0	16°17'13"RT	56			Metal Road	NAMPHAI-2	96°9'44.2"	27°28'21.3"
28		7/1	SP+0	0		55	111	1477				
29	8	8/0	SP+0	0	1°26'13"RT					NAMPHAI-2	96°9'41"	27°28'19.2"
						56						
30		8/1	SP+0	0		55						
31		8/2	SP+0	0		55						
32		8/3	SP+0	0		55						
33		8/4	SP+0	0		55	276	1753	Vill Road			
34	9	9/0	DP+0	0	33°34'43"LT	64				NAMPHAI-2	96°9'33.2"	27°28'13.6"
35		9/1	SP+0	0		65						
36		9/2	SP+0	0		64						
37		9/3	SP+0	0		64						
38		9/4	SP+0	0		64	321	2074	Vill Road			
39	10	10/0	SP+0	0	1°36'29"RT	50				NAMPHAI-2	96°9'29.6"	27°28'3.7"
40		10/1	SP+0	0		50						
						50	100	2174				

DETAIL POAL SCHEDULE OF "33 KV PROPOSED MIAO S/S TO PROPOSED KHARSANG S/S"

SL. N O	AP NO	POLE NO	TYPE OF POLE	EXT.	ANGLE OF DEVIATION	SPAN	SECTION. LENGTH	CUMLTV. LENGTH	CROSSING	VILLAGE NAME	GPS CO-ORDINATE(WGS-84)	
											EASTING	NORTHING
41	11	11/0	DP+0	0	27°1'18"RT					NAMPHAI-2	96°9'28.6"	27°28'0.5"
42	12	12/0	SP+0	0	4°40'1"LT	60	60	2234		NAMPHAI-2	96°9'27.1"	27°27'59.1"
43		12/1	SP+0	0		60						
44		12/2	SP+0	0		62						
45		12/3	SP+0	0		63			Tea Garden			
46		12/4	SP+0	0		63			Vill Road, Tea Garden			
47	13	13/0	DP+0	0	18°7'55"LT	60	308	2542		NAMPHAI-2	96°9'20.1"	27°27'51.3"
48		13/1	SP+0	0		60						
49		13/2	SP+3	3		60						
50	14	14/0	SP+3	3	6°48'59"RT	55	175	2717	33Kv	OLD CHAMPO	96°9'17.9"	27°27'46"
51		14/1	SP+0	0		63			Metal Road			
52		14/2	SP+0	0		63						
53		14/3	DP+0	0		63						
54		14/4	SP+0	0		63	315	3032	Tea Garden			
55	15	15/0	DP+0	0	15°10'52"LT	63			Tea Garden	OLD CHAMPO	96°9'12.7"	27°27'36.9"
56		15/1	SP+0	0		64						
57		15/2	SP+0	0		64	191	3223				
58	16	16/0	DP+0	0	46°53'27"RT	61				OLD CHAMPO	96°9'11.2"	27°27'30.8"
59		16/1	SP+0	0		60						
60		16/2	SP+0	0		60	181	3404	Tea Garden			
61	17	17/0	DP+0	0	19°35'22"RT	65			Tea Garden	OLD CHAMPO	96°9'5.6"	27°27'27.8"
62		17/1	SP+0	0		64	129	3533	33Kv			
63	18	18/0	SP+3	3	4°42'17"RT	54	54	3587	LT Line, Un-Metal Road	OLD CHAMPO	96°9'1"	27°27'26.9"
64	19	19/0	SP+3	3	1°47'10"RT	59				OLD CHAMPO	96°8'59"	27°27'26.7"
65		19/1	SP+0	0		60						
66		19/2	SP+0	0		60						
67		19/3	DP+0	0		60						
68		19/4	SP+0	0		60						
69		19/5	SP+0	0		60						
70		19/6	SP+0	0		60	419	4006				
71	20	20/0	DP+0	0	17°10'19"LT	44			Church Boundary	OLD CHAMPO	96°8'43.8"	27°27'25.5"
72		20/1	SP+0	0		50			Church Boundary			
73		20/2	SP+0	0		50			Church Boundary			
74		20/3	SP+0	0		50	194	4200	Church Boundary			
75	21	21/0	DP+0	0	16°33'18"RT	50			Church Boundary, Tea Garden	OLD CHAMPO	96°8'37.3"	27°27'23.2"
76		21/1	SP+0	0		50			Tea Garden			
77		21/2	SP+0	0		50			Tea Garden			
78		21/3	SP+0	0		55						
79		21/4	SP+0	0		55						
80		21/5	SP+0	0		55	315	4515				

DETAIL POAL SCHEDULE OF "33 KV PROPOSED MIAO S/S TO PROPOSED KHARSANG S/S"

SL. N O	AP NO	POLE NO	TYPE OF POLE	EXT.	ANGLE OF DEVIATION	SPAN	SECTION. LENGTH	CUMLTV. LENGTH	CROSSING	VILLAGE NAME	GPS CO-ORDINATE(WGS-84)	
											EASTING	NORTHING
81	22	22/0	DP+0	0	22°4'14"LT					OLD CHAMPO	96°8'25.9"	27°27'22.1"
82		22/1	SP+0	0		50						
83		22/2	SP+0	0		60						
84		22/3	SP+0	0		60						
85		22/4	SP+0	0		60						
86		22/5	SP+0	0		60						
87		22/6	DP+0	0		60						
88		22/7	SP+0	0								
89	23	23/0	DP+0	0	15°56'44"RT	50	460	4975		OLD CHAMPO	96°8'11.1"	27°27'15.2"
90		23/1	SP+0	0		60						
91		23/2	SP+0	0		60						
92		23/3	SP+0	0		60						
93		23/4	SP+0	0		60						
94		23/5	SP+0	0		58	348	5323				
95	24	24/0	DP+0	0	14°24'15"LT	47				CHAMPO	96°7'58.7"	27°27'12.9"
96		24/1	SP+0	0		55						
97		24/2	SP+0	0		50						
98		24/3	SP+0	0		50						
99		24/4	SP+0	0		50	252	5575				
100	25	25/0	DP+3	3	20°57'48"RT	58	58	5633	33Kv, Metal Road	CHAMPO	96°7'50.4"	27°27'9.3"
101	26	26/0	DP+3	3	32°16'22"LT	50				CHAMPO	96°7'48.3"	27°27'9.1"
102		26/1	SP+0	0		50						
103		26/2	SP+0	0		55						
104		26/3	SP+0	0		55						
105		26/4	SP+0	0		60						
106		26/5	SP+0	0		60						
107		26/6	DP+0	0		60						
108		26/7	SP+0	0		60						
109		26/8	SP+0	0		60	510	6143				
110	27	27/0	SP+0	0	3°50'50"RT	51				CHAMPO	96°7'33.6"	27°26'59"
111		27/1	SP+0	0		60						
112		27/2	SP+0	0		60						
113		27/3	DP+0	0		50						
114		27/4	SP+0	0		60						
115		27/5	SP+0	0		60						
116		27/6	SP+0	0		50						
117		27/7	SP+0	0		60						
118		27/8	SP+0	0		60						
119		27/9	DP+0	0		60			Un-Metal Road			
120		27/10	SP+0	0		60	631	6774				

DETAIL POAL SCHEDULE OF "33 KV PROPOSED MIAO S/S TO PROPOSED KHARSANG S/S"

SL.N O	AP NO	POLE NO	TYPE OF POLE	EXT.	ANGLE OF DEVIATION	SPAN	SECTION. LENGTH	CUMLTV. LENGTH	CROSSING	VILLAGE NAME	GPS CO-ORDINATE(WGS-84)	
											EASTING	NORTHING
121	28	28/0	DP+0	0	20°23'0"RT					CHAMPO	96°7'14.5"	27°26'47.7"
122		28/1	SP+0	0		60						
123		28/2	SP+0	0		64			Tea Garden			
124	29	29/0	DP+0	0	11°35'8"RT	60	184	6958	Tea Garden	CHAMPO		
						51				CHAMPO	96°7'7.9"	27°26'46.3"
125		29/1	SP+0	0		60						
126		29/2	SP+0	0		60	171	7129				
127	30	30/0	SP+0	0	8°27'10"LT	59				CHAMPO	96°7'1.7"	27°26'46.2"
128		30/1	SP+0	0		60						
129		30/2	SP+0	0		60						
130		30/3	DP+0	0		60						
131		30/4	SP+0	0		60						
132		30/5	SP+0	0		60						
133		30/6	SP+0	0		60	419	7548				
134	31	31/0	SP+0	0	8°23'33"RT	58				CHAMPO	96°6'46.7"	27°26'43.8"
135		31/1	SP+0	0		58						
136		31/2	DP+0	0		58						
137		31/3	SP+0	0		58						
138		31/4	SP+0	0		58	290	7838				
139	32	32/0	DP+0	0	9°54'35"LT	56	56	7894	Metal Road	NAMPHAI-1	96°6'36.2"	27°26'43.5"
140	33	33/0	SP+3	3	4°43'58"RT	55			LT Line, 33Kv, Nala	NAMPHAI-1	96°6'34.2"	27°26'43.1"
141		33/1	SP+3	3		50						
142		33/2	SP+0	0		60	165	8059	Nala			
143	34	34/0	SP+0	0	0°58'27"LT	61	61	8120		NAMPHAI-1	96°6'28.2"	27°26'42.5"
144	35	35/0	SP+0	0	0°56'5"LT	50				NAMPHAI-1	96°6'26"	27°26'42.2"
145		35/1	SP+0	0		50	100	8220				
146	36	36/0	DP+0	0	24°48'29"LT	50				NAMPHAI-1	96°6'22.4"	27°26'41.7"
147		36/1	SP+0	0		50			Vill Road			
148		36/2	SP+0	0		50						
149		36/3	SP+0	0		43	193	8413	Nala, Factory Boundary			
150	37	37/0	SP+0	0	2°10'19"LT	64			Plywood Factory	NAMPHAI-1	96°6'16.6"	27°26'38.3"
151		37/1	SP+3	3		60	124	8537	33Kv, Factory Boundary, LT Line			
152	38	38/0	DP+3	3	33°53'37"RT	51				NAMPHAI-1	96°6'12.9"	27°26'35.9"
153		38/1	SP+0	0		50	101	8638				
154	39	39/0	SP+3	3	2°42'12"LT	50			Nala, 33Kv, Metal Road	NAMPHAI-1	96°6'9.3"	27°26'35.8"
155		39/1	SP+3	3		55	105	8743				
156	40	40/0	SP+0	0	1°52'24"RT	41	41	8784		NAMPHAI-1	96°6'5.4"	27°26'35.5"
157	41	41/0	DP+0	0	21°38'32"LT	45				NAMPHAI-1	96°6'3.9"	27°26'35.5"
158		41/1	SP+0	0		50	95	8879				
159	42	42/0	DP+0	0	35°34'6"RT	55	55	8934	Metal Road	NAMPHAI-1	96°6'0.8"	27°26'34.2"
160	43	43/0	DP+0	0	13°3'16"LT	54				NAMPHAI-1	96°5'58.8"	27°26'34.5"

DETAIL POAL SCHEDULE OF "33 KV PROPOSED MIAO S/S TO PROPOSED KHARSANG S/S"

SL.N O	AP NO	POLE NO	TYPE OF POLE	EXT.	ANGLE OF DEVIATION	SPAN	SECTION. LENGTH	CUMLTV. LENGTH	CROSSING	VILLAGE NAME	GPS CO-ORDINATE(WGS-84)	
											EASTING	NORTHING
161		43/1	SP+0	0								
162	44	44/0	SP+0	0	8°3'29"LT	55	109	9043				
163	45	45/0	DP+0	0	53°35'1"RT	54	54	9097	Metal Road	NAMPHAI	96°5'54.9"	27°26'34.4"
164	46	46/0	DP+0	0	10°29'29"RT	55	55	9152		NAMPHAI	96°5'53"	27°26'34.1"
165	47	47/0	DP+0	0	17°46'32"LT	58	58	9210		NAMPHAI	96°5'51.5"	27°26'35.4"
166		47/1	SP+0	0		45			Vill Road, Play Ground	NAMPHAI	96°5'50.3"	27°26'36.9"
167	48	48/0	DP+0	0	33°59'25"LT	50	95	9305		NAMPHAI	96°5'47.5"	27°26'38.7"
168		48/1	SP+0	0		55						
169		48/2	SP+0	0		55			Tea Garden			
170		48/3	SP+0	0		55	215	9520	Tea Garden	NAMPHAI	96°5'39.6"	27°26'39"
171	49	49/0	DP+0	0	37°18'21"LT	57			Tea Garden			
172		49/1	SP+0	0		56						
173		49/2	SP+0	0		56						
174		49/3	SP+0	0		60			Un-Metal Road			
175		49/4	SP+0	0		60	289	9809				
176	50	50/0	SP+0	0	7°31'36"RT	50	50	9859		NAMPHAI	96°5'31"	27°26'33.6"
177	51	51/0	DP+0	0	5°33'7"RT	63				NAMPHAI	96°5'29.4"	27°26'32.9"
178		51/1	SP+3	3		60	123	9982	33Kv			
179	52	52/0	DP+3	3	37°42'29"RT	54				NAMPHAI	96°5'25.2"	27°26'31.4"
180		52/1	SP+0	0		54						
181		52/2	SP+0	0		54	162	10144		NAMPHAI	96°5'19.6"	27°26'32.8"
182	53	53/0	SP+0	0	4°37'39"LT	47						
183		53/1	SP+0	0		50						
184		53/2	SP+0	0		55						
185		53/3	DP+0	0		55						
186		53/4	SP+0	0		55						
187		53/5	SP+0	0		55						
188		53/6	SP+0	0		55	372	10516		NAMPHAI	96°5'6.3"	27°26'35.2"
189	54	54/0	DP+3	3	31°8'31"LT	41			33Kv			
190		54/1	SP+3	3		50						
191		54/2	SP+3	3		50	141	10657				
192	55	55/0	DP+0	0	36°23'9"LT	57				NAMPHAI	96°5'1.5"	27°26'33.6"
193		55/1	SP+0	0		55						
194		55/2	SP+0	0		55			Nala			
195		55/3	SP+0	0		55			Tea Garden			
196		55/4	SP+0	0		55			Tea Garden			
197		55/5	SP+0	0		60			Tea Garden			
198		55/6	SP+0	0		60	397	11054	Tea Garden	NAMPHAI	96°4'53.4"	27°26'22.9"
199	56	56/0	DP+0	0	6°17'1"LT	60						
200		56/1	SP+0	0		53						

DETAIL POAL SCHEDULE OF "33 KV PROPOSED MIAO S/S TO PROPOSED KHARSANG S/S"

SL.N O	AP NO	POLE NO	TYPE OF POLE	EXT.	ANGLE OF DEVIATION	SPAN	SECTION. LENGTH	CUMLTV. LENGTH	CROSSING	VILLAGE NAME	GPS CO-ORDINATE(WGS-84)	
											EASTING	NORTHING
201		56/2	SP+0	0								
						60						
202		56/3	SP+0	0								
						60	233	11287				
203	57	57/0	DP+0	0	19°25'21"RT					SHANKHA PANI	96°4'49.5"	27°26'16.2"
						51						
204		57/1	SP+0	0								
						55						
205		57/2	SP+0	0								
						55			Vill Road, Tea Garden			
206		57/3	SP+0	0								
						55	216	11503	Tea Garden			
207	58	58/0	DP+0	0	23°13'36"RT					SHANKHA PANI	96°4'43.8"	27°26'11.4"
						61						
208		58/1	SP+0	0								
						61	122	11625				
209	59	59/0	DP+0	0	18°45'42"RT					SHANKHA PANI	96°4'39.6"	27°26'10"
						51						
210		59/1	SP+0	0								
						50						
211		59/2	SP+0	0								
						60						
212		59/3	SP+0	0								
						60						
213		59/4	SP+0	0								
						60						
214		59/5	SP+0	0								
						60						
215		59/6	DP+0	0								
						60						
216		59/7	SP+0	0								
						60			Tea Garden			
217		59/8	SP+0	0								
						60			Tea Garden			
218		59/9	SP+0	0								
						60			Tea Garden			
219		59/10	SP+0	0								
						60	641	12266	Tea Garden			
220	60	60/0	DP+0	0	9°49'13"LT					SHANKHA PANI	96°4'16.3"	27°26'9.6"
						50						
221		60/1	SP+0	0								
						50						
222		60/2	SP+0	0								
						53			Tea Garden			
223		60/3	SP+0	0								
						53			Tea Garden			
224		60/4	SP+0	0								
						57	263	12529	2Nos Tea Garden, Vill Road			
225	61	61/0	DP+0	0	23°13'16"RT					SHANKHA PANI	96°4'6.9"	27°26'8"
						51			Tea Garden			
226		61/1	SP+0	0								
						52			Tea Garden			
227		61/2	SP+0	0								
						55			Tea Garden			
228		61/3	SP+3	3								
						55	213	12742	Tea Garden, LT Line			
229	62	62/0	DP+3	3	12°11'42"LT					SHANKHA PANI	96°3'59.3"	27°26'9.5"
						56						
230		62/1	SP+0	0								
						55			Vill Road			
231		62/2	SP+0	0								
						55						
232		62/3	SP+0	0								
						55						
233		62/4	SP+0	0								
						55						
234		62/5	SP+0	0								
						55	331	13073				
235	63	63/0	FP+0	0	67°1'49"LT					SHANKHA PANI	96°3'47.3"	27°26'9.5"
						57						
236		63/1	SP+0	0								
						60						
237		63/2	SP+0	0								
						60						
238		63/3	SP+0	0								
						60			Tea Garden			
239		63/4	SP+0	0								
						60			Tea Garden			
240		63/5	SP+0	0								
						60			Tea Garden			

DETAIL POAL SCHEDULE OF "33 KV PROPOSED MIAO S/S TO PROPOSED KHARSANG S/S"

SL.N O	AP NO	POLE NO	TYPE OF POLE	EXT.	ANGLE OF DEVIATION	SPAN	SECTION. LENGTH	CUMLTV. LENGTH	CROSSING	VILLAGE NAME	GPS CO-ORDINATE(WGS-84)	
											EASTING	NORTHING
241		63/6	DP+0	0								
						60			Foot Track			
242		63/7	SP+0	0								
						58	475	13548				
243	64	64/0	DP+0	0	21°25'12"RT					SHANKHA PANI	96°3'40.5"	27°25'55.3"
						59						
244		64/1	SP+0	0								
						50						
245		64/2	SP+0	0								
						50						
246		64/3	SP+0	0								
						50	209	13757				
247	65	65/0	DP+0	0	21°55'10"RT					SHANKHA PANI	96°3'35.2"	27°25'50.4"
						57						
248		65/1	SP+0	0								
						60						
249		65/2	SP+0	0								
						60						
250		65/3	SP+0	0								
						50			Tea Garden			
251		65/4	SP+0	0								
						55			Tea Garden, Un-Metal Road			
252		65/5	SP+0	0								
						55	337	14094	Tea Garden			
253	66	66/0	DP+0	0	15°41'33"LT					NEW LYSON	96°3'24"	27°25'46"
						53			Tea Garden			
254		66/1	SP+0	0								
						50			Tea Garden			
255		66/2	SP+0	0								
						50						
256		66/3	SP+3	3								
						50	203	14297	33Kv			
257	67	67/0	DP+3	3	9°48'14"RT					NEW LYSON	96°3'18.3"	27°25'41.8"
						55						
258		67/1	SP+0	0								
						55	110	14407				
259	68	68/0	DP+0	0	18°7'21"RT					NEW LYSON	96°3'14.8"	27°25'40.1"
						50			Vill Road			
260		68/1	SP+0	0								
						50						
261		68/2	SP+0	0								
						54	154	14561	Vill Road			
262	69	69/0	SP+0	0	4°20'10"RT					NEW LYSON	96°3'9.3"	27°25'39.1"
						50			Shed			
263		69/1	SP+0	0								
						50						
264		69/2	SP+0	0								
						60						
265		69/3	SP+0	0								
						60	220	14781				
266	70	70/0	DP+3	3	20°2'12"RT					NEW LYSON	96°3'1.3"	27°25'38.2"
						53	53	14834	33kv, Metal Road			
267	71	71/0	DP+3	3	21°31'29"LT					NEW LYSON	96°2'59.5"	27°25'38.6"
						43						
268		71/1	SP+0	0								
						50						
269		71/2	SP+0	0								
						50	143	14977				
270	72	72/0	DP+3	3	32°34'53"LT					NEW LYSON	96°2'54.3"	27°25'37.9"
						31	31	15008	2Nos Metal Road, 33Kv			
271	73	73/0	DP+3	3	33°42'1"RT					NEW LYSON	96°2'53.4"	27°25'37.2"
						57						
272		73/1	SP+0	0								
						55						
273		73/2	SP+0	0								
						60						
274		73/3	SP+0	0								
						60						
275		73/4	SP+0	0								
						60						
276		73/5	SP+0	0								
						60						
277		73/6	DP+0	0								
						60						
278		73/7	SP+0	0								
						60						
279		73/8	SP+0	0								
						60						
280		73/9	SP+0	0								
						60	592	15600				

DETAIL POAL SCHEDULE OF "33 KV PROPOSED MIAO S/S TO PROPOSED KHARSANG S/S"

SL.N O	AP NO	POLE NO	TYPE OF POLE	EXT.	ANGLE OF DEVIATION	SPAN	SECTION. LENGTH	CUMLTV. LENGTH	CROSSING	VILLAGE NAME	GPS CO-ORDINATE(WGS-84)	
											EASTING	NORTHING
281	74	74/0	DP+3	3	23°48'20"RT					LOWER INJAN	96°2'32.1"	27°25'34.7"
282	75	75/0	DP+3	3	28°10'43"LT	49	49	15649	2Nos Metal Road, 33Kv	LOWER INJAN	96°2'30.4"	27°25'35.2"
283		75/1	SP+0	0		60						
284		75/2	SP+0	0		58						
285		75/3	SP+0	0		60						
286		75/4	SP+0	0		60						
287		75/5	SP+0	0		60			P.W.D. Area			
288		75/6	DP+0	0		55			P.W.D. Area			
289		75/7	SP+0	0		60	473	16122	P.W.D. Area			
290	76	76/0	DP+3	3	23°12'43"LT	58	58	16180	Metal Road, Tea Garden, 33Kv, LT Line	LOWER INJAN	96°2'13.5"	27°25'32"
291	77	77/0	DP+3	3	20°32'15"RT	61			Tea Garden	LOWER INJAN	96°2'11.8"	27°25'30.9"
292		77/1	SP+0	0		62						
293		77/2	SP+0	0		56						
294		77/3	SP+0	0		60						
295		77/4	SP+0	0		60	299	16479	Metal Road			
296	78	78/0	FP+3	3	83°49'12"LT	50			LT Line	LOWER INJAN	96°2'1.3"	27°25'28.5"
297		78/1	SP+3	3		40						
298		78/2	SP+0	0		50	140	16619				
299	79	79/0	SP+0	0	2°10'23"RT	50				LOWER INJAN	96°2'2"	27°25'24"
300		79/1	SP+0	0		50						
301		79/2	SP+0	0		53						
302		79/3	DP+0	0		55						
303		79/4	SP+0	0		55	263	16882				
304	80	80/0	DP+0	0	48°44'50"RT	50				KHARSANG	96°2'3"	27°25'15.5"
305		80/1	SP+0	0		54						
306		80/2	SP+0	0		55						
307		80/3	SP+0	0		55						
308		80/4	SP+0	0		55	269	17151				
309	81	81/0	DP+0	0	29°36'14"RT	54				KHARSANG	96°1'56.4"	27°25'9.1"
310		81/1	SP+0	0		55	109	17260				
311	82	82/0	DP+0	0	10°38'31"RT	59	59	17319	Kharsang River	KHARSANG	96°1'52.6"	27°25'8"
312	83	83/0	DP+0	0	26°50'54"LT	50				KHARSANG	96°1'50.5"	27°25'7.8"
313		83/1	SP+0	0		55						
314		83/2	SP+0	0		55						
315		83/3	SP+0	0		55	215	17534				
316	84	84/0	DP+0	0	12°10'3"LT	52				KHARSANG	96°1'44"	27°25'3.8"
317		84/1	SP+0	0		55						
318		84/2	SP+0	0		60						
319		84/3	SP+0	0		60						
320		84/4	SP+0	0		60						
						60						

DETAIL POAL SCHEDULE OF "33 KV PROPOSED MIAO S/S TO PROPOSED KHARSANG S/S"

SL. N O	AP NO	POLE NO	TYPE OF POLE	EXT.	ANGLE OF DEVIATION	SPAN	SECTION. LENGTH	CUMLTV. LENGTH	CROSSING	VILLAGE NAME	GPS CO-ORDINATE(WGS-84)	
											EASTING	NORTHING
321		84/5	SP+0	0								
						60						
322		84/6	DP+0	0								
						50						
323		84/7	SP+0	0								
						60	457	17991				
324	85	85/0	DP+0	0	19°48'21"RT					KHARSANG	96°1'32.5"	27°24'53.1"
						33	33	18024				
325	86	86/0	DP+0	0	12°29'17"RT					KHARSANG	96°1'31.4"	27°24'52.7"
						55	55	18079	Vill Road			
326	87	87/0	DP+0	0	36°45'24"RT					KHARSANG	96°1'29.5"	27°24'52.2"
						22	22	18101				
327	88	88/0	DP+0	0						KHARSANG	96°1'28.7"	27°24'52.5"

DETAIL POAL SCHEDULE OF "33 KV PROPOSED MIAO S/S TO PROPOSED KHARSANG S/S"

[illegible]

SURVEY AND SUBMITTED BY:
P.K.DUTTA CO.

CHECKED BY:
TECHNOFAB ENGINEERING

APPROVED BY:
PGCIL

DETAIL POAL SCHEDULE OF "33 KV PROPOSED MIAO S/S TO PROPOSED KHARSANG S/S"

[illegible]

SURVEY AND SUBMITTED BY:
P.K.DUTTA CO.

CHECKED BY:
TECHNOFAB ENGINEERING

APPROVED BY:
PGCIL

DETAIL POAL SCHEDULE OF "33 KV PROPOSED MIAO S/S TO PROPOSED KHARSANG S/S"

[illegible]

SURVEY AND SUBMITTED BY:
P.K.DUTTA CO.

CHECKED BY:
TECHNOFAB ENGINEERING

APPROVED BY:
PGCIL

DETAIL POAL SCHEDULE OF "33 KV PROPOSED MIAO S/S TO PROPOSED KHARSANG S/S"

[illegible]

SURVEY AND SUBMITTED BY:
P.K.DUTTA CO.

CHECKED BY:
TECHNOFAB ENGINEERING

APPROVED BY:
PGCIL

DETAIL POAL SCHEDULE OF "33 KV PROPOSED MIAO S/S TO PROPOSED KHARSANG S/S"

[illegible]

SURVEY AND SUBMITTED BY:
P.K.DUTTA CO.

CHECKED BY:
TECHNOFAB ENGINEERING

APPROVED BY:
PGCIL

DETAIL POAL SCHEDULE OF "33 KV PROPOSED MIAO S/S TO PROPOSED KHARSANG S/S"

[illegible]

SURVEY AND SUBMITTED BY:
P.K.DUTTA CO.

CHECKED BY:
TECHNOFAB ENGINEERING

APPROVED BY:
PGCIL

DETAIL POAL SCHEDULE OF "33 KV PROPOSED MIAO S/S TO PROPOSED KHARSANG S/S"

[illegible]

SURVEY AND SUBMITTED BY:
P.K.DUTTA CO.

CHECKED BY:
TECHNOFAB ENGINEERING

APPROVED BY:
PGCIL

DETAIL POAL SCHEDULE OF "33 KV PROPOSED MIAO S/S TO PROPOSED KHARSANG S/S"

[illegible]

SURVEY AND SUBMITTED BY:
P.K.DUTTA CO.

CHECKED BY:
TECHNOFAB ENGINEERING

APPROVED BY:
PGCIL

DETAIL POAL SCHEDULE OF "33 KV PROPOSED MIAO S/S TO PROPOSED KHARSANG S/S"

REMARKS
USED DP AS A SECTION POLE