

**SITE INSPECTION REPORT NOT BELOW THE RANK OF DCF**  
(for the forest land to be diverted under FCA)

A proposal has been received by this office from E.E. P.D. P.W.D. Ranikhet  
for diversion under FCA-1980 of 5.2734 ha. of forest land non-forestry purpose. The Project envisages the use of forest land for construction of रेलवे - टिकरी - मारापन सेक्टर  
मारापन - रंगल - सेक्टर  
The site inspection of the land involved in the proposal has done by me on dated 24-4-2017

On inspection of the site, it is found that the land required by the user agency is a RF /PF /  
un-classed/Protect forest measuring 5.2734 ha.

The requirement of forest land as proposed by the user agency in Col2 part-1 is unavoidable and is barest minimum required for the project.

Whether any rare/endangered/unique species of flora and fauna found in the area. If, so the details there of. No

Whether any protected archeological/heritage site/defense establishment or any other important monuments is located in the area, if, so the details there of with NOC from competent authority, if required. No

a) ☒ The user agency has not violated the provisions of forest (Conservation), Act 1980 and no work has been started without proper sanction.

b) ☒ It has been found that the user agency has violated the forest (Conservation), Act, 1980 provisions. A details report as per para 1.9 of chapter 1, Para C of Handbook of forest (Conservation) Act, 1980 is attached.

Specific recommendation for acceptance or otherwise of the proposal.

प्रस्ताव स्वीकृति संस्कृति की जागी है।  
(Signature)

Place Almora  
Date 25-04-2017

Name - रमेश चंद्र प्रजापति  
Designation - Divisional Forest Officer  
Office Seal

प्रभागीय वनाधिकारी  
बलभोड़ा वन प्रभाग बलभोड़ा

N.B. ☒ state the purpose for which the forest land is proposed to be diverted.  
☒ out of (a) and (b) tick the option which is applicable and cross the option which is not applicable.

As per letter number 2-2/2000 FC dated 16-10-2000 from Ministry of Environment & Forests, Government of India for proposal involving less than 40 hectares of forest land, the site inspection report from DCF is required and for proposal involving more than 40 hectares of forest land site inspection report from the conservation of forests is required.