

## Report Regarding Violation

Reports regarding violation of Forest (Conservation) Act, 1980 for the consideration of the committee constituted under the Chair ship of the Chief Secretary vide Govt. Of Maharashtra. Revenue & Forest Department G.R.No.F.L.D. 1089/475/Part -2/F10, dated 2<sup>nd</sup> Dec. 1991.

- 1) Name of Agency :- M/S Telesonic Network Limited,  
4<sup>th</sup> Floor, D Building Vega Center,  
Shankarsheth Road, Swaegate Pune 411012

Name of Project :- Diversion of forest land for underground OFC duct and cable within ROW of existing road MDR-63, road passing through forest land at village Marali, Sutarwadi, Bhilarwadi & Tulsan Tal. – Patan & Karad, DIST – SATARA, Proposal under section 2 (ii) of Forest (Conservation) Act,1980.

- 2) A) Whether the project is under EGS or Plan :-  
Project is not under EGS or Plan. Project is submitted by Private Company.
- 3) Location
  - (1) a) i) Forest Gut No. 83, Comp no. 507  
b) Village :- Marali
  - (2) a) ii) Forest Gut 99, Comp no. 540  
b) Village – Sutarwadi
  - (3) a) ii) Forest Gut No. 10, Comp no. 540  
b) Village – Bhilarwadi
  - (4) a) ii) Forest Gut No. 70, Comp no. 705  
b) Village – Tulsan
- 4) No & Date of Technical Sanction = Nil
- 5) No & Date of Administrative approval :- Nil
- 6) **Period of work on forest land**
  - a) Date of Starting the Work :-
  - b) Date of stopping the Work :-
- 7) **Period of work on non – forest land**
  - a) Date of Starting the Work :-
  - b) Date of Stopping the Work :-
- 8) **Detail of work done on forest land**



Sr. No	Item	Forest land involved in the item	Extent of work done in violation on Forest land	Amount Sanctioned on the item in Lakhs	Amount spend on violation on the item in Lakhs	Remark
1	2	3	4	5	6	7
1	Laying of underground OFC duct within ROW of Existing Road passing through Forest land	0.62 Ha.	0.057 ha	11.47 lacs	1.0323 lacs	Offence booked u/s 26(1) (d) of IFA 1927 POR No.16/2021 date 06/08/2021 the overground cable has been removed from forest area
		0.62 Ha.	0.057 ha	11.47 lacs	1.0323 lacs	

9) Details of work –

Item of work= Laying of underground OFC Duct within ROW of road	Qty. In Raining mater	Expenditure including M/S + wages.	Period of work Done
a) For forest land	570 m x 1 m (0.057 ha)	1.03 lacs	04.08.2021 to 06.08.2021
b) For non-forest land	48280 m x 1 m	89.318 lacs	12.04.2022 to 22.04.2022
Total			

10) Name of officer responsible –

Name of officer	Designation	Period of violation
Project Authority		04.08.2021
1) M/s Telesonic Networks Ltd.	Operator Company	
2) M/s Sterlite Technologies Ltd.	Implementation Agency	
3) Sriram Electricals Services	Contractor	
4) Mr. Amol Bajirao Patil	Supervisor	

11) Where the violation case files in the criteris's :- No

Specified in G.R. 475/Part 2/F10 Dt. 21.09.1991

i) If yes in which para :- nil

ii) If not why :- nil

12) Action taken by the agency against the officer's responsible for violation – Rs 20,000/- compensation from the offender has been recovered by recovered by receipt no 003674 &0034765 Dt 13.05.2022 and further action has not taken on P.A as

1) Works of laying of overground OFC ducts was done within Row of existing road passing through forest.

- 2) No felling of trees has been for this works.
- 3) This road is existing before commencement of FC A1980
- 4) P.A. has taken approval from P.W.D authority for laying of OFC duct within ROW of existing road.

**13) Enclosed herewith following document**

- 1) POR Copy and The receipt no 0036764 & 0036765 Dt 13.05.2022 for Rs. 20,000/- As compensation
- 1) Sanction order for laying of OFC duct within Row of- existing road by PWD Dept. Satara.

It is certified that the information in foregoing Para's is verified by me and found correct.



M/s Telesonic Networks Ltd



**14) Deputy Conservator of Forests. Forest Division Satara's remarks as to whether. He is agreeing with the above details.**

Agree with above detail given by Project Authority. Forest Staff has stopped work of laying of overground cable within Right of way (RoW) of existing road and offence has been booked by them hence there is no need to act against the forest Staff.

The proposal is recommended on following conditions.

- (a) with recovery of one-time NPV as penalty for P.A. for violation of F.C. Act 1980 (guideline part A para 1.21 (ii))
- (b) Project Authority should supply permeant free of cost connection of 4 or 5 G unlimited. use date connection to office of Dy. C.F. S Satara and Range Forest offices Patan, & Mobil data sim 4 cards to 2 R OS and 2 Beat Guards. which helps better to conservation of Forest and WL.



(M.N. Mohite)  
Deputy Conservator of Forests  
Satara Forest Division, Satara.

**15) Remarks of Chief Conservator of Forests (T) Forest Circle Kolhapur.**

(R.M. Ramanujam)

Chief Conservator of Forest (T) Kolhapur

**16) Remarks of Principal Chief Conservator of Forests M.S. Nagpur. -**