

No. EDN-BLS-HE (KVS) (6)-7/2021- 4301  
O/O the Dy. Director Higher Education,  
Bilaspur, District Bilaspur (H.P)

Dated:::: Bilaspur:-

14-09-2023

To


The Divisional Forest Officer,  
Forest Division Bilaspur,  
Distt Bilaspur HP

**Sub:- Diversion of 2.26 ha of forest land in favour of Education Department for the construction of Kendriya Vidyalaya Ghumarwin Distt. Bilaspur HP within the jurisdiction of Bilaspur Forest Division District Bilaspur Himachal Pradesh. (Online Proposal No. FP/HP/SCH/19350/2016)**

Sir,

On the subject cited above the EDS raised by your Department has been attended and the parawise reply of the same is as under:-

Sr. No.	Observation	Reply
1.	The Govt. of India has asked to scrutinize the alternatives in more details and complete justification its inescapability for locating the project in forest area. But the reply as submitted by you is not in consonance of the observation. The detailed justification along with the more detail of alternatives is required to be submitted.	Revised Justification has been uploaded against Column No. D (i) in Part-I on the portal
2.	In reply to point no. 2 SMC plan has not been found uploaded, in case such plan is not ready then, undertaking in this regard is required to be submitted.	Undertaking to pay cost of SMCP has been uploaded in additional information detail in Part-I at Sr. No. 21 on the portal
3.	In reply to point no. 3 WLMP plan has not been found uploaded, in case such plan is not ready then undertaking in this regard is required to be submitted.	Undertaking to pay cost of WLMP has been uploaded against additional information detail at Sr. No. 22 in Part-I on the portal
4.	In reply to point no. 4 the density of the proposed area is still not correct. The density may be calculated for mixed crop (young and mature) the total number of trees shall be worked out by taking one mature tree equal to two young trees or vice-versa. Accordingly, density of the area may be worked out and bill of NPV may be calculated and uploaded accordingly.	Pertains to DFO office
5.	The reply of point no. 5 (i) & (ii) has not been furnished completely. Hence, complete reply in all respect be submitted.	The total covered area is 0.9255 ha. which is less than 20,000 sqm. Hence does not require EC. The Norms fixed/approved by the Municipal Council, Ghumarwin has been uploaded against additional information detail at Sr. No. 23 in Part-I on the portal

  
Deputy Director Higher Education  
Bilaspur, Distt. Bilaspur, H.P.