



HARYANA PUBLIC WORKS DEPARTMENT
(BUILDING & ROADS) BRANCH, NARNAUL
Ph. No. 01282-251267 (O), Fax No. 01282-250037 (O).
E-mail ID: pwd-eeepd-narnaul@hry.nic.in
Website: <http://haryanapwd-bandr.org>

To

The Executive Engineer,
Municipal Council,
Narnaul

Memo No. 5168

Dated: 9/9/19

Subject: मुख्यमंत्री महोदय की घोषणा के अन्तर्गत शहर के मुख्यमार्गों पर टाईल लगाने के लिए अनापति प्रमाण पत्र देने बारे।

Reference Your office memo No. 22 dated 06.09.2019.

In this connection it is intimated that this office have no objection if Municipal Council will provide and fix interlocking paver block on both side of PWD roads on basis of following conditions:-

1. Interlocking paver blocks should be laid in slope towards and point of ROB or side drains if any.
2. Existing carriage way should not be disturbed at any point.
3. Make ensure that no obstruction to road users / traffic.
4. If widening of the road will be approved in future then IPB should be removed by M.C. at their own cost.
5. The specification of IPB must be as per MORT&H specification and get approved from this office before occasion.
6. Top level IPB is strictly kept in level / camber provided in road. In no condition above from existing top level of carriageway / black top.

DA/Nil

(Hemant Kumaarr)
Executive Engineer
Prov./Divn. PWD B&R Br.
Narnaul