

## State Level Environment Impact Assessment Authority-Karnataka

(Constituted by MoEF, Government of India, under section 3(3) of E(P) Act, 1986)

No. SEIAA 208 MIN 2014

Date: 12-12-2014

16

To,

Sri. Veeresh V S/o Venkateshappa, Kalagatta Vaddarahalli village, B.Durga Hobli,Holalkere Taluk, Chitradurga District, Karnataka

Sir,

, 8 .1

Sub: Quarrying of Building Stone at Sy. No.142 of T.Emmiganuru Village, Holalkere Taluk, Chitradurga District by Sri Veeresh V – Issue of Environment Clearance – Reg.

This has reference to your application dated 11<sup>th</sup> August 2014 addressed to SEIAA, Karnataka on the subject mentioned above. It has been noted that the proposal is for grant of Environmental Clearance under the provisions of EIA Notification, 2006, for quarrying of Building Stone. The total quarry lease area of the project is 4.00Acre, which is a Government Gomal Land. Out of 4.00 Acre of area, 2.80 Acre area is for quarrying, 0.29 Acre area is for waste dumping and 0.91Acre area is for green belt. Working will be opencast and semi mechanized method. The water requirement for the project is 4.5KLD will be met from tankers. During the quarrying operation about <u>11,331TPA</u> of waste rock will be handled. The Mines and Geology Department has approved quarrying plan on 7<sup>th</sup> July 2014. Capital cost of the project is about Rs.40 lakhs. It is reported that the lease area do not attract General Conditions specified in the EIA notification. 2006 and the amendments made there on.

2. The State Expert Appraisal Committee (SEAC) appraised the project in its meeting held on 16<sup>th</sup>, 17<sup>th</sup> & 18<sup>th</sup> October 2014 and recommended for issue of Environmental Clearance. The State Environment Impact Assessment Authority (SEIAA), Karnataka has examined the applicationim its meeting held on 29<sup>th</sup> November 2014 in accordance with the EIA Notification 2006 and hereby accords Environmental Clearance under the provisions the reof to the above mentioned Sri.Veeresh V for Quarrying of Building Stone with annual production mentioned in the table below subject to implementation of following conditions and environmental safeguards ()).

Room No. 706, 7th Floor. 4th Gate. M.S. Building, Bangalore - 560 001 Phone: 080-22032497 Fax: 00-22254377

32 Section)

State Level Environment Impact Assessment Authority-Karnataka (Constituted by MoEF, Government of India under section 3(3) of E(P) Act. 1986)

SELAA 208 MEN 2014

Quarrying of Building Stone Project of Sri Vecrush V

Year	1st Year	2 <sup>nd</sup> Year	3rd Year	4 <sup>th</sup> Year	5th Year	Total
Production in Tons	1,27,680	1,27,680	1,14,380	1,03,740	93,100	5,66,580

## A. SPECIFIC CONDITIONS:

- Quarry plan approved by the Department of Mines and Geology shall be strictly implemented and shall not be operated beyond the validity period of the approved quarry plan.
- 2. Baseline data on health profile of each of the workers shall be maintained
- 3. PAs should get the health checkup done for the quarry workers on quarterly basis and submit report periodically.
- 4. The SEIAA, Karnataka reserves the right to withdraw the environmental clearance subject to any change in the quarrying policy by the State Government as may be applicable to this project.
- This Environmental Clearance is co-terminus with the lease granted vide quarry lease under MM (D & R) Act 1957/KMMC RULES-1994.
- Quarrying shall be undertaken strictly in accordance with provisions of MM (D&R) Act 1957/ KMMC RULES-1994.
- All the conditions stipulated in the Consent for establishment issued (If applicable) by the Karnataka State Pollution Control Board should be effectively implemented.
- The quarrying operations shall not intersect ground water table. Prior approval of the SEIAA / Ministry of Environment & Forests and Central Ground Water Authority shall be obtained for quarrying below water table.
- 9. The topsoil if any should be stacked at earmarked site only and should not be kept unutilized for a period more than 3 years. The topsoil should be used for reclamation and plantation.
- 10. Waste rock shall be stacked at earmarked site (s) only. The maximum height of the stack should not exceed 10m duly providing suitable terraces. The overall slope of the dump shall not exceed 27°. A retention wall shall be built around the waste rock dump to prevent sliding.
- 11. Catch drains and siltation ponds of appropriate size should be constructed to arrest silt and sediment flows from quarry working area and rock dum ps. The water so collected should be utilized for watering the haulage area, roads, green belt development etc., the drains should be regularly de-il ted particularly after monsoon and maintained properly
- 12. Dimension of the retaining wall at the toe of dumps within the quany to check run-off and siltation should be based on the rainfall data.
- 13. The project authority should implement suitable conservation measures to augment ground water resources in the area in consultation with the Regional Director, Central Ground Water Board within 3 months and hp ort be submitted to the Authority.
- 14 Appropriate mitigation measures should be taken to prevent pollution of nearby water bodies in consultation with the State Pollution Control Bord.
- 15 The project proponent shall submit commitment from the compt ent authority for drawl of requisite quantity of water for the project before starting work on the project.

2

State Level Environment Impact Assessment Authority-Karnataka (Constituted by MoEF, Government of India under section 3(3) of E(P) Act, 1986)

SELAA 208 MIN 2014

16

- 28. Check dams and gully plugs along the smaller streamlets in the area, should be constructed to arrest the loose soil flow from the quarry area.
- Particulars of dimensioned block production and dispatch shall be provided by the quarry owner yearly.
- The infrastructure of transport roads should be improved collectively by the quarry owners of the area.
- Link road from quarry site to main road shall be maintained and black topped by the project proponent.
- 32. The quarry lease area to be properly demarcated using the lat-long coordinates and duly erecting 4 feet concrete/granite pillars on the ground.
- 33. No quarrying shall be undertaken outside the lease area.
- The project Authorities shall maintain a margin of 7.5 meters along the lease boundary.
- 35. The project authorities shall earmark at least 5 % of the total turnover of the project towards the corporate social responsibility and item-wise details along with time bound action plan shall be prepared and submitted to the Authority.
- 36. The project authority shall ensure that the quarry pits are well protected with proper fencing keeping the safety of local people and the animals.
- 37. The project authority shall avoid stagnation of water in the quarry pits which would turn out to be mosquito breeding centers resulting in spreading of diseases such as malaria, dengue, etc.
- Haulage approach road should not be through T.Emmiganuru village till the main road is reached.

## B. GENERAL CONDITIONS:

- No change in quarrying technology and scope of working should be made without prior approval of the SEIAA Karnataka.
- No change in the calendar plan including excavation, quantum of mineral and waste should be made.
- 3. It shall be ensured that the Ambient Air Quality parameters conform to the norms prescribed by the MoEF, Govt. of India, New Delhi.
- 4. Data on ambient air quality (PM10, PM 2.5, SO<sub>2</sub>, NO<sub>x</sub>) should be regularly submitted to the SEIAA Karnataka, Department of Environment and Ecology, Govt. of Karnataka, the Regional Director (Environment). Department of Environment and Ecology, Government of Karnataka, Beliarv and the APCCF, Regional Office, MoEF, Bengaluru and the State Pollution Control Board / Central Pollution Control Board once in six months.
- Fugitive dust emission from all the sources should be controlled regularly. Water spray arrangement on haul roads, loading and unloading and at transfer points should be provided and properly maintained.
- Measures should be taken for control of noise levels below 85 dBA in the work environment. Workers engaged in operations of HEMM, etc shoule be provided with earplugs / muffs.
- 7 Waste water from the quarry should be properly collected, treated so ac to conform to the standards prescribed under GSR 422 (E) dated 19<sup>th</sup> may 1993 and 31<sup>st</sup> December, 1993 or as amended from time to time. Oil and grease trap shall be installed before discharge of effluents. On

State Level Environment Impact Assessment Authority-Karnataka (Constituted by MoEF, Government of India under section 3(3) of E(P) Act. 1986)

SFTAA 208 MIN 2014

- 16. Suitable rainwater harvesting measures on long-term shall be planned and implemented in consultation with Regional Director, Central Ground Water Board for complete rain water harvesting by constructing check dams/converting quarried pits to rain water harvesting ponds.
- Vehicular emissions should be kept under control and regularly monitored. Measures shall be taken for maintenance of vehicles used in quarrying operations and in transportation of blocks.
- Digital processing of the entire lease area using remote sensing technique should be done regularly once in three years for monitoring land use pattern and report submitted to SEIAA Karnataka, Department of Environment and Ecology, Govt. of Karnataka and the APCCF, Regional Office, MoEF, Bengaluru.
- 19. This environmental clearance does not confer any right to the proponent on the land proposed for quarrying until and unless quarry lease and all other statutory clearance are obtained from the respective department/agencies.
- The project authorities should undertake sample survey to generate data on pre-project community health status within a radius of 1 km from proposed quarry.
- 21. Consent to operate if applicable shall be obtained from State Pollution Control Board prior to start of production from the quarry.
- 22. Proper sanitary facilities should be installed for the colony/work place. Domestic waste generated should be disposed in a scientific manner. Proper first aid facilities and health care facilities should be provided for the labourers.
- 23. The project proponent shall take all precautionary measures during quarrying operation for conservation and protection of endangered fauna spotted in the study area. Action plan for conservation of flora and fauna shall be prepared and implemented in consultation with the State Forest and Wildlife Department. The proponent shall contribute towards the cost of implementation of the plan and / or Regional Wildlife Management Plan for conservation of wild life. The amount so contributed shall be included in the project cost. A copy of the action plan may be submitted to the SEIAA, Department of Environment and Ecology, Govt. of Karnataka, the Regional Director (Environment), Department of Environment and Ecology, Government of Karnataka, Bellary and the APCCF, Regional Office, Mo EF, Bengaluru within 3 months.
- 24. The project proponent shall delineate Quarry Closure Plan/ exit protocol to rehabilitate the quarried out land to match its surrounding land use including removal, storage and reuse of waste rock from quarry area to cover reclaimed area. Post Quarry Land Use Plan with rehabilitation of quarried out area (with Plan and Section) provided and submit to SELAA
- 25 Plantation monitoring programme during post project period for ensuring survival and growth rate of plantation in reclaimed area.
- 26. A Final Quarry Closure Plan along with details of Corpus Fund should be submitted to the SEIAA Karnataka, Department of Environment and Ecology, Govt. of Karnataka and the APCCF, Regional Office, Morell, Bengaluru 5 years in advance of final quarry closure for approval.
- 27. Retention walls should be a minimum of 2.5 mtr height with base of 3 mb

State Level Environment Impact Assessment Authority-Karnataka (Constituted by MoEF, Government of India under section 3(3) of E(P) Act. 1986)

5ELAA 208 MIN 2014

Quarrying of Building Stone Project of Sri V coresh V

 Personnel working in dusty areas should wear protective respiratory devices and they should also be provided with adequate training and information on safety and health aspects.

Occupational health surveillance program of the workers should be undertaken periodically i.e. once in 3 months to observe any contractions due to exposure to dust and take corrective measures, if needed. Quarterly report in this regard should be submitted to the Department of Environment and Ecology, Govt. of Karnataka and the Karnataka State Pollution Control Board and the APCCF, Regional Office, MoEF, Bengaluru.

- 9. A separate environmental management cell with suitable qualified personnel shall be set-up under the control of a Senior Executive, who will report directly to the Head of the organization. The Environment management committee should be constituted with one of the member representing nearby village.
- 10. The funds earmarked for environmental protection measures should be kept in separate account and should not be diverted for other purpose. Year wise expenditure should be reported to the SEIAA Karnataka, the Department of Environment and Ecology, Govt. of Karnataka, the Regional Director (Environment), Department of Environment and Ecology, Government of Karnataka, Bellary and the APCCF, Regional Office, MoEF, Bengaluru.
- 11. The project authorities should inform the SEIAA Karnataka, Department of Environment and Ecology, Govt. of Karnataka, the Regional Director (Environment), Department of Environment and Ecology, Government of Karnataka, Bellary and the APCCF, Regional Office, MoEF, Bengaluru regarding date of financial closures and final approval of the project by the concerned authorities and the date of start of land development work.
- 12 The Regional Office of MoEF, Bengaluru; the Department of Environment and Ecology, Govt. of Karnataka, the Regional Director (Environment), Department of Environment and Ecology, Government of Karnataka, Bellary and the Karnataka State Pollution Control Board shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the Officer (S) of these offices by furnishing the requisite data / information / monitoring reports.
- 13. The project proponent shall submit six monthly report on the status of the implementation of the stipulated environmental safeguards to the SELAA Karnataka, Department of Environment and Ecology, Government of Karnataka, the Regional Director (Environment), Department of Environment and Ecology, Government of Karnataka, Bellary and the APCCF. Regional Office, MoEF, Bengaluru; the Central Pollution Control Board and the Karnataka State Pollution Control Board.
- 14. A copy of the clearance letter will be marked to the concerned Panch<sub>av</sub>-at. Local NGO, if any, from whom suggestion / representation has been received while processing the proposal.
- 15 The project proponent should display the conditions prominently at the entrance of the project on a big panel board for the information of the public
- 16. The Karnataka State Pollution Control Board should display a copy of the clearance letter at the Regional office. District Industry Centre and Collector's office/ Tehsildar's office for 30 days.

State Level Environment Impact Assessment Authority-Karnataka (Constituted by MoEF, Government of India under section 3(3) of E(P) Act, 1986)

SEIAA 208 MIN 2014

Quarrying of Building Stone Projectof Sri. Veeresh V

- 17. The project authorities should advertise at least in two local newspapers widely circulated, one of which shall be in the vernacular language of the locality concerned, within 7 days of the issue of the clearance letter informing that the project has been accorded Environmental Clearance and a copy of the clearance letter is available with the State Pollution Control Board and also at website of the Authority at http://www.seiaa.kar.nic.in and a copy of the same should be forwarded to the Department of Environment and Ecology, Government of Karnataka, the Regional Director (Environment), Department of Environment and Ecology, Government of Karnataka, Bellary and the APCCF, Regional Office, MoEF, Bengaluru.
- 18. Concealing factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of Environmental (Protection) Act, 1986.
- 19. Any appeal against this environmental clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.
- 20. The SEIAA or any other competent authority may alter / modify the above conditions or stipulate any further condition in the interest of environment protection.
- 21. Failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of Environment (Protection) Act, 1986.
- 22. The above conditions will be enforced inter-alia, under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and the Public Liability Insurance Act, 1991 along with their amendments and rules made there under.

Yours faithfully,

dunnel (RAMACHANDRA)

Member Secretary SEIAA, Karnataka.

Copy to:

- 1. The Secretary, Ministry of Environment, Forests and Climate Change Indira Paryavaran Bhavan, Jor Bagh Road, Aliganj, New Delhi- 110 003.
- 2. The Director, Department of Mines and Geology, Khanija Bhavan, Race course road, Bengaluru - 560 001.
- 3. The Member Secretary, Karnataka State Pollution Control Board Bengaluru.
- 4 The APCCF, Regional Office, Ministry of Environment & Forests (SZ) Kendriya Sadan, IV Floor, E & F Wings, 17th Main Road, Koramangala I Block, Bengaluru - 560 034.
- 5. Regional Director (Environment), Ecology and Environment Department Government of Karnataka, Radio Park, Dr. Salim Building, Bellary.
- 6 Guard File.