



Sri Ramakrishna Sharada Ashrama (R.)

Swami Vivekananda Marg, Village & Post Yerlapady, Bailur,
Karkala Taluk, Udupi Dist., Karnataka. Pin: 574102, India.

Ph : +91- 9880705858 (Sumatha Nayak)
+91- 9945152755 / 8277654495 (Office)

email : bailurashram1@gmail.com
website: www.rkashrambailurmath.org

॥ श्री रामकृष्णः शरणं मम ॥

Ref: SRSA/2018-19/050

Date: 19-09-2018

Place: Bailur Math

To,
Respected PCCF,
Aranya Bhavan, Bangalore-18.

Respected Sir,

Sub: Short Coming for our Proposal No. FP/KA/Others/33888/2018 regarding requirement of Forest Land for Viveka-Darshan addressed as below.

Ref: Letter from your office having no.A5(2).GFL.CR-4/2018-19, dated 15/09/2018.

Namaste. Please accept our humble regards. Please find the item wise reply mentioned below to the short coming identified for our proposal no. FP/KA/Others/33888/2018 as per the letter from your office having no. A5(2).GFL.CR-4/2018-19, dated 15/09/2018 for your reference and further processing.

Sl.No As in form A	Remarks and Short coming identified	Action Taken
C(iii)	Instead of a Geo-referenced map, the Google imagery showing only the project area is uploaded. The information on boundaries of adjoining survey numbers is not available on this map, making it inadequate for the purpose. Further, the required Geo-referenced map has been uploaded among several other documents (total 9 pages) at Sl No. 7 of 'Additional Information Details' Item. Please upload the said Geo-referenced map (only) here.	Geo-Referenced Map which includes the GPS Sketch and also showing the position of the proposed area of Diversion with the adjoining survey no's uploaded as per the requirement.
K (i)	'No' option is selected. Please note that RoFR Compliance Certificate in FORM-II (for Hybrid/ Non-linear projects) issued by Deputy Commissioner as per guidelines issued by GOI, MOEF&CC, New Delhi vide F.No. 11-9/ 1198-FC (Pt) dated 05-07-2013 will have to be submitted before final approval under FC Act.	The option has been made "YES" and an undertaking letter has been uploaded (our letter no SRSA/ 2018-19/049), assuring to get the required compliance certificate from the Deputy Commissioner on receiving the communication from your office.

Additio nal Informa tion details.	<p>A total of 16 documents (some of them unnecessary or mere duplication of already uploaded elsewhere) are uploaded. <i>Examples: Sl No. 1, 7, 8, 9, 10, 11, 12, 13, 14.</i> Please avoid uploading of unnecessary documents or multiple uploading of the documents uploaded/ required to be uploaded in other Items and retain only the absolutely relevant and necessary for processing here.</p>	<p>Uploads in additional information minimized to avoid repeat of documents and only absolutely relevant and necessary has been retained.</p>
--	--	---

Thanking you,

With Regards,



(Smt. Sumatha R Nayak)
President & Managing Trustee
Sri Ramakrishna Sharada Ashrama (R)