

STATE INSPECTION REPORT NOT BELOW THE RANK OF DCI

(For the forest land to be diverted under FCA)

50

A proposal has been received by this office from Widening of "Gola-Shahjahanpur" section of State Highway No. 93" from Km 49.0 to Km 50.0 for diversion under (FCA 1980) of 8.00 Ha of forest land for non-forestry purpose. The project envisages the use of forest land for construction of . The site inspection of the land involved in the proposal has been done by me on dated 20-11-2015

On inspection of the site, it is found that the land required by the user agency is a RF/un elapsed/ Protected forest measuring 8.00 Ha.

The requirement of the forest land as proposed by the user agency in Col 2 part-1 is unavoidable and is forest minimum required for the project

Whether any rare/endangered/unique species of flora & fauna found in the area. If, so the details there of -

--NIL--

Whether any protected archeological /heritage site/defense establishment or any other important monuments is located in the area, if so, the details there of with NOC from the competent authority, if required -

--NIL--

a) The user agency has not violated the provisions of forest (Conservation) Act, 1980 and no work has been started without proper sanction () Yes

b) It has been found that the user agency has violated the provisions of forest (Conservation) Act, 1980 provisions. A detail report as per para 19 of chapter 1, para C of handbook of Forest (Conservation) Act, 1980 is attached ()

Recommended -

Specific recommendation for acceptance or otherwise of the proposal.

Place - Shahjahanpur

Date - 20-11-2015

Divisional Forest Officer, Shahjahanpur

N.B. x State the proposal for which the forest land is proposed to be diverted.

Out of (a) and (b) tick the option which is applicable and cross the option which is not applicable.

A. per letter number 2/2000 FC dated 16-10-2000 from Ministry of Environment & Forest, Government of India for the proposal involving less than 40 hectares of forest land, the site inspection report from DCI is required and for proposal involving more than 40 hectares of forest land site inspection report from the State Government of forest is required.