

SITE INSPECTION REPORT NOT BELOW THE RANK OF DCF
(For the forest land to be under FCA)

- 1.1 A proposal has been received by this office from Dt अधिशासी अभि० लोक निर्माण विभाग कपकोट for diversion under FCA - 1980) of ... 15.4.0ha. Of forest land non forestry purpose. The project envisages the use of forest land for construction of जनपद बागेश्वर के विधानसभा क्षेत्र कपकोट में जिला योजना के अन्तर्गत जारती से रीमा तक 6.00 किमी० मोटर मार्ग निर्माण हेतु वनभूमि प्रस्ताव उत्तराखण्ड लोक निर्माण विभाग को हस्तान्तरण प्रस्ताव। The site inspection of the land involved in the proposal has been done by me on dated
1.2 On inspection of the site, it is found that the land required by the user agency in Col. Is a RF/PF/un-classed/Project Forest measuring... 1.540 ha.
1.3 The requirement of forest land as proposed by the user agency in Col. 2 part I is unavoidable and is barest minimum required for the project.
1.4 Whether any rare/ endangered/ unique species of flora and fauna founds in the area. If so the detail there of .
1.5xx Whether any projected archeological/heritage site/ defense establishment or any other important monuments is located the area, if so the details there of with NOC from competent authority required-
a) The user agency has not violated the provisions of forest (Conservation), Act 1980 and no work has been started without proper sanction.
b) It has been found that the user agency has violated the forest (Conservation), Act 1980 provisions. A detail report as per Para 1.9 of chapter 1, para C of handbook of forest (Conservation), Act 1980 is attached.

Specific recommendation for acceptance or otherwise of the proposal.

Place... Bageshw ..
Date.....

(signature)

Name

Designation.....

Office Seal.....

- N.B. X State the purpose for which the forest land is proposed to be diverted
XX Out of (a) and (b) tick the option which is applicable and cross the option not applicable.

As per letter number 2-2/2000 FC dated 16.10.2000 From ministry of Environment & Forests, Government of India for proposal involving less than 40 Hectares of forest land, the site inspection report from DCF is required and for proposal involving then 40 hectare of forest land site inspection report from the conservation of forests is required.