Nodal Officer FCA, Aranya Bhawan, Jaipur

Sub.:- Reply for Diversion of 0.1163 hact. of forest land in favor of SUPERINTENDING ENGINEER PHED PROJECT CIRCLE JAIPUR CITY JAIPUR for Laying of pipeline for drinking water supply project Proposal No. FP/RJ/WATER/42602/2019

Ref.:- Letter No. F 14 () 2019/PHED/FCA/PCCF/EDS-1 Dated 20.11.2019

Sir,

In Reference to above subjected letter proposal for the Diversion of **0.1163hact** ha of forest land for **Laying of pipeline for drinking water supply project** has been examined in the office of Nodal Officer FCA, Aranya Bhawan, Jaipur with some observations and directed to convey with necessary rectifications.

In compliance of above letter the point wise reply for the following observation submitted as under:-

Sr.No	Observations	Reply
A-3	Details of person making application	
1.	In the authorization letter, seal is not present	ikyuk dj nh xb2g&
С	Maps of forest land proposed to be diverted	
1.	The KML for the area, where the pipeline has to be passed, should be given, KML for whole area is given which is wrong.	ikyuk dj nh xb2g %
2.	The TOPO sheet given is not proper, Entry and exit from forest should be given and proposal name and name should also be written on TOPO sheet, Seal should be there under signature.	ikyuk dj nh xb2g %
3.	GT sheet map is not given.	ikyuk dj nh xb2g&
D.	Justification for locating the Project in forest land and details of alternative examined:	
1.	No alternatives of the project are explored.	ikyuk dj nh xb2g&
Е.	Employment likely to be generated	
1.	;wtj ,stbllh }kjk 2 LFkk;h ,oa 200 vLFkk;h jkstxkj l`tu localkh Ipouk vaichr ch xbZgSfclUrqmIclk fooj.k layXu ugh fcl;k x;k qaSa	ikyuk dj nh xb2g%
К.	Status of settlement of rights under the Forest Rights	
	Act, 2006 on the forest land proposed to be diverted	
1.	; wtj , st\ll h }kjk fu/kktjr izi = earoukf/kdkj izek.k i = l syXu ughafd; k x; k g\$A	oukf/kdkjiek.ki=iklrgkorsghlayXudjfn;k tk;xxkAbl gorq∨.MjVkdax layXudjnhxbZg&
	Additional information Details	
1	iłklfud, oafoRrh; Lohdfr	ikyuk dj nh xb2g&
2	, fj; k dsydsysku I hV xkeokj@[kI jkokj I syXu ughag&	ikyuk dji nhi xb2 g&
3	it.rkfor ou Hknle dk ys∨kmV IzyXu ughafd;k x;k gA	ikyuk dj nh xb2g&
4	ckj pkVZ	ikyuk dj nh xb2 g&
5	ikst€V fjiksVZ	ikyuk dj nh xb2g&
6	jktLo e§i ij i⊥rko dk ∨zdu , oa tekc∎h layXu ugh g&	ikyuk dj nh xb2g&
7	ilrko ea, u0ih0oh0 {kfrimh2o{kkjki.k dh jkf'k tek djk; s tkus dh opuc) rk l ayXu ugh dh xb2g&	ikyuk djnhxbZg&n∧

Submitted for necessary action and approval please.

Enclosed: - As above.

(अन्तु ह्यू) अधिशापी अभियन्ता जन. स्वा. अभि. विभाग परियोभ निष्डण्ड II (उत्तर) जबपुर DDO Code-10/32122

To,