



No. JHS/W/Land/NOC/E/Water pipe xing/2021-WL-67

XEN, UP JAL NIGAM
HAMIRPUR-210301
U.P.

Sub : Permission for laying of U/G Water pipe (600 mm dia casing with 300 mm carrier dia) crossing at Km 1366/9-10 between JSB-DPSR stations on KID-BZM section, through trenchless pipe pushing method by M/s XEN, UP JAL NIGAM HAMIRPUR.

Ref : Your Application ID no. NCR/JHS/2021-WL-67 dated 20.02.2021

Permission for laying of U/G Water Pipe xing (600 mm dia casing with 300 mm carrier dia) crossing at Km 1366/9-10 between JSB-DPSR stations on KID-BZM section is hereby provisionally granted, subject to the confirmation/clearance of authenticity of BG submitted by you.

Following precautions to be taken while laying Water pipe crossing on Railway land:-

- 1-The work shall be completed within five days after starting the work, else extra amount will be charged as detention charges as per report of Railway Engineers at site.
- 2-Before starting the work on railway land ADEN/BNDA is to be contacted and the work should be carried out under the supervision of SSE/PW & S&T and Electrical staff concerned.
- 3-Water pipe crossing casing shall be laid up to railway boundary on either side of the railway track.
- 4-Water pipe crossing should be laid through Trenchless pipe pushing method only, the casing pipe will be inserted simultaneously with boring to keep formation supported all the time to prevent any settlement of track, as per attached approved drawing. Work should be completed in all respect within six months.

All other formalities shall be ensured as per direction of railway Engineer Incharge subject to Railway rules terms and condition etc., amended up to date & mentioned in Drg. & RDSO guide lines.

DA- Copy of approved Drg. Agreements & RDSO guide lines (Report No. BS-105).

Sr. DEN/E/JHS

C/- Sr.DFM/JHS – For information please, with copy & Agreement.

C/- ADEN/BNDA - For information and necessary action & advise the date of start and completion of Work.



No. JHS/W/Land/NOC/E/Water pipe xing/2021-WL-66

Date-24/06.2022

XEN, UP JAL NIGAM
HAMIRPUR-210301
U.P.

Sub : Permission for laying of U/G Water pipe (800 mm dia casing with 500 mm carrier dia) crossing at Km 1350/4-5 between RGU-BSZ stations on KID-BZM section, through trenchless pipe pushing method by M/s XEN, UP JAL NIGAM HAMIRPUR.

Ref : Your Application ID no. NCR/JHS/2021-WL-66 dated 27.07.2021

Permission for laying of U/G Water Pipe xing (800 mm dia casing with 500 mm carrier dia) crossing at Km 1350/4-5 between RGU-BSZ stations on KID-BZM section is hereby provisionally granted, subject to the confirmation/clearance of authenticity of BG submitted by you.

Following precautions to be taken while laying Water pipe crossing on Railway land:-

- 1-The work shall be completed within five days after starting the work, else extra amount will be charged as detention charges as per report of Railway Engineers at site.
- 2-Before starting the work on railway land ADEN/BNDA is to be contacted and the work should be carried out under the supervision of SSE/PW & S&T and Electrical staff concerned.
- 3-Water pipe crossing casing shall be laid up to railway boundary on either side of the railway track.
- 4-Water pipe crossing should be laid through Trenchless pipe pushing method only, the casing pipe will be inserted simultaneously with boring to keep formation supported all the time to prevent any settlement of track, as per attached approved drawing. Work should be completed in all respect within six months.

All other formalities shall be ensured as per direction of railway Engineer Incharge subject to Railway rules terms and condition etc., amended up to date & mentioned in Drg. & RDSO guide lines.

DA- Copy of approved Drg. Agreements &
RDSO guide lines (Report No. BS-105).

Sr. DEN/JHS

C/- Sr.DFM/JHS – For information please, with copy & Agreement.

C/- ADEN/BNDA - For information and necessary action & advise the date of start and completion of Work.