
#### ויווייו ויווייו אווי פיצואחט



## क्षेत्र का नाम :- गढ़वाल

वृत्त का नाम :- 8वॉ वृत्त, लो0नि0वि0, टिहरी

जनपद का नाम :- टिहरी

खण्ड का नाम :- निर्माण खण्ड, लो०नि०वि०, नरेन्द्रनगर

लोक सभा क्षेत्र :- टिहरी

विधानसभा क्षेत्र :- टिहरी

#### प्रस्ताव

कार्य का नाम :— जनपद टिहरी गढवाल में मा० मुख्यमंत्री जी घोषणा संख्या—605/2014 के अन्तर्गत विधानसभा क्षेत्र नरेन्द्रनगर के अन्तर्गत शिवपुरी से जाजल तक रोड का डबल लेन में निर्माण कार्य हेतु 4.69 है० वन भूमि का गैर वानिकी कार्यो हेतु लो०नि०वि० को

प्रत्यार्वन ।

आगणन की लागत :- 29.68 लाख

#### प्रारुप-49

जनपद टिहरी गढ़वाल के विधान सभा क्षेत्र नरेन्द्रनगर में राज्य योजना के अन्तर्गत दिऊली - गुजराडा मोटर परियोजना का नाम-मार्ग निर्माण हेत् वन भूमि हस्तान्तरण प्रस्ताव ।

#### Report

उपरोक्त मोटर मार्ग के निर्माण हेतु प्रशासनिक एंव वित्तीय स्वीकृति प्राप्त है। इस मार्ग का समरेखण सिविल भूमि, आरक्षित वन भूमि एव नाप भूमि से होकर गुजरता है।

इस मोटर मार्ग के निर्माण लम्बाई 7.250 कि0मी0 के निर्माण से सीधे भाग में 5.95 मी0 चौडाई एंव कर्व पर मानको के अनुसार अतिरिक्त चौडाई में निर्माण किया जाना है। मार्ग के निर्माण से पहाड़ कटान से उत्सर्जित होने वाले मक की मात्रा 158688.00 घनमीटर है। इसी मक से उपयोग में होने वाली 70664.70 घनमीटर सामग्री का प्रयोग मार्ग निर्माण में किया जयेगा। घनमीटर शेष 88023.30घनमीटर सामग्री को निर्धारित डिम्पंग जॉन में डिस्पोज किया जायेगा। जिसकी क्षमता कुल 89285.88 घनमीटर है। जोकि डिस्पोज किये जाने वाली मक से 1262.58 घन मीटर अधिक है। डिस्पोज की जाने वाली सम्पूण मक की मात्रा का दुलान किया जयोगा।

Junior Engineer/ AAE C.D.P.W.D

Narendra Nagar

C.D.P.W.D

Narendra Nagar

# 2

#### PWD UTTARAKHAND

#### SCHEDULE OF RATES

SOR :- MISCELLANEOUS For Block 27 Narendra Nagar Year :- FY. 2021-22

Effective From:-01-May-2021

SI. No.

Description

Rate

Unit

CHAPT	ER-1 - General Items		
1-1	Earthwork in Hill Road (Hill Side Cutting)		
1-1-1	Excavation in soil in Hilly Area by mechanical means		
1-1-1-A	Excavation in soil in Hilly Area by mechanical means Without		
	useinng Dozer including cutting and trimming of side slopes and	69.00	Cum
	disposing of excavated earth with a lift upto 1.5 m and a lead upto	68.00	Cum
	20 m as per Technical Specification Clause 1603.1		
1-1-1-B	Extra for Every Additional Lift of 1.5 m or Part thereof	23.00	Cum
1-1-2	Excavation in Hilly Areas in Ordinary Rock by mechanical means not		
	requiring blasting (With out Dozer)		
	Excavation in hilly area in ordinary rock not requiring blasting by	103.00	Cum
	mechanical means without using Dozer including cutting and trimming		
	of slopes and disposal of cut material with a lift upto 1.5 m and lead		
	upto 20 m as per Clause 1603.2.		
1-1-3	Excavation in Hilly Areas in Hard Rock requiring blasting		
1-1-3-A	Excavation in hilly areas in hard rock requiring blasting, by		
	mechanical means without using Dozer, lift upto 1.5 m and	270.90	Cum
	disposal of excavated rock upto a lead of 20 m as per Clause		
	1603.2.	45.10	Cum
1-1-3-B	Extra for Every Additional Lift of 1.5 m or Part thereof Excavation in foundation for retaining, breast walls etc, in all types of soils	10.10	•
1-2	and rocks including all lead, lift and disposal of surplus material as per		
	direction of engineer - in - charge, as per drawing and technical	348.20	Cum
	specifications Clause 305.1 of MORD Specifiction		
1-3	Random Rubble Stone Masonry laid Dry, in breast walls, retaining walls,		
	etc. including supply of all material, labour, T&P and royaltiles etc.		
	complete as per drawing and technical specifications Clauses 702, 704,	1,992.80	Cum
	1202 & 1203 of MORD Specifiction		
1-4	Random Rubble Stone Masonry laid in 1:6 cement and sand mortar, in		
, ,	breast walls, retaining walls, parapets, scuppers, etc. including supply of		
	all material, labour, T&P and royaltiles etc. complete as per drawing and	3,581.90	Cum
	technical specifications Clauses 702, 704, 1202 & 1203 of MORD		
	Specifiction		
1-5	Hand Packed stone filling in back of walls including cost of all materials,		
1-3	royality, T&P etc. complete as per direction of Engineer-in- charge. (As	842.00	Cum
	per PWD Uttarakhand specifications)		
1.6	Construction of coolie walling including supply of all material, labour, T&P		
1-6	oto required for proper completion of the work as per direction of Engineer.		
	etc. required for proper completion of the work as per direction of Engineer-	1,290.70	Cum
	in- charge. (As per PWD Uttarakhand specifications)		

परियोजना का नामः— जनपद टिहरी गढवाल में मा० मुख्यमंत्री जी घोषणा संख्या—605/2014 के अन्तर्गत विधानसभा क्षेत्र नरेन्द्रनगर के अन्तर्गत शिवपुरी से जाजल तक रोड का डबल लेन में निर्माण कार्य हेतु 4.69 है0 वन भूमि का गैर वानिकी कार्यो हेतु लो०नि०वि० को प्रत्यार्वन।

#### मक डम्पिंग प्लान / प्रमाण पत्र

प्रमाणित किया जाता है कि जनपद टिहरी गढ़वाल में शिवपुरी से जाजल तक रोड का डबल लेन में निर्माण कार्य (7.25 किमी०) से उत्पादित मलवे को उचित प्रक्रियानुसार सुरक्षित स्थान पर डिम्पंग किया जायेगा। मलवा कहीं भी वृक्ष आच्छादित क्षेत्र एवं जल स्त्रोतों में नहीं डाला जायेगा।

कनिष्ठ अभियन्ता नि.ख. लो०नि०वि०, नरेन्द्रनगर सहयिक अभियन्ता नि.ख. लो०नि०वि०, नरेन्द्रनगर अधिशासी अभियन्ता नि.ख. लो०नि०वि०, नरेन्द्रनगर परियोजना का नाम-

जनपद टिहरी गढवाल में मा0 मुख्यमंत्री जी घोषणा संख्या—605/2014 के अन्तर्गत विधानसभा क्षेत्र नरेन्द्रनगर के अन्तर्गत शिवपुरी से जाजल तक रोड का डबल लेन में निर्माण कार्य हेतु 4.69 है0 वन भूमि का गैर वानिकी कार्यों हेतु लो0नि0वि0 को प्रत्यार्वन

मलवा निस्तारण योजना

		म	लवा	नस्तारण या	4.11				
SL.	Particulars of Items	Nos		Length	Width	Height	Quantity	Unit	
No	Particulars of Items	110		d From Hill	Side Cutting				
	Ma	iterial K	eceive	u Flom III		(0.001(00)	132240.00	Cum	
	New Cutting	1x	1	7250.00	6.00	(0.00+6.00)	132240.00		
1	New Cutting						26448.00	Cum	
	20% Extra For Soil Factor			No.			20110.00		
	20% Extra For Son Paste.				TOTAL QL	158688.00	Cum		
			Sangun	nption of Mu	ck At Site				
		<del>                                     </del>	Olisuli			1.50			
	. Conto	1x	65	3.00	1.50	1.50	438.75	Cum	
1	1 for Construction of wire Crate	1A	00	2.00	1.50	1.50	216.00	Cum	
		1x	32	3.00	1.50	1.50	216.00	Cum	
				3.00	1.50	1.50	283.50	Cum	
		1x	42	3.00	- 40		263.30	Cum	
				3.00	1.50	1.50	432.00	Cum	
		1x	64				132.00		
	I will be a second and the second			7000.0	(2.50+1.00)/2	4.50	63000.00	Cum	
	For Edge and Collie waling	1x	1	7000.0	(2.5011.00)/2				
		12/	1	7250.00	4.10	0.15	4458.75	Cum	
	For Soling Coat	1x		7230.00					
	- / Country	7.25	8	7.50	1.00	3.5	1522.50	Cum	
	For Cross Drainage / Scupper	1.23							
	S. Dannit	7.25	40	3.00	0.60	0.60	313.20	Cum	
	For Parapit	1,,_0		The second		and the control of the last of			
	Used Material For Road Construction						70664.70	Cum	
								Cum	
		Net Quantity to be Disposed in Dumping Zone							

Junior Engineer/ AAE C.D.P.W.D Narendra Nagar Assistant Engineer C.D.P.W.D Narendra Nagar

SWILL

#### PWD UTTARAKHAND



### SCHEDULE OF RATES

SOR :- MISCELLANEOUS For Block 27 Narendra Nagar Year :- FY. 2021-22 Effective From:-01-May-2021

STIANA		Rate	Unit
SI. No.	Description		
1-7	Providing and laying of wire crates 3.00x1.50x1.50 in size with GI wire conforming to IS: 280 & IS:4826 in 150mm x 150mm mesh laid with stone boulders. as per direction of Engineer-in- charge. (As per PWD		
	Uttarakhand specifications)	1,661.50	Cum
1-7-1 1-7-2	GI wire 10 gauge BWG GI wire 8 gauge BWG	1,888.70	Cum
1-8	Providing and Laying of Mechanically Woven Double Twisted Hexagonal shaped Gabions (Zinc plus PVC coated), of size 3mX1mX1m with two diaphragms at 1m interval, having mesh opening 100mmx120 mm, mesh wire diameter 2.7mm/3.7mm, edge/selvedge wire diameter 3.4/4.4 mm and lacing wire diameter 2.2/3.2 mm. (The work includes filling boulders in the gabions).	8,951.10	No.
1-9	Providing and Laying of Mechanically Woven Double Twisted Hexagonal shaped Gabions of galvanized steel, of size 3mX1mX1m with two shaped Gabions of galvanized steel, of size 3mX1mX1m with two		
diaphra wire di and lac	shaped Gabions of galvanized steet, of old diaphragms at 1m interval, having mesh opening 100mmx120 mm, mesh wire diameter 3 mm for gabions, edge/selvedge wire diameter 3.9 mm and lacing wire diameter 2.2 mm. (The work includes filling boulders in the gabions).	9,169.20	No.
1-10 1-10-1	Clearance of land slides (Slip Clearance)  Clearance of land slides in soil and ordinary rock by a bull-dozer D 80  A-12, 180 HP and disposal of the same on the valley side complete as	69.30	Çum
1-10-2	directed by the Engineer-in-charge.  Clearing of land slide in hard rock requiring blasting for 50 per cent of the boulders and disposal of the same on the valley side (Using bull-dozer) complete as directed by the Engineer-in-charge.	113.10	Cum
1-10-3	Slip clearance (by manual means) of loose earth and other small loose materials including disposal complete as directed by the Engineer-in-	208.50	Cum
1-10-4	charge. Slip clearance (by manual means) of earth and boulders including disposal complete as directed by the Engineer-in-charge.	209.30	Cum
1-10-5	Slip clearance (by manual means) of boulders only including disposal complete as directed by the Engineer-in-charge.	224.00	Cum
1-11	Setting Out (Construction of Reference Pillars, Back Pillars and 300		
1-11-1	Construction of reference pillars with RR 1:6 stone masonary and Plastered with 1:4 Mortar, (totally under ground) of length 200mm, width 200mm and height 300mm) as per Fig. 1600.1 (b) and Technical Specification Clause 1602.1 of MORD specifications.	58.00	No.

बरियोजना का नाम-

जनपद टिहरी गढवाल में मा0 मुख्यमंत्री जी घोषणा संख्या—605/2014 के अन्तर्गत विधानसभा क्षेत्र नरेन्द्रनगर के अन्तर्गत शिवपुरी से जाजल तक रोड का डबल लेन में निर्माण कार्य हेतु 4.69 है0 वन भूमि का गैर वानिकी कार्यो हेतु लो0नि0वि0 को प्रत्यार्वन

**Capacity of Dumping Yard** 

		Capaci	ty of Dun	iping raid		T	
1	Location of Dumping	Name of Land	Name of Land Size of Dumping Yard Type		Type of land	Capacity of	
SL.No.	Yard ( Km / Chainage)	-	Length	Width	Height		Dumping Yayd
1	Km-17.00 X- Sec 16/12 to 16/30	Papendra Singh S/o Chatar Singh, Ram Singh S/o Shridhram, Satya Singh S/o Gunder Singh, Vill- Hadisera	175.00	12.50	8.00	Nap Land	17500.00 Cum
2	Km-18.00 X- Sec 17/25 to 17/29	Balbeer Singh S/0 Prem Singh, Village Hadisera	75.00	15.25	9.50	Nap Land	10865.63 Cum
3	Km-19.00 X- Sec 18/18 to 18/25	Roshan Lal S/o Sundarmani, Village Hadisera	155.00	17.30	6.00	Nap Land	16089.00 Cum
4	Km-19.00 X- Sec 18/26 to 18/31	Dinesh Prasad S/o Sohan lal , Vill- Hadisera	125.00	9.00	8.50	Nap Land	9562.50 Cum
5	Km-19.00 X- Sec 18/36 to 18/39	Mahendra Dutt S/o Visamber Dutt , Vill- Hadisera	75.00	9.00	8.50	Nap Land	5737.50 Cum
6	Km-22.00 X- Sec 21/12 to 21/30	Chatarsingh Urf Bachan Singh S/O Fate Singh , Vill- Ampata	225.00	12.50	10.50	Nap Land	29531.25 Cum
7		Allipata					89285.88 Cum

Junior Engineer/ AAE C.D.P.W.D Narendra Nagar Assistant Engineer
C.D.P.W.D
Narendra Nagar

परियोजना का नाम-

जनपद टिहरी गढवाल में मा0 मुख्यमंत्री जी घोषणा संख्या—605/2014 के अन्तर्गत विधानसभा क्षेत्र नरेन्द्रनगर के अन्तर्गत शिवपुरी से जाजल तक रोड का डबल लेन में निर्माण कार्य हेतु 4.69 है0 वन भूमि का गैर वानिकी कार्यों हेतु लो0नि0वि0 को प्रत्यार्वन

#### **Summary of Dabries Disposal**

SL.No.	Total Dabries	Resued for Road Construction	Capacity of Dumping Zone	Total Material to Be Disposed out (Col 2-Col 3)	Balance Quantity of Dabries
1	2	3	4	5	8
1	158688.00 Cum	70664.70 Cum	89285.88 Cum	88023.30 Cum	0.00 Cum
			hence Dump	ing Zone Capacity is "Suff	icient

Junior Engineer/ AAE C.D.P.W.D Narendra Nagar Assistant Engineer
C.D.P.W.D
Narendra Nagar

SILLIU

Detail of Measurement

Name जनपद टिहरी गढवाल में मा० मुख्यमंत्री जी घोषणा संख्या—605/2014 के अन्तर्गत विधानसभा क्षेत्र नरेन्द्रनगर के अन्तर्गत शिवपुरी से जाजल तक रोड का डबल लेन में निर्माण कार्य हेतु 4.69 हैं0 वन भूमि का गैर वानिकी कार्यों हेतु लोठनिठविठ को प्रत्यार्वन।

SI.NO	Discription Of Item		Nos	Length	Width	Height	Quantity	Uni
1	Excavation in foundation for retaining, breast wall etc, in all types of soils and rocks including all lead, li and disposal of surplus material as per direction of engineer - in - charge, as per drawing and technical specifications Clause 305.1 of MORD Specifiction	ft of						
	Dumping Yard -1 wire Crate	1)	40	3.00	1.50	0.80	144.00	Cun
	Dumping Yard -2 wire Crate	1 x	24	3.00	1.50	0.80	86.40	Cun
	Dumping Yard -3 wire Crate	1 x	36	3.00	1.50	0.80	129.60	Cun
	Dumping Yard -4 wire Crate	1 x	38	3.00	1.50	0.80	136.80	Cum
	Dumping Yard -4 wire Crate	1 x	24	3.00	1.50	0.80	86.40	Cum
	Dumping Yard -5 wire Crate	1 x	20	3.00	1.50	0.80	72.00	Cum
	Dumping Yard -6 wire Crate	1 x	21 203	3.00	1.50	0.80	75.60 730.80	Cum
	Providing and Laying of Mechanically Woven Double Twisted Hexagonal shaped Gabions of galvanized steel, of size 3mX1mX1m with two diaphragms at 1m interval, having mesh opening 100mmx120 mm, mesh wire diameter 3 mm for gabions, edge/selvedge wire diameter 3.9 mm and lacing wire diameter 2.2 mm. (The work includes filling boulders in the gabions)							
	Dumping Yard -1 wire Crate	1 x	40				40.00	Nos
	Dumping Yard -2 wire Crate	1 x	24				24.00	Nos
	Dumping Yard -3 wire Crate	1 x	36				36.00	Nos
	Dumping Yard -4 wire Crate	1 x	38				38.00	Nos
	Dumping Yard -4 wire Crate	1 x	24				24.00	Nos
		1 x	20				20.00	Nos
	Dumping Yard -6 wire Crate	1 x	21				21.00	Nos
			203				203.00	Nos

कनिष्ठ अभियन्ता नि.ख. लो०नि०वि०, नरेन्द्रनगर

SILL सहायक अभियन्ता नि.ख. लो०नि०वि०, नरेन्द्रनगर

**BILL OF QUANTITY** 

जनपद टिहरी गढवाल में मा0 मुख्यमंत्री जी घोषणा संख्या—605/2014 के अन्तर्गत विधानसभा क्षेत्र नरेन्द्रनगर के अन्तर्गत शिवपुरी से जाजल तक रोड का डबल लेन में निर्माण कार्य हेतु 4.69 है0 वन भूमि का गैर वानिकी कार्यों हेतु लो0नि0वि0 को प्रत्यार्वन।

SI.N0	Discription Of Item	Quantity	Unit	Rate	Amount
1	Excavation in foundation for retaining, breast walls etc, in all types of soils and rocks including all lead, lift and disposal of surplus material as per direction of engineer - in - charge, as per drawing and technical specifications Clause 305.1 of MORD Specifiction	730.80	Cum	348.2	254464.56
2	Providing and Laying of Mechanically Woven Double Twisted Hexagonal shaped Gabions of galvanized steel, of size 3mX1mX1m with two diaphragms at 1m interval, having mesh opening 100mmx120 mm, mesh wire diameter 3 mm for gabions, edge/selvedge wire diameter 3.9 mm and lacing wire diameter 2.2 mm. (The work includes filling boulders in the gabions)	7 00.00	·		201101.00
		203.00	Nos	9169.2	1861347.6
					2115812.16

कनिष्ठ अभियन्ता नि.ख. लो०नि०वि०, नरेन्द्रनगर

सहायक अभियन्ता नि.ख. लो०नि०वि०, नरेन्द्रनगर

अधिशासी अभियन्ता नि.ख. लो०नि०वि०, नरेन्द्रनगर

#### मक डिस्पोजल स्थलो पर हेवल कोयर मैट वेटीवर घास उपचार करनो

र्म का नाम

जनपद टिहरी गढवाल में मा0 मुख्यमंत्री जी घोषणा संख्या—605/2014 के अन्तर्गत विधानसभा क्षेत्र नरेन्द्रनगर के अन्तर्गत शिवपुरी से जाजल तक रोड का डबल लेन में निर्माण कार्य हेतु 4.69 हैं0 वन भूमि का गैर वानिकी कार्यों हेतु लोठनिठविठ को प्रत्यार्वन।

वृक्षारोपण स्थल का कुल क्षत्रफल - 1.063 है0

	वृक्षारापण स्थल यम युरा वामार	Length	Width	Area (Sqm)	Area in Hac
Sl.No	Dumping Zone N0	175.00	12.50	2187.50	0.219
1	Dupming Zone 01	75.00	15.25	1143.75	0.114
2	Dupming Zone 02	155.00	17.30	2681.50	0.268
3	Dupming Zone 03	125.00	9.00	1125.00	0.113
4	Dupming Zone 04	75.00	9.00	675.00	0.068
5	Dupming Zone 05	225.00	12.50	2812.50	0.281
6	Dupming Zone 06	223.00	12.50	10625.25	1.063
	TOTAL				

		मात्रा	ईकाई	दर	योग
कम० स०	कार्य का नाम		hac	1350.00	1435.05
1	क्षेत्र की झाडी सफाई	1.063	Hac	2000.00	
2	केटीवर घास की पिण्डी पौध तैयार करनो व लगाना (घास व	36500.00	Nos	1.21	44165.00
	सुवली के मूल्य सहित)	1.00	L.S	1200.00	1200.00
3	माल गाडी का भाडा	36500.00	Nos	0.80	29200.00
4	नर्सरी में पौध को गली खोद कर उखाडना	36500.00	Nos	0.18	6570.00
5	पौध दुलान का कार्य	36500.00	Nos	1.47	53655.00
6	घास रोपण का कार्य।	10125.00	Nos	25.00	253125.00
7	जूट मैट का मूल्य	21.00	Nos	367.50	7717.50
8	जूट मैट को साईट में लाने के लिये लेबर	1.00	L.S	2000.00	2000.00
9	अन्य आकरिमक व्यय	1.00	L.3	2000.00	399067.55
	योग				

कनिष्ठ अभियन्ता नि.ख. लो०नि०वि०, नरेन्द्रनगर सहायक अभियन्ता नि.ख. लो०नि०वि०, नरेन्द्रनगर

अधिशासी अभियन्ता नि.ख. लो०नि०वि०, नरेन्द्रनगर

SUMMARY OF ESTIMATED COST

हरी गढ़वाल में मा० मुख्यमंत्री जी घोषणा संख्या-605/2014 के अन्तर्गत विधानसभा क्षेत्र नरेन्द्रनगर के अन्तर्गत शिवपुरी से जाजल हरी गढ़वाल के निर्माण कार्य हेतु 4.69 हैं0 वन भूमि का गैर वानिकी कार्यों हेतु लोठनिठविठ की प्रत्यार्वन।

	The state of the s	Amount
\$1.No.	जनपद टिहरी गढवाल में मा० मुख्यमंत्री जी घोषणा संख्या—605 / 2014 के अन्तर्गत विधानसभा क्षेत्र नरेन्द्रनगर के अन्तर्गत शिवपुरी से जाजल तक रोड का डबल लेन में निर्माण कार्य हेतु 4.69 है0 वन भूमि का गैर वानिकी कार्यों हेतु लो०नि०वि० को प्रत्यार्वन।	2115812.16
2	मक डिस्पोजल स्थलो पर हेवल कोयर मैट वेटीवर घास उपचार करना	399067.55
	योग	2514879.71
3	Add G.S.T. @ 18%	452678.35
	Total Amount Rs.	2967558.06
	Say Rs.	29.68 Lakh

Sum Assistant Engineer Construction Division P.W.D. Narendranagar

**Executive Engineer** Construction Division P.W.D. Narendranagar

Name Of Work :- जनपद टिहरी गढवाल में मा० मुख्यमंत्री जी घोषणा संख्या—605/2014 के अन्तर्गत विधानसमा क्षेत्र नरेन्द्रनगर के अन्तर्गत शिवपुरी से जाजल तक रोड का डबल लेन में निर्माण कार्य हेतु 4.69 है० वन भूमि का गैर वानिकी कार्यो हेतु लो०नि०वि० को प्रत्यार्वन।

